

INDEX OF SUBJECTS.

ABSTRACTS. 1879.

A.

- Absorption of selenium by plants, 955.
 Absorption-spectra, differences in, 189.
 ——— of didymiferous minerals, measurement of, 697.
 Absorption-spectrum of alizarin and of some colouring matters derived from it, 807.
 ——— of nitro-alizarin, 807.
 ——— of pseudo-purpurin, 807.
 ——— of purpurin, 807.
 Acetal, monochlor-, action of bleaching powder on, 9.0.
 Acetamide, monobrom-, 221.
 Acetic acid, absorption of hydrobromic acid by, 705.
 ——— absorption of hydrochloric acid by, 705.
 ——— action of bromine on, 705.
 ——— addition-products of, with bromine and hydrochloric acid, 705.
 ——— derivatives, heat of formation of, 872.
 ——— estimation of, in wine, 980.
 ——— formation of, by yeast alone, in presence and absence of oxygen, 663.
 ——— occurrence of furfuraldehyde, in glacial, 137.
 Acetic anhydride, action of aluminium chloride on, 620, 915.
 ——— action of ammonia on, 621.
 ——— chemical functions of, 621.
 ——— action of reducing agents on, 621.
 ——— action of sodium-hydrogen sulphite on, 621.
 Acetobromhydrin, action of zinc-copper couple on, 1030.
 ——— preparation of, 1030.
 Acetonaphthylthiamide, 147.
 Acetone, action of boron fluoride on, 914.
 ——— action of methylamine on, 1035.
 ——— bor-, 915.
 ——— fluobor-, α - and β -, 914.
 ——— preparation of hexmethylbenzene from, 940.
- Acetophenone, reduction of, 61.
 ——— a sulphuretted derivative of, 61.
 ——— thio-, 61.
 Acetopropionic acid and lævulinic acid, identity of, 453.
 Acetoquercites, 240.
 Acetothiotoluidide, 147.
 Acetotoluide [1 : 4], dimorphism of, 626.
 Acetoxylyde, 920.
 Acetumbelliferone, 721.
 Acetylbutylchloral cyanide, 41.
 Acetyldimethylparaphenylene - diamine, 627.
 Acetylene, action of sulphuric acid on, 780.
 ——— liquid, physical properties of, 1028.
 ——— carbamides, 142.
 ——— chlor-, 453.
 ——— isopropyl-, 134.
 Acetylformamide, 45.
 Acetyl mucobromate, 224.
 ——— pyromeconate, 709.
 Acid, free, estimation of, in tan-liquors, 980.
 ——— organic, a new, from bromocitraconic acid, 1037.
 Acidimetry, a new indicator for use in, 396.
 Acids, action of, on salts, 689.
 ——— aqueous, with constant boiling points, vapour-density of, 579.
 ——— aromatic, fusion of, with soda, 926.
 ——— detection and estimation of nitrous acid in, 964.
 ——— nitrogen, behaviour of, with sulphuric acid 770.
 ——— obtained by distilling the crude acids derived from the saponification of neutral fatty bodies in a current of superheated steam, 1036.
 ——— of wood-vinegar, 43.
 ——— produced by the introduction of chloro- and bromo-benzene into the animal system, 796.
 Aconitine, colour reaction with antimony trichloride, 832.
 Acrylic acid, chlorobrom-, 616.

- Acrylic acid, dibrom-, 373, 616.
 ——— dibrom-, and its salts, 224.
 ——— dichlor-, 616.
 ——— dichlor-, decomposition of, by alkalis, 453.
 ——— di - substitution derivative of, 616.
 ——— dimethyl-, an isomeride of angelic acid, 782.
 ——— iodobrom-, 616.
 Addition-products of nitro-compounds, 50.
 Adipic acid, hydroxy-, preparation of, 706.
 Adular from Verespatak, 359.
 Agricultural products, estimation of nitrogen in the analysis of, 962.
 Air, bye-products obtained in the ozonisation of, by moist phosphorus, 881.
 ——— contained in sea-water, 1060.
 ——— estimation of carbonic acid in the, 78.
 ——— explosive mixtures of, with combustible powders, 412.
 ——— presence of an alcoholic ferment in, 394.
 ——— proportion of carbonic anhydride in, 744.
 Air-baths, gas regulator for, 294.
 Albumin, action of baryta on, 542.
 ——— alkaloids from putrefied, 734.
 ——— aromatic products of the putrefaction of, 806.
 ——— complete precipitation of, from animal fluids, 183.
 ——— compounds, crystalline, preparation of, 950.
 ——— determination of ammonia in, 542.
 ——— fermentation of, 664.
 ——— of the refracting media of the eye, 834.
 ——— oxidation of, by the oxygen of the air, 389.
 ——— reactions of, 834.
 ——— regeneration of, from peptone, 950.
 ——— researches on, 542.
 ——— volatile oil obtained by the action of baryta on, 543.
 Albuminoid compounds of the organs, and of the spleen in particular, 175.
 ——— matter, putrefying, formation of phenol from, 1037.
 ——— substances injected into the veins, modification of, by the animal organism, 334.
 Albuminoids, decomposition - products of, 389.
 ——— from castor-oil seeds, 390.
 ——— gas evolved by the action of barium hydrate on, 735.
 Albuminoids of gourd seeds, 272.
 ——— products of the fermentation of, 659.
 Albumins, nature of, in hydrocele, 550.
 Alcohol, action of, on bacteria, 817.
 ——— detection and approximate determination of minute quantities of, 279.
 ——— ethyl, action of, on ethyl chlorosulphonate, 776, 777.
 ——— formation of, by yeast alone, in presence and absence of oxygen, 663.
 ——— in beer, estimation of, by means of the ebullioscope, 1065.
 ——— limit of separation of, from water, by distillation, 703.
 ——— products from crude, 612.
 ——— radicles, action of water on the haloïd compounds of, 700.
 ——— transformation of sugar into, 778.
 Alcohol-hydroxybenzoic acids, xlenols, homo-oxybenzyl alcohols, hydroxytoluic aldehydes and acids, aldehydehydroxybenzoic acids, and hydroxyphthalic acids, relation between, 924.
 Alcoholic ferment, soluble, non-existence of, 1046.
 ——— fermentation, 550.
 Alcohols, fatty, diagnosis of, 673.
 ——— in potato fusel-oil, 36.
 ——— polyhydric, ethereal sulphates of, 1033.
 ——— primary, etherification of, 36.
 ——— secondary, etherification of, 214.
 ——— tertiary, etherification of, 215.
 Aldehyde, conversion of, into mercaptan, 451.
 ——— formation of, in alcoholic fermentation, 551.
 Aldehyde-green, 84.
 Aldehyde-hydroxybenzoic acids from methahydroxybenzoic acid, 927.
 ——— ———, xlenols, homo-oxybenzyl alcohols, hydroxytoluic aldehydes and acids, alcohol-hydroxybenzoic acids, and hydroxyphthalic acids, relation between, 924.
 Aldehydes from oreinol, and their derivatives, 719.
 Aldehydines, simple mode of preparing, 233.
 Aldol, action of ammonia on, 780.
 Aldol-ammonia, bases derived from, 704, 780.
 Ales, Burton, and Dublin porter, analysis of, 344.
 Alizarin, absorption-spectrum of, 807.
 ——— β -amido-, 654.
 ——— colouring matters, 83.
 ——— diamide or diamidanthraquinone, 254.

- Alizarin, from α -diamidanthraquinone, 724.
 — maximum tension of, 1039.
 — nitro-, 725.
 — nitro-, absorption-spectrum of, 807.
 — α - and β -nitro-, and its derivatives, 654.
 — nitroso-compounds of, 383.
 — vapour-density of, 1039.
 β -Alizarinamide, or amiderythro-oxyanthraquinone, 253, 254.
 Alizarin-blue, 83, 259, 419.
 — base from, 259.
 — synthesis of, 259.
 Alizarin-orange (nitro-alizarin), 84.
 Alizarin-purpuro-sulphonic acid, 256.
 Alizarin-sulphonic acid, 655.
 Alizarin-sulphonic acids, 256.
 Alkali, improvements in the manufacture of, 422.
 Alkali-albuminate, 489.
 Alkali-blue, 418.
 Alkali-metals, amalgams of, 864.
 — amalgams of, heat of formation of, 884.
 — amalgams of, heat of oxidation of, 884.
 — chemical constitution of amalgams of, 883.
 Alkalimetry, a new indicator for use in, 396.
 Alkaline aluminates, preparation of, 491.
 — earths, separation of, from the alkalis, 341.
 — resins and soaps, abnormal solubility of certain bodies in, 99.
 — sulphides, dissolved, heat of formation of, 866.
 — sulphides, thermo-chemical studies of, 865.
 Alkalis, separation of magnesium from, 969.
 — separation of the alkaline earths from, 341.
 Alkaloid, new, 658.
 — of Mio-Mio (*Baccharis cordifolia*), 1045.
 — poisonous and crystallisable, from an exhumed corpse containing arsenic, 734.
 Alkaloids, characteristic colour reactions with antimony trichloride, 831.
 — estimation of, in the Bolivian cinchona barks exhibited at the Horticultural Exhibition in Amsterdam, 281.
 — from putrefied albumin, 734.
 — from putrefied eggs, 734.
 — of ergot, contribution to a knowledge of, 387, 269.
 Alkaloids, poisonous, formation of, in the human corpse, 734.
 — quinine, iodosulphates of, 982.
 Alkyloxy-acids, boiling points of ethereal salts of, 522.
 Allantoic acid, 228, 461.
 Allantoïn, constitutional formula of, 227.
 — derivatives of, 228.
 Allantoxaidin, 227.
 Allantoxanic acid, 226.
 Allantoxoidin, 461.
 Allanturic acid, 228, 461.
 Alloxan, synthesis of, 375.
 Alloxantin, synthesis of, 375.
 Alloy of iridio-platinum, 774.
 Alloys, analysis of, containing copper, zinc, and nickel, 485.
 — of lead and antimony, 889.
 — used as stopping for teeth, analysis of, 1076.
 Allyl borate, action of zinc ethide on, 621.
 — iodide, action of water on, 700.
 Allyldiethylcarbinol, 214, 448.
 Allyldimethylcarbinol, action of dilute sulphuric acid on, 214, 447.
 Allyldipropylcarbinol, action of dilute sulphuric acid on, 214, 447.
 Alpine dairy process, 857.
 Alstonamine, 71.
 Alstonia bark, 332.
Alstonia constricta, further remarks on, 269.
 Alum, detection and estimation of, in wheat flour, 483.
 — detection of, in flour by the logwood test, 483.
 — effect of, on bread, 1077.
 — in flour and bread, 556.
 — logwood test for, 483.
 Alumina, action of sulphuretted hydrogen on alkaline solutions of, 437.
 — compound of, with carbonic acid, 885.
 — preparation of, 490.
 — and ferric oxide, separation of, from manganese, zinc, cobalt, and nickel, 970.
 — and iron, sesquisulphates of, 594.
 Aluminium, new determination of the equivalent of, 692.
 — bromide, compounds of cymene with, 785.
 — chloride, action of acetic and sulphurous anhydrides on, 915.
 — chloride, compounds of cymene with, 785.
 — compounds of, with benzene and toluene, 461.
 — interpretations of reactions occurring in presence of, 785.
 — phosphates of, 203.

- Aluminium sulphate, improvements in the manufacture of, 423.
 — and chromium, sesquisulphates of, 595.
 — and ferric oxides, new method for separating, from manganese, 1055.
 — and manganese, sesquisulphate of, 595.
 Alums, etch-figures produced on, 439.
 Amalgam of chromium, 693.
 — of cobalt, 693.
 — of iron, 693.
 — of manganese, 693.
 — of nickel, 693.
 — surfaces, motions produced by dilute acids on some, 431.
 Amalgams of the alkali-metals, 864.
 — — chemical constitution of, 883.
 — — heat of formation of, 884.
 — — heat of oxidation of, 884.
Amaranthus salicifolius (*caudatus*), colouring-matter of, 730.
 Amazonstone (microline), from Pike's Peak, Colorado, 515.
 Amber, amount of sulphur in, 300.
 — microscopical properties of, 300.
 Amides of tertiary hydrocarbon radicles, 713.
 Amidines of monobasic organic acids, 922.
 Amidobenzoic acid, carbimid-, formula of, 466.
 — — cyanocarbimid-, formula of, 466.
 — — oxethylcarbimid-, formula of, 466.
 — pereyanides, 466.
 Amido-benzoyl, dicyan-, formula of, 466.
 — oxethylcyan-, formula of, 466.
 Amido-deoxybenzoïn, 150.
 Amido-isobutylformic acid (isopropylglycocine), 140.
 Amido-œnanthyllic acid, 1037.
 Amines, action of sulphochlorides on, 920.
Ammi visnaga, active principle of, 1040.
 Ammonia, manufacture of, 496.
 — new compounds of hydrochloric acid with, 501.
 — purification of gas by, 986.
 — soda process in conjunction with the manufacture of gas, 837.
 Ammoniacal copper test and its application, 1066.
 — mercury compounds, 438.
 Ammonium amidoglyoxylate, 619.
 — carbonate, composition of commercial, and of the product formed on exposing it to the air, 354.
 Ammonium chloride, behaviour of, in the organism, 830.
 — chloride, dissociation of, a lecture experiment, 196.
 — chloride solution, standard, alteration of, when kept in the dark, 400.
 — dihydrosulphide, 880.
 — dimethylamido-azobenzenesulphonate, substitution of, for litmus, 553.
 — formate, decomposition of, by heat, 705.
 — hydrosulphide, dissociation of, 879, 880.
 — hydrosulphides, basic, 880.
 — nitrate, 200.
 — nitrate, production of a high temperature by means of, 102.
 — nitrite, 881.
 — nitrite, formation of, 298.
 — sulphate, fertilising action of, 739.
 — sulphide, dissociation of, 879.
 — thiocyanate, action of chloral hydrate on, 306.
 — lead ferricyanide, 703.
 Amydecylenic acid, 521.
 Amyl alcohol, dextrogyrate, 369.
 — benzoate, vapour-density of, 1025.
 — cyanate, 913.
 — iodide, 37.
 — nitrite, action of, on blood, 816.
 — pyrrol, 525.
 — thiocarbimide, tertiary, 713.
 Amylamine, 517.
 Amylene, 37.
 — action of nitrosyl chloride on, 517.
 — action of oxidising agents on, 908.
 — heat of vaporisation of, 874.
 — bromide, action of water on, 700.
 Amylidene-aniline, 462, 714.
 Amyloid substance peculiar to the "Asques of *Pyrenomyces*," 613.
 Amyloids of the egg, 662.
 Amylomycin, 613.
 Amyrin, 73.
 Anaërobie organisms, conditions of life of, 954.
 Analysis, quantitative, use of blowpipe to, 740.
 — use of sulphuretted hydrogen in the dry way in, 963.
 Anethoil, action of nitrosyl chloride on, 517.
 Anethol, oxidation of, 320.
 Angelactic acid, monochlor-, 42.
 Angelactamide monochlor-, 42.
 Angelic acid, 617.
 — — action of hydrobromic acid, on, 455.
 — — constitution of, 456.
 — — conversion of, into tiglic acid, 454.

- Angelic acid, dimethylacrylic acid, an isomeride of, 782.
 ——— from Roman chamomile oil, 454.
 ——— hydriodo-, 618.
 ——— isomeride of, 706.
 ——— mono- and dichlor-, 43.
 Angelic acids of different origin, 45.
 Angelic and tiglic acids, separation of, 455.
 Angelylamine, 712.
 Angelylthiocarbamide, 712.
 Angelylthiocarbimide, 712.
 Anhydrides, action of dehydrating substances on, 245.
 Anhydrosulphamine-benzoic acid, 628.
 Aniline, action of ethylisothiacetanilide on, 786.
 ——— action of, on glyoxylic acid, 51.
 ——— amyridene-, 462, 714.
 ——— benzoyl-, 716.
 ——— benzyl-, 147.
 ——— dichloracetate, 786.
 ——— chlorate, 785.
 ——— chloronitr-, 309.
 ——— dibenzoyl-, 716.
 ——— dichlor-, symmetrical, 231.
 ——— dimethyl-, action of chloroform and perchloromethane on, 714.
 ——— ——— action of mercuric chloride on, 231.
 ——— ——— action of trichlormethylsulphochloride on, 920.
 ——— dinitrodichlor-, 310.
 ——— dioxydidimethyl-, 714.
 ——— diethiodidimethyl-, desulphurisation of, 714.
 ——— hydrochloride, heat of formation of, 767, 871.
 ——— hydrofluoride, 786.
 ——— iodate, 786.
 ——— metadichlor-, 143.
 ——— methyl-, 494.
 ——— methyl-, manufacture of, 995.
 ——— methylated derivatives of, and the colours obtained therefrom, 310.
 ——— monochloracetate, 786.
 ——— nitrate, heat of formation of, 871.
 ——— nitrodichlor-, 309.
 ——— nitrodimethyl-, 626.
 ——— nitrotrichlor-, 310.
 ——— orthonitro-, derivatives of, 921.
 ——— oxalate, heat of formation of, 871.
 ——— paradichlor-, 143.
 ——— paramethylenedidimethyl-, 714.
 ——— paranitro-, heat evolved by the action of hydrochloric acid on, 872.
 ——— paranitr-, hydrochloride, heat formation of, 768.
 ——— perchlorate, 786.
 ——— phthalate, 786.
 Aniline residues, 715.
 ——— salts, 785.
 ——— tribrom-, 55, 464.
 ——— trichloracetate, 786.
 Aniline-black, dyeing with, 684.
 ——— ——— formation of, by chromate in presence of chlorates, 495.
 ——— ——— improvements in dyeing and printing, 422.
 ——— ——— inactivity of chromium-compounds in producing, as compared with the action of vanadium compounds, 421.
 Aniline-blue, 415.
 Aniline-red, utilisation of the residues obtained in the manufacture of, 995.
 Anilines, chlor-, 143.
 ——— chlor-, heat evolved by the action of hydrochloric acid on, 872.
 ——— compounds of cobalt and nickel chlorides with, 461.
 ——— monochlor-, three isomeric, heat evolved by the action of sodic oxide on, 768.
 ——— orthodichlor-, 143.
 ——— tetrachlor-, 143.
 ——— trichlor-, 143.
 Animal body, synthetic processes in, 176.
 ——— charcoal filters, experiments with, 986.
 ——— ——— and spongy iron as materials for purifying water, 343.
 ——— fluids, complete precipitation of albumin from, 183.
 ——— organism, action of cacodylic acid on, 476.
 ——— ——— action of carbonic anhydride on, 174.
 ——— ——— behaviour of phenol in, 816.
 ——— ——— formation of urea from, 952.
 ——— ——— modification effected by, on various albuminoid substances when injected into the veins, 334.
 ——— ——— oxidations in, 814.
 ——— ——— syntheses in, 814.
 ——— system, acids produced by the introduction of chloro- and bromo-benzene into, 796.
 ——— ——— action of bromobenzene on, 803.
 ——— textile fibres, bleaching process for, 99.
 Animals, action of mono- and di-phenylarsenic acids on, 476.
 ——— existence of bacteria or their germs in the healthy organs of, 1045.
 ——— herbivorous, source of hippuric acid in the urine of, 952.
 ——— influence of the temperature of the surrounding air on the processes of decomposition in the organism of warm-blooded, 76.

- Animals**, warm-blooded, influence of the surrounding temperature on the tissue change of, 951.
Anisidine, bromorth-, and its salts, 239.
Anisidine, dibromorth-, and its salts, 239.
Anisol, bromamido-, 239.
 — bromonitr-, 239.
 — dibromoparanitr-, 239.
 — α -dinitr-, 717.
 — metanitr-, 238.
 — monobromortho-nitr-, 239.
Anisols, dinitr-, 238.
 — — decomposition of, by alcoholic ammonia, 238.
Ankerite from Phoenixville, 601.
Anorthite, pseudomorph after, 1023.
Anthemol, 455.
Anthracene, colour reaction with antimony trichloride, 831.
 — colour reaction with bismuth trichloride, 831.
 — derivatives of the chrysazin series, 537.
Anthracene, perbrom-, 655.
Anthracenedisulphonic acid, 537.
 — — and its conversion into anthra-rufin, 257.
Anthracenehydride-monosulphonic acid, soda salt of, 537.
Anthracite dust, use of, in Du Puy's process, 564.
Anthraflavone, 383.
Anthranilic acid, action of cyanogen on, 321.
Anthrapurpurin, isopurpurin, and flavo-purpurin, actual relations of, 943.
Anthraquinone β -acetamiderythroxy-, 254.
 — α -acetamidoxy-, 254.
 — amiderythro-oxy-, or β -alizarin-amide, 253, 254.
 — derivatives of, 253.
 — diamid-, or alizarin-diamide, 254, 724.
 — metabenzdioxo-, 68.
 — monhydroxy-, 724.
 — trioxy-, 255.
Anthraquinone-monosulphonic acid, action of potash on, 724.
Anthraquinonesulphonic acid, fusion of, with potash, 943.
Anthraquinone-sulphonic acids, amid-oxy-, 255.
 — — reduction of, 537.
 — — sodium salts of, 942.
Anthrarufin, 259, 537.
 — constitution of, 942.
 — conversion of anthracene-disulphonic acid into, 257.
 — from anthracene, synthesis of, 260.
 — tetranitro-, 538.
Anthraxanthic acid, 383.
Anthrol, 653, 654.
Antichlor, 676.
Antimony, atomic weight of, 354, 772.
 — recovery of, 491.
 — criticism on Bunsen's older method for separating arsenic from, 1058.
 — chloride, action of sulphuric monochloride on, 201.
 — tannate, 933.
 — trioxide, vapour-density of, 875.
 — and lead, alloys of, 889.
Apatites, analyses of, 695.
Apomorphine, reaction with antimony trichloride, 831.
Apparatus for regulating the atmospheric pressure in boiling point determinations, 346.
Apple wine, 1078.
Aqua phagedænica, solubility of lime in water in reference to the prescription for, 491.
Arachidic acid, some derivatives of, 307.
Aricine, 1043.
Aromatic compounds, hydrogenation of, 376.
 — — structural formulæ of, 526.
 — — with long side-chains, action of iodine on, 623.
 — hydrocarbons, bromination of, in presence of aluminium bromide, 142.
Arsenic from antimony, criticism on Bunsen's older method for separating, 1058.
 — in grape-sugar, 1077.
 — test for, 277.
 — acid, separation of, from its salts, 972.
Arsenical pyrites (mispickel), chemical and crystallographical examination of, 900.
Arsenious acid, magnesia as an antidote for, 77.
 — anhydride, vapour-density of, 767.
Artichoke, Jerusalem, carbohydrates of, 778.
Artocarpus speciosus, examination of, 860.
Ashes of wheat-bran, composition of, 961.
Asphalte, Syrian and American, 896.
 — and other retinalites, 301.
Aspidospermine, 470.
Atacamite, 17.
Atomic theory, application of Gaudin's, to certain minerals, 602.
 — — of heat, 687.
 — weights, determination of, 769.
 — use of isomorphism for the determination of, 769.
Atopite, 21.

Atrolactic acid, 379.
 Atropic acid, 379.
 ——— bromhydr-, 379.
 ——— hydrotribrom-, 380.
 ——— monobrom-, 380.
 Atropine, artificial, 733.
 ——— reaction with antimony trichloride, 832.
 Augite (pyroxene), varieties of, 364.
 Auriferous pyrites, examination of, 509.
 Aurin, 58, 386, 789, 925.
 ——— action of ammonia on, 925.
 ——— action of methylamine on, 926.
 ——— formation of, from phenol, 789.
 ——— from dioxybenzophenone, synthesis of, 60.
 Australene, formula of, 168.
 Azelaic acid, conversion of furfurangelic acid into, 915.
 Azobenzene, amido-, 383.
 ——— amido-, hydrochloride of, 383.
 ——— preparation of, 630.
 ——— preparation of, from aniline, 313.
 Azobenzenenaphthylamine, 629.
 Azo-compounds, remarks on Weselky's and Benedikt's investigation on some, 629.
 Azonaphthylene, amido-, 383.
 Azophenetols, 317.
 Azophenol, dichlor-, constitution of, 924.
 ——— so-called, 315.
 Azophenols, 718.
 ——— tetrabrom-, 718.
 Azotoluene, amido-ortho-, 383.
 ——— preparation of, from toluidine, 313.
 Azoxybenzene, action of stannous chloride on, 630.
 Azoxy-phenetols, 317.
 Azulmin, 1028.

B.

Baccarine, 1045.
Baccharis cordifolia (Mio-Mio), alkaloid of, 1045.
 Bacillus in urine, 817.
 Bacteria, action of alcohol on, 817.
 ——— method of photographing, 1046.
 ——— occurrence of, in milk, 817.
 ——— occurrence of, in a potable water, 817.
 ——— vitality of, 817.
 ——— or their germs, existence of, in the healthy organs of animals, 1045.
 Baking powders, American, 1077.

Balsamum antarthriticum indicum, investigation of, 262.
 Banana, 479.
 ——— utilisation of, 568.
 Barbituric acid, (malonyl urea), 460.
 Barcenite, a new antimonate, from Huit-zuco, Mexico, 1022.
 Barium, existence of, in all rocks of the primary formation, 444.
 ——— preparation of, from barium amalgam, 691.
 ——— bromide, action of chlorine on, 770.
 ——— ——— action of oxygen on, 770.
 ——— chloride, action of oxygen on, 770.
 ——— chromate, crystalline, 437.
 ——— ——— green pigment from, 987.
 ——— ethionate, 777.
 ——— ethylsulphate, action of ammonium sulphate on, 137.
 ——— ferricyanide, 702.
 ——— glycyrrhizate, 727.
 ——— hydrate, action of chlorine on, 505.
 ——— sulphate, estimation of, without filtering, washing, and drying, 480.
 Barley, artificially manured, effect of, on the composition of the wort, 959.
 ——— Chili saltpetre as a manure for, 1051.
 ——— damage caused by sprouting in the field, 492.
 ——— effect of artificial manures on the growth of, 828.
 ——— seeds, influence of temperature on the evolution of carbonic anhydride by, 1048.
 Basalts of the Auckland Islands, 903.
 Base, $C_{19}H_{13}N_2$, new, 716.
 Bases derived from aldol-ammonia, 704, 780.
 Battery, Planté's, secondary, 101.
 Bean insect, observations on the damage caused to Italian beans by, 552.
 Beer analyses, 842.
 ——— Berlin, analysis of, 842.
 ——— detection of salicylic acid in, 343.
 ——— estimation of alcohol in, by means of the ebullioscope, 1065.
 ——— fermentation, 1079.
 ——— Hanoverian, analysis of, 843.
 ——— Munich, amount of phosphoric acid in, 843.
 ——— Nassau, analysis of, 843.
 ——— remarks on the estimation of calcium sulphate in, 79.
 ——— researches on, 1079.
 ——— standards of value for, 290.
 ——— worts, rotatory power of, 993.
 ——— yeast, composition of, 477.

- Beer yeast, lecithin and nuclein in, 811.
 ——— pure, cultivation of, 1046.
 ——— researches on, 476.
- Beeswax, adulteration of, 675.
 ——— crystalline, structure in, 171.
 ——— electrical properties of, 427.
 ——— testing of, for rosin, 283.
- Beet cultivation, influence of time of manuring in, 825.
 ——— mucilage, 660.
 ——— ratio of sugar in, to the phosphoric acid in the root and leaves, 818.
 ——— leaves as fodder for cows, 813.
 ——— preservation of, 960.
- Beetroot, choice of, for seed, 822.
 ——— cultivation, exhaustion of the soil by, 1050.
 ——— gum, composition of, 912.
 ——— nutritive value of seed-bearing, 822.
 ——— residues, distillation of, 913.
 ——— syrup, purification of, 844.
- Beetroots, nitrates in, 337, 826.
- Beet-sugar, influence of light on the yield of, 1047.
- Beets, sugar, nitrates in, 826.
- Benzal sulphide, 791.
 ——— action of potash on, 791.
- Benzaldehyde nitro-, 152.
- Benzaldehyde-green, 787.
 ——— metanitro-, 788.
 ——— metanitro-, reduction of, 788.
 ——— paranitro-, 788.
 ——— paranitro-, reduction of, 788.
 ——— reduction-products of, 787.
- Benzaldiacetonamine and its salts, 54.
- Benzamidotolylthiamide, 147.
- Benzene, 571.
 ——— action of ethylene on, in presence of Al_2Cl_6 , 785.
 ——— bromo-, acids produced by the introduction of, into the animal system, 796.
 ——— bromo-, action of, on the animal system, 803.
 ——— chloro-, acids produced by the introduction of, into the animal system, 796.
 ——— chlorodinitro-, action of hydrogen sulphide on, 230.
 ——— chlororhodinitro-, action of hydrogen sulphide on, 231.
 ——— compounds of aluminium chloride with, 308, 461.
 ——— diamylanhydrobenzyl-di-amido-, 923.
 ——— diethylanhydrobenzyl-diamido-, 923.
 ——— derivatives, isomerism of, 380.
 ——— dinitrobromo-, 796.
 ——— α -dinitrochloro-, action of basic compounds on, 714.
- Benzene, dinitrochloro-, reduction of, 376.
 ——— dinitroparadipropyl-, 142.
 ——— disulphoxide, 243.
 ——— exsiccator for, 875.
 ——— hexmethyl-, 527.
 ——— hydrocarbons produced by the action of methyl chloride on, in presence of aluminium chloride, 527.
 ——— hydrogenation of, 376.
 ——— monobromo-, action of sulphuric monochloride on, 229.
 ——— monochloro-, action of sulphuric monochloride on, 229.
 ——— nitrobromo-, 796.
 ——— nitro-metadichloro-, action of hydrogen sulphide on, 231.
 ——— nitro-paradichloro-, action of hydrogen sulphide on, 231.
 ——— nitrotribromo-, 800.
 ——— paradibromo-, 920.
 ——— paradipropyl-, and its derivatives, 142.
 ——— pentamethyl-, 527.
 ——— structural formulæ of di-, tri-, and tetra-chloro-, 526.
 ——— test for, 937.
 ——— tetrachloro-, 143, 144, 526.
 ——— trichloro-, action of copper on, 714.
 ——— trinitro-, addition compounds of, 50.
 ——— trinitroparadiphenyl-, 163.
 ——— and methyl chloride, hydrocarbons obtained by the action of aluminium chloride on, 228.
 ——— and petroleum spirit, characteristic differences between, 1063.
- Benzenesulphamide, dibromo-, 797.
- Benzenesulphanilide, nitration of, 922.
 ——— trinitro-, 922.
- Benzenesulphinic acid, 915.
 ——— action of fuming nitric acid and of nitrous acid on, 314.
- Benzenesulphonate derivatives, melting points of substituted, 650.
- Benzenesulphonie acid, amido-, 796.
 ——— and its salts, α -dihydroxy-, 933.
 ——— diazotetabromo-, 802.
 ——— diazotribromo-, 801.
 ——— paradipropyl-, 142.
 ——— pentabromo-, and its salts, 802.
- Benzenesulphonie acids, amidobromo-, and their salts, 796, 797.
 ——— bromo-, 796.
 ——— nitrobromo-, 796, 800.
- Benzenesulphonie chloride, dibromo-, 797.
 ——— nitrotetabromo-, 802.
 ——— nitrotribromo-, 800.
 ——— tetrabromo-, 801.
- Benzenes, dinitroparadibromo-, and their derivatives, 50.

Benzenenaphthylamidine, 147.
 Benzenyltolylamidotolylamidine, 147.
 Benzenyltolyleneamidine, 147.
 Benzhydrol, action of phosphorus pentasulphide on, 61.
 — nitration of, 319.
 Benzhydrylpropioncarboxylic anhydride, 246.
 Benzdine, 252.
 — diethoxy- (orthodiamidodiphenethole), 939.
 — action of alkalis on the salts of, 939.
 — preparation of, 630.
 Benzimido-thiamyl ether, 147.
 Benzimidiothiobenzyl ether, 923.
 Benzimidiothioethyl ether, 922.
 Benzoic acid, derivatives of, 246.
 — derivatives, heat of formation of, 873.
 — amido-, 151.
 — amido-, action of cyanogen on, 321.
 — amido-, heat evolved on combination of, with hydrochloric acid, 768.
 — cyanocarbimidamido-, 321.
 — anhydorthosulphamine-, 628.
 — ϵ -diamido-, 247.
 — dioxy-, 721.
 — hydroxy-, ether-sulphuric acids of, 150.
 — ϵ -hydroxynitro-, 246.
 — metaiodamido-, and its salts, 377.
 — metaiodonitro-, and its salts, 377.
 — metamido-, 381.
 — metanitro-, and barium salt of, 381.
 — α -metanitro-orthamid-, 381.
 — β -nitramido-, and its salts, 382.
 — ϵ -nitro-amido-, 246.
 — orthosulpho-, 629.
 — paranitro-, 631.
 — sulphoparachloro-, 155.
 Benzoic acids, azo-, 152.
 — benzonitro-, 153.
 — α - and γ -hydroxynitro-, 247.
 — isomeric amido-, 154.
 — isomeric nitro-, 154.
 — mononitro-, 151.
 — nitro-, 150.
 — nitro-, lemon-yellow, 152.
 Benzoic cyanide, 647.
 — action of phosphorus pentachloride on, 647.
 Benzoïn, Siam, vanillin in, 245.
 Benzonaphthylthiamine, 147.
 Benzonitril, bromination of, 721.
 — chlorination of, 721.

Benzophenone, 318.
 — diacetoxy-, 326.
 — diacetyldiamido-, 319.
 — diamido-, 242.
 — β -diamido-, 319.
 — dibenzoxo-, 325.
 — diethoxy-, 325, 326.
 — dinitro-, 242.
 — α -, β -, and γ -dinitro-, 319.
 — dioxy-, 242, 326.
 — monethylidioxy-, 326.
 — monoxo-, formation of colouring matter from, 60.
 — nitration of, 319.
 — sulphuretted derivatives of, 61.
 — tetramethylidamido-, 921.
 — thio-, 61.
 Benzophenonedisulphonic acid, 318.
 — isomeric, 319.
 Benzyl orthothioformate, 318.
 Benzylamine and its salts, 921.
 Benzylated cresol, 314.
 Benzyl chloride, action of water on, 700.
 Benzyleresotic acid, 315.
 Benzylidiphenylamine, 147.
 Benzylidenechloral ammonia, 452.
 Benzylidenephthalyl, derivatives of, 246.
 Benzylmalonic acid, 707.
 Benzylmethylglycolic acid, 795.
 — action of sulphuric acid on, 795.
 Benzyl-naphthyl ketone, preparation of, 807.
 Benzyl-phenylamine, 147.
 Benzyl-phosphorus chloride, 721.
 Berberine, 656.
 Berberonic acid, and salts of, 656.
 Bernadinite, a resinous mineral from California, 603.
 Bessemer process, 566.
 — physical and chemical changes which specular iron undergoes when smelted in the cupola for, 840.
Beta vulgaris (rubra), colouring matter of, 730.
 Betulin, 469.
 — hydrocarbon from, 469.
Bidara laut, 1045.
 Bile, chemistry of, 949.
 — influence of, in digestion, 549.
 — ox-, preparation of glycocholic acid from, 949.
 Bilic acid, new oxidation-products of cholic acid, 810.
 — oxidation of, 811.
 Birds, secretion from the sebaceous glands of, 176.
 Bismuth residues, 355.
 — subnitrate, presence of lead in, 80.

- Bismuthine, 364.
 Bitter almonds, essence of, chemical nature of, 719.
 Black lac for metal and wood, 684.
 — pigment from iron scrap, 97.
 Blast furnace, combustion in, 841.
 — furnaces, liquid cyanides and chlorides in, 989.
 Bleaching powder, analysis of 505.
 — process for animal textile fibres, 99.
 — vegetable fabrics, 761.
Bletia Tankervilleæ, indigo-blue from, 534.
 Blood, action of amyl nitrite on, 816.
 — action of nitric oxide on, 817.
 — action of sodium nitrite on, 817.
 — arterial, tension of oxygen in, 811.
 — behaviour of potassium salts in, 816.
 — Bernard's method for the estimation of glucose in, 674.
 — distribution of phosphates in, 662.
 — estimation of glucose in, 557.
 — estimation of hæmoglobin in, 835.
 — estimation of oxygen in, 835.
 — estimation of sugar in, 674.
 Blowpipe, use of, in quantitative analysis, 740.
 Body colours, valuation of, 179.
 Bohr's colorimetric process for the examination of water, 553.
 Boiler feed-waters, analysis of, 273.
 — incrustation, composition of a, 839.
 Boilers, heating steam, 1070.
 Boiling and melting points of solid elements, thermo-chemical relation between, 690.
 Boiling point determinations, apparatus for regulating the atmospheric pressure in, 346.
 Bones, decomposition of, by steam, 987.
 Boracetone, 915.
 Borneo camphor, 1039.
 Borneol, 1039.
 — bromide, 1040.
 — chloride, 1039.
 — isomerides of, 944.
 Boron fluoride, action of, on acetone, 914.
 — glycide, 622.
 — mineral from Chili, 19.
 Bottle glass, Macagno's investigations on, 562.
 Boyle's law, deviation of some gases from, 346.
 Bran, composition of the ashes of, 961.
 Bravaisite, a new mineral, 442.
 Bread, alum in, 556.
 — effect of alum on, 1077.
 Breislakite, 206.
 Brewing, analyses of water for, 1078.
 Bromanilic acid, monochloro-mono-, 462.
 Bromates, action of oxalic acid on, 593.
 Bromides, anhydrous, metallic, action of chlorine on, 770.
 Bromine, elimination of, from bromocitraconic acid, 1037.
 — estimation of, by ammonium thiocyanate, 973.
 — chlorine, and iodine, separation and estimation of, 670.
 Bromisobutylic formic acid, 140.
 α -Bromisobutyric bromide, action of zinc-methyl on, 46.
 — normal, action of zinc-methyl on, 46.
 Bromo-citraconic acid, elimination of bromine from, 1037.
 Bromoform, action of alcoholic potash on, 126.
 Bromonaphthalene, nitration of, 721.
 Bromopropiolic acid, 225, 616.
 α -Bromopropionic bromide, action of zinc-methyl on, 46.
 Bromopurpureo-cobalt salts, 598.
 Bromoterephthalic chloride, 639.
 Brown hay, preparation of, from maize, 960.
 Brown pigment from iron scrap, 97.
 Brucine, absorption-spectra of, in solution, 269.
 — colour reaction with antimony trichloride, 832.
 — in *Bidara laut*, 1045.
 Buchu, amount of ash and soluble matter in three kinds of, 391.
 Bunsen's cells, treatment of, 576.
 Butane, normal, action of bromine on, 302.
 Butter analysis, 81.
 — Ghea- or Shea-, 568.
 — Hehner's method of testing, 181.
 — Marchand's method of determining, in milk, 675.
 — new method for detecting foreign fats in, 1069.
 — new method of testing, for foreign fats, 983.
 — simplification of Hehner's method of testing, 406.
 — testing of, 407.
 — fat, analysis of, 1070.
 Butyl alcohol, normal, action of zinc chloride on, 1029.
 Butylamine, di-, 141.
 — mono-, 141.
 Butylchloral-ammonia, action of benzaldehyde on, 452.

Butylchloral hydrocyanide, 41.
 Butylene, nitro-, 700.
 — nitro-, action of bromine on, 701.
 — nitro-, formation of, from butylene and nitric acid, 701.
 — nitro-, constitution of, 701.
 — pseudo-, 456.
 Butyl-glyceric acid, 1032.
 Butyl thiocetate, iso-, boiling point of, 786.
 Butylthiocarbamide, tertiary, 713.
 — tertiary, 713.
 Butyric acid, *α*-chloriso-, and some of its derivatives, 615.
 — — chloroxy-, nitrile of, 449.
 — — hydroxyiso-, 139.
 Butyric leucine, 545.
 Butyrofuronic acid, 916.

C.

Cabbage disease, 820.
 Cacao, quantitative determination of theobromine in, 406.
 Cacochlor, from Rengersdorf, 901.
 Cacydic acid, action of, on the animal organism, 476.
 Cadmium, estimation of, 746.
 — electrolytic estimation of, 276, 746.
 — arsenates, 884.
 — bromide, vapour-density of, 875.
 — phosphide, 508.
 Calcium bromide, action of oxygen on, 770.
 — chloride, 562.
 — chloride, action of oxygen on, 770.
 — glycerate, fermentation of, 664.
 — glycollate, crystallised, amount of water contained in, 522.
 — glycyrrhizate, 727.
 — lactate, fermentation of, 664.
 — malate, fermentation of, 664.
 — phosphate, deposits of, in the Vosges, 19.
 — saccharates, recovery of sugar from, 492.
 — sulphate, double salts of, 203.
 — — in beer, remarks on the estimation of, 79.
 — sulphide, action of magnesium chloride on, 1012.
 — tartrate, fermentation of, 664.
 Caliatour wood, colouring matter of, 470.
 Calico, printing of, with cerium aniline-black, 683.
 Californine, Winckler's, 73.
 Calorimetric method, 586.
 Calves, feeding, without the cows' milk, 1046.

Camellia japonica, investigation of the seeds of, 330.
 Camellin, 330.
 Camphene, 944.
 — a solid, 1039.
 — formula of, 167.
 — from camphor, 168.
 — ethyl-, 168.
 — isobutyl-, 168.
 Camphic acid, transformation of, into camphor, 726.
 Campholene, 540.
 Camphor, 69.
 — Borneo, 1039.
 — cyano-derivatives of, 329.
 — dichloride, 168.
 — formula of, 167.
 — iodo-, 329.
 — transformation of camphic acid into, 726.
 Camphoramie acid, action of dehydrating agents on, 539.
 Camphoric acid, action of dehydrating agents on, 539.
 Camphoterpene, 540.
 Canerinite, chemical composition of, 606.
 Candle-nuts, composition of, 957.
 Cane-sugar, specific rotatory power of, 136, 557.
 — and lime, action of, on mercurous chloride, 889.
 Cane-sugars, crude, glucose in, 97.
 Cantharene, 271, 655.
 Cantharic acid and a hydrocarbon, C_8H_{12} , from, 270.
 Cantharidin, derivatives of, and their relation to the ortho-series, 655.
 Caoutchene, di-isoprene, and terpene, identity of the hydrates of, 1039.
 Caoutchouc, analysis of, 559.
 — vulcanised, behaviour of, with illuminating gas, 188.
 Capric acid, dibromo-, 521.
 Caprylic acid and its salts, 1037.
 Carbamide, dimethyl-, chloride of, 934.
 — dinaphthyl-, 723.
 — diphenyl-dimethyl-, 935.
 — methylphenyl-, chloride of, 935.
 — monochlorocrotonyl-, 41.
 — mononaphthyl-, 723.
 — naphthyl-, 723.
 — ortho-ditolyl-, 935.
 — orthophenylene-, 922.
 — phenyldimethyl-, 934.
 — tetramethyl-, 935.
 — tetranitrodiphenyl-, action of potash on, 67.
 — tetranitrodiphenyl-potassium, 67.
 — tetraphenyl-, 935.
 — amyl-, 913.
 Carbamides, polysubstituted, 934, 935.

- Carbinamine, trimethyl-, and its salts, 713.
 Carbohydrate, new, 779.
 Carbohydrates, behaviour of, towards chromates, under the influence of light, 911.
 ——— etheral sulphates of, 1033.
 ——— of the Jerusalem artichoke, 778.
 Carbon bisulphide, action of trimethylamine on, 304.
 ——— explosive product of a solution of phosphorus in, 996.
 ——— excicator for, 875.
 ——— manufacture in Swoszowice, 837.
 ——— use of, for the extraction of sulphur, 837.
 Carbon, estimation of, in cast-iron, 401.
 ——— filters, experiments with, 986.
 ——— hydrogen, and nitrogen, simultaneous determination of, 278.
 ——— octobromide, 303.
 ——— separation of, in open hearth, puddling furnace, and Bessemer converters, 185.
 ——— a third form of, in steel, 842.
 Carbonic acid, compound of alumina with, 885.
 ——— influence of temperature on excretion of, 74.
 ——— in the air, estimation of, 78.
 ——— replacing, of the air necessary for the production of chlorophyll in sarcophytic and parasitic plants, by organic substances, 737.
 ——— temperature-surface of, 195.
 Carbonic anhydride, action of, on the animal organism, 174.
 ——— diffusion of, through water and alcohol, 347.
 ——— formation of, by yeast alone, in presence and absence of oxygen, 663.
 ——— influence of temperature on the evolution of, by barley seeds, 1048.
 ——— in sea-water, 1061.
 ——— preparation of, under any desired pressure, 676.
 ——— proportion of, in air, 744.
 Carbonic oxide, action of aqueous vapour on, 880.
 ——— heat of combination with the elements, 591.
 ——— heat of formation of the compound of, with cuprous chloride, 888.
 ——— in foundry furnaces, 344.
 ——— limit of detection of, 1063.
 ——— solution of, in an acid solution of cuprous chloride, 887.
 Carbopetrocene, 1027.
 Carbotriphenyltri-amine, synthesis of, 462.
 Carboxypyridenic acid, 732.
Carica papaya, action of the sap of, 1048.
 ——— digestive ferment of, 1048.
 Carminaphtha, Laurent's, 466.
 Carrot seed, analysis of, 822.
 Caryophyllaceæ, colouring matter of, 730.
 Casein, 735.
 ——— formation of fat from, in the ripening of cheese, 996.
 ——— vegetable, 273.
 Cast-iron, crystals extracted from, by ether or petroleum, 771.
 ——— estimation of carbon in, 401.
 ——— purification of, from phosphorus, 286.
 Castor-oil seeds, albuminoids from, 390.
 Cat, respiration of a, 75.
 Catalysis, 501.
 ——— viscosity a cause of, 876.
 Catechu, test for, in tea, 854.
 Catlinite, 361.
 Cattle fodder, analyses of, 956.
 Cellulose, action of gaseous hydrochloric, hydrobromic, hydriodic, or hydrofluoric acid on, 779.
 ——— nitro-derivatives of, 218, 371.
 Cement, 407.
 ——— grinding apparatus for, 408.
 ——— influence of water on, 408.
 Cereals, nitrogen-compounds present in, 486.
 Cerite, analyses of, 682.
 ——— metals, estimation of, in scheelite, 696.
 ——— examination of calcareous minerals for, 696.
 Cerium aniline black, 682.
 ——— chlorostannate, 602.
 ——— distribution of, 695.
 ——— group, new earth of, 12.
 ——— metals, specific gravity and atomic volume of, 579.
 Charcoal, absorption of gases by a new series of equivalents or molecular numbers, 500.
 ——— animal, artificial, 844.
 ——— wood, absorbing power of, 761.
 Cheese, decomposition of, 859.
 ——— formation of fat from casein in the ripening of, 996.
 ——— Parmesan, critical point in making, 764.
 ——— ripening of, 859.
 Chemical affinity, 348, 580.
 ——— equivalence, 876.

- Chemical technology of glass, 1074.
Chenopodium Quinoa, colouring matter of, 730.
 Chestnut tree, disease of, 821.
 Chicory, examination of, 558.
 Chili saltpetre as a manure for barley, 1051.
 Chinolic acid, action of nitric acid on, 947.
 Chinoline-carbonic acid, 471.
 — constitution of, 946.
 — dichloro-, 946.
 — from allylaniline, synthesis of, 540.
 — nitro-, 540.
 — synthesis of, 946.
 Chitenine, 809.
 Chloral ammonia, action of aldehydes on, 452.
 — hydrate, 914.
 — dissociation of, 500, 690.
 — remarks on a note on, by Wurtz, 1006.
 — and chloroform, distillation of a mixture of, 876.
 Chloralide and its derivatives, 43.
 Chloranil, formation of, from isomeric amido-benzoic acids, 154.
 Chlorates, action of oxalic acid on, 593.
 Chlorides, liquid, in blast furnaces, 989.
 — metallic, vapour-densities of some, 1013.
 Chlorine, action of, on anhydrous metallic bromides, 770.
 — acetate, Schützenberger's, 452.
 — bromine, and iodine, separation and estimation of, 670.
 — density of, at high temperatures, 1011.
 — estimation of, by ammonium thiocyanate, 973.
 — estimation of, in urine, 830.
 — preparation of, by means of calcium and magnesium chlorides, 8.
 — presence of, in scapolites, 697.
 Chloroacetonamide, 41.
 Chloroform as an anæsthetic, 747.
 — detection of, 280.
 — exsiccator for, 875.
 — tests for the purity of, 747.
 — and chloral hydrate, distillation of a mixture of, 876.
 Chloromuconic acid, 918.
 Chlorophyll corpuscles, origin of, 174.
 Chlorophyllite, gold and silver in, 511.
 Chloropurpureo-chromium salts, 124.
 Chloropurpureo-cobalt, salts of, 119, 124.
 Chlorostannates of the rare metals, 601.
 Chloroxindole chloride, 535.
 Chocolate, quantitative determination of theobromine in, 406.
 Cholamide, 949.
 Cholanic acid and its salts, 388.
 Cholesteric acid and its salts, 388.
 Cholesterin, action of nitric acid on, 634.
 — brain, derivatives of, 135.
 — dinitro-, 634.
 — mononitro-, 634.
 — some neutral oxidation-products of, 135.
 — trioxy-, diacetin of, 135.
 — trioxy-, nitrous ether of, 135.
 Cholesteryl chloride, action of aniline, toluidine, and naphthylamine on, 376.
 — action of nitric acid on, 634.
 Cholesterylaniline, 135, 376.
 Cholesteryl- α -naphthylamine, 376.
 Cholesteryltoluidine, 376.
 Cholic acid, 333, 949.
 — action of potassium dichromate and sulphuric acid on, 388.
 — a hydrocarbon from, 333.
 — oxidation of, 333, 810.
 Chondrin, 661.
 Chondroglucose, 661.
 Chromates, 298.
 — behaviour of carbohydrates towards, under the influence of light, 911.
 — behaviour of gums towards, under the influence of light, 911.
 — detection of, 401.
 — of magnesium metals, volume-constitution of, 758.
 Chromatic value of media other than water, 429.
 Chrome-black on wool, 572.
 Chrome-crucible steel, preparation of, 567.
 Chrome steel, 286, 287.
 Chromic acid, a new double salt of, 887.
 — compound of, with potassium fluoride, 1016.
 — free, detection of, 401.
 Chromic compounds, absorption-spectra of, 190.
 Chromium amalgam, 693.
 — compounds, inactivity of, in producing aniline-black as compared with the action of vanadium compounds, 421.
 — garnet, 361.
 — salts, action of, in presence of chlorates, 420.
 — and aluminium, sesquisulphates of, 595.
 — and iron, sesquisulphates of, 594.
 — and manganese, sesquisulphates of, 594.

- Chromograph, 836.
 Chromometry, use of blowpipe in quantitative analysis, 740.
 Chronology of the isomeric purpurins, 943.
 Chrysanic acid, new method of preparing, 324.
 Chrysarobin, acetyl-, 327.
 — in "Goa powder," 326.
 Chrysazin, 538, 942.
 — constitution of, 942.
 — diacetyl-, 538.
 — from anthracene, synthesis of, 260.
 — series, anthracene-derivatives of, 537.
 Chrysazol, 537.
 — diacetyl, 537.
 Chrysene, colour reaction with antimony trichloride, 831.
 — synthesis of, 807.
 Cinchomeronic acid, formation of, from quinine, 947.
 — identity of pyridinedicarboxylic acid with, 947.
 — salts of, 947.
 Cinchona alkaloids, 168.
 — behaviour of potassium thiocyanate with, 281.
 — remarks on Rice's articles on, 71.
 Cinchona barks, estimation of, 489.
 — exhibited at the Horticultural Exhibition in Amsterdam, estimation of the alkaloids in, 281.
 Cinchona bases, oxidation-products of, 656.
 Cinchonichine, 169.
 Cinchonidine, 71.
 — and its salts, 949.
 — oxidation of, 949.
 Cinchonic acid, 947.
 Cinchonine, 71, 655.
 — bases, constitution of, 810.
 — composition of, 948.
 — diethiodide, 169.
 — oxidation-products of, 471, 948.
 — reaction with antimony trichloride, 832.
 — solubility of, 489.
 Cinchonine-quinoline, oxidation of, by potassium permanganate, 731.
 Cinchoteninic acid, 332.
 Cinchotenedine, 71.
 — and its salts, 949.
 Cinchotenine, 948.
 Cinchotine, 948.
 — or hydrocinchonine, 71.
 Cinders from Etna, 904.
 Cinnabar crystals from California, 440.
 — vapour-density of, 767.
 Cinnamic acid, α -bromo-, 379.
 Cinnamic acid, addition-products of, 378.
 Cinnamic acid, hydriodo-, 378.
 — hydrobromo-, 378.
 — hydrodibromo-, 378.
 — metanitro-, 321.
 — metanitro-, synthesis of, 157.
 Cinnamon-bark, Japanese, 320.
 Citraconic acid, bromo-, 457.
 Citramalic acid and its salts, 707.
 Citrene, 386.
 Clays, 988.
 — analysis of, 87.
 Cleopatra's needle, analyses of stone, 445.
 Clevite, 364.
 Clover hay, action of rain on, 823.
 Coal, artificial formation of, 896.
 — constitution of, 602.
 — dust, the part played by, in producing explosions in coal mines, 98.
 — estimation of sulphur in, 974.
 — mines, the part played by coal-dust in producing explosions in, 98.
 Coal-tar, presence of ethyl alcohol in, 136.
 Cobalt amalgam, 693.
 — ammonium compounds, 119, 438, 597.
 — complex oxides of, 507.
 — compounds, absorption-spectra of, 189.
 — estimation of, by precipitation as oxalate, 1054.
 — malleable, preparation of, and its application in the pure state, 563.
 — metallurgy of, 285.
 — separation of ferric oxide and alumina from, 970.
 — and nickel sulphates, chemical equivalence of, 876.
 Cocoa, nitrogenous constituents of, 493.
 Codeine, colour reaction with antimony trichloride, 831.
 — test for, 1067.
 Cœrulignone derivatives, 253.
 Coffee, examination of, 558.
 Cohesion, nature of, and its chemical signification, 579.
 Cohesive power of soils, 957.
 Coke, estimation of sulphur in, 974.
 Collidine, 704.
 Collieries, fire-damp in, 760.
 Colloturine, 73.
 Colombin, 730.
 Colorimetric experiments, 77.
 — process (Bohr's) for the examination of water, 553.
 Colostrum of the cow, composition of, 815.
 Colour reactions, characteristic, produced by the action of antimony or bismuth trichloride on aromatic hydrocarbons, 831.

- Colouring matter containing sulphur derived from dimethylphenylenediamine, 628.
 ——— from monooxybenzophenone, 60.
 ——— of *Palmella cruenta*, 1042.
 ——— of red wine, 171.
 ——— of sandal and caliatour woods, 470.
 ——— new, from orthamidophenol, 924.
 ——— yellow, from indigo, 936.
 Colouring matters, 571.
 ——— from alizarin, absorption-spectrum of, 807.
 ——— of the rosaniline-group, 236.
 Colours, valuation of body, 179.
 Columbin and limonin, supposed identity of, 730.
 Combustion-process, moist; some reactions of alkaline permanganate of potassium, 555.
 Concretion-balls, curious, derived from a colliery mineral water, 1024.
 Conductivity of liquids for heat, 1001.
 Conine, reaction with antimony trichloride, 831.
 Conquinine sulphate, 656.
 Copaibic acid, 1038.
 Copper ammonium oxyferrocyanide, 775.
 ——— action of heat on, 775.
 Copper, distribution of, in primordial rocks, and in the sedimentary deposits derived from them, 1020.
 ——— estimation and separation of, 971.
 ——— extraction of, by wet processes, 757.
 ——— improvements in purifying or refining, 423.
 ——— nitrite, a new, 693.
 ——— ores, origin of some, 17.
 ——— plate, steeling, 186.
 ——— phosphide, 504, 508.
 ——— refining, 989.
 ——— sulphate, absorption-spectra of, 190.
 ——— ammoniacal, action of potassium ferrocyanide on, 775.
 ——— sulphide, action of selenium on, 771.
 ——— precipitated, composition of, 206.
 ——— test, ammoniacal, and its application, 1066.
 ——— Weil's volumetric method of estimating, 276.
 ——— and iron pyrites, new processes for the treatment of, in the dry way, 563.
 ——— and lead, double selenides of, 440.
 Corn, oiling of, 822.
 Corpse, human, formation of poisonous alkaloids in, 734.
 Corundum in dolerite from Orifak, 894.
 Cotton-blue, 419.
 Coumarin, homoacetoxy-, 720.
 Cow, composition of the colostrum of, 815.
 Cow-tree, composition of the milk of, 73.
 Cows, beet-leaves as fodder for, 813.
 ——— use of sour food for, 1050.
 Cows' milk, feeding calves without, 1046.
 Cream, Devonshire, composition of, 1068.
 Creasote, distinctive tests for, 182.
 Creatine, 471.
 Creatinine, 471.
 Cresol, benzylated, 314.
 ——— distinctive tests for, 182.
 ——— para-, 789.
 ——— sulphuric acid, 149.
 ——— tetrabromopara-, 789.
 Cresols, formation of, during putrefaction, 789.
 ——— three isomeric, action of carbon tetrachloride on, 791.
 Crops, effect of manure on, 826.
 Crossopterine, 71.
 Croton aldehyde, action of ammonia on, 780.
 ——— and its homologues, 615.
 Croton oil, volatile acid of, 221.
 Crotonylamine, 712.
 Crucible steel, manufacture of, 1076.
 Cryohydrates, formation of, 428.
 Crystal, preparation of large regular, 352.
 ——— species, fundamental forms of, 14.
 Crystals extracted from cast-iron by ether or petroleum, 771.
 Cumene, parabromo-, 624.
 ——— pseudo-, 623.
 Cumenolcarbonic acid (propylhydroxybenzoic acid), 642.
 Cumic acid, bromo-, 230.
 ——— dinitro-, 464.
 ——— nitro-, 464.
 ——— compounds, constitution of, 308.
 Cuminol, nitro-, and its derivatives, 464.
 Cupric hydrate, compounds of grape-sugar with, 778.
 ——— oxide (Fehling's solution), reduction of, by milk-sugar, 217.
 Cuprosodiphosphonium chloride, 503.
 Cuprous chloride, 693.
 ——— compounds of hydrogen phosphide with, 503.
 ——— heat of formation of the compound of carbonic oxide with, 888.
 ——— solution of carbonic oxide in an acid solution of, 887.

- Cuprous chloride, vapour-density of, 767, 875.
 — thiosulphate, double salts of, 124.
 Cyanides, action of carbonic anhydride on, 303.
 Cyanidocarbonic acid, 304.
 Cyanacetyl dimethyl urea, 619.
 Cyanacetyl urea, 619.
 Cyanamide, phenyl-, preparation of, from monophenylthiocarbamide, 804.
 — reactions of, 910.
 Cyanides, liquid, in blast furnaces, 989.
 — titration of, and relation to alkalimetry, 486.
 Cyanogen, action of hydrochloric acid and alcohol on, 47.
 — direct combination of, with hydrogen, 909.
 — direct combination of, with the metals, 909.
 — estimation of, in soda-lyes, 402.
 — heat of formation of, 767.
 — hydride, solid, 1028.
 Cyanuric acid, α - and β -, 517.
 — — isomerides of, 517.
 Cyclamin, splitting up of, into glucose and mannite, 70.
 Cymene, β -chloro-, from thymol, 230.
 — compounds of, with aluminium bromide, 785.
 — compounds of, with aluminium chloride, 785.
 — constitution of, 308.
 — constitution of the propyl group in, 228.
 — oxidation of, 321.

D.

- Dairy process, Alpine, 857.
 Dandelion, analysis of, 821.
 Daphnetin, 469.
 — benzoyl-, 469.
 — monacetyl-, 469.
 — tetrabromacetyl-, 469.
 Dart, water from the, 906.
 Daubr  elite, the new meteoric mineral, 33.
 Decipium, a new metal from samarskite, 117.
 Decomposition, influence of chloroform in preventing, 395.
 Dehydromucic acid and its salts, 141.
 Deoxalic acid, 619.
 Deoxybenzoin, action of nitric acid on, 150.
 — amido-derivatives of, 790.
 — monamido-, chloroplatinate of, 791.
 — mononitro-, 790.
 Deoxybenzoin, nitro-derivatives of, 790.
 — synthesis of, 790.
 Dephosphorisation of pig-iron, 1075.
 Detonating agents, history of, 846.
 Detonation, suddenness of, as compared with explosion, 847.
 Dextran, 912.
 Dextrose, estimation of, in presence of saccharose, 180.
 — gravimetric estimation of, 180.
 — monochloride-tetrasulphuric acid, 1034.
 — tetrasulphuric acid and its salts, 1034.
 — trisulphuric acid, 1034.
 Dhurra or Sorgho grass, cultivation of, 823.
 Diabase from Berneck, 443.
 Diallagite, 514.
 Diallylacetic acid, 372.
 Diallyl, monochloro-, 34.
 Diallylene, 34.
 Diallylisopropyl carbinol, 612.
 Dialuric acid (oxymalonyl urea), 460.
 Dialysis, apparatus for continual, 347.
 Diamido-ditolyls (tolidines), isomeric, 235.
 Diamines, homologous tertiary, obtained in the methylaniline manufacture, 786.
 Diamylamine, preparation of, 914.
 Diamylcarbopyrrolamide, 525.
 Diamylene, heat of formation of, 874.
 — thermic constants of, 874.
 Diaspore from Jordansm  hl, 603.
 Diastase, 660.
 Diazobenzene-amidonaphthol, 629.
 — phenol-di-, 148.
 Diazo-compounds, preparation of sulphonic compounds from, by means of sulphurous acid, 933.
 Diazoethoxane, 221.
 Diazohydrocyanorosaniline, 386.
 Diazoleucaniline, 386.
 Diazoparaleucaniline, chloride of, 385.
 Diazopararosaniline hydrochloride, 385.
 Diazorosaniline hydrochloride, 385.
 Dibenzanilides, 716.
 Dibenzoquinol, 638.
 Dibenzoquinone dibenzoate, preparation of, 638.
 Dibenzyl, perchlorination of, 721.
 Dibenzylidene-amidobenzoic acid and salts of, 233.
 Dibromallyl alcohol, action of chloro-carbonic ether on, in presence of sodium amalgam, 305.
 Dibutylamine, 141.
 Dibutylactic acid, 616.
 Dicarbopyridenic acid, 731.
 — action of heat on, 731.
 — acids, 265.

- Dicarbopyridenic acids and their salts, comparative tables of the properties of, 267.
- Dichlorhydrin, action of chlorocarbonic ether on, in presence of sodium amalgam, 305.
- Dichloronaphthalene- β -sulphonic acid and its salts, 722, 723.
- Dichlorosulphobenzide, 229.
- Dichromates, 298.
- Dickinsonite, 891.
- Dicyano-amidobenzoyl, 321.
— formula of, 466.
- Dicyanodiamine, sulphuretted, 41.
- Didymiferous minerals, measurement of absorption-spectra of, 697.
- scheelite, artificial production of, 696.
- Didymium chlorostannate, 602.
— distribution of, 695.
— from cerite, probable compound nature of, 119.
— nitrate, spectrum of, 861.
— oxide, pure, preparation of, 696.
— tungstate, crystallised, preparation of, 696.
- Diethylallyl carbinol, 214.
- Diethyl-benzene, 785.
— para-, 920.
— monosulphonic acid, 920.
- Diethylbenzoic acid, Fittig and König's, 920.
- Diethyl-carbopyrrolamide, 525.
- Diethyl-glyoxylamide, 47, 220.
- Diethylhydrazine, 450, 451.
- Diethylnaphthylphosphine, 68.
- Diethylxamide, action of phosphorus pentachloride on, 784.
- Diethyl sulphide, oxidation-products of, 37.
- Dietrichite, a new alum from Hungary, 440.
- Diffusion, use of, in the study of the phenomena of dissociation, 1006.
- Digallic acid, 466, 646.
— preparation of, 645.
- Digestion, influence of bile in, 549.
— pancreatic, 814.
- Diguanidine and its salts, 781.
- Dihydroferric phosphate, 202.
- α -Dihydroxyanthracene, 537.
- α -Dihydroxybenzenesulphonic acid and its salts, 933.
- Di-isoamylsulphone, 38.
- Di-isobutylamine, 703.
- Di-isobutylglyoxylamide, 47.
- Di-isobutylxamide from commercial trimethylamine, 912.
- Di-isobutylsulphone, 38.
- Di-isobutylsulphoxide, 37.
- Di-isoprene, caoutchouc, and terpene, identity of the hydrates of, 1039.
- Di-isopropylsulphone, 38.
- Dimethacrylic acid, 307.
— an isomeride of angelic acid, 782.
- Dimethylamidotriphenylmethane, 53.
- Dimethylamine, 913.
— action of benzoic chloride on, 787.
— preparation of blue colouring-matters from, 571.
- Dimethylbarbituric acid, synthesis of, 618.
- Dimethylcarbopyrrolamide, 525.
- Dimethyldiacetonamine and its salts, 1035.
— hydrochloride, 1035.
- Dimethylethylcarbamine, 141.
- Dimethylparaphenylene-diamine, 626.
— action of ethyl-oxalate on, 627.
— carbamides, 627.
— colouring matter containing sulphur derived from, 628.
— oxamic acid, 627.
— thiocarbamide, 628.
- Dimethyluric acid, 48.
- Dinaphthylcarbamide, 723.
- Dinaphthyl-phosphinic acid, 67, 68.
- Dinaphthyls, three, colour reaction with antimony trichloride, 831.
— reaction with bismuth trichloride, 831.
— vapour-densities of the three isomeric, 537.
- Dinitrophenylpropionic acid, 640.
- Diopside, 442.
— artificial, formed in a Bessemer converter, 513.
- Diopase on chrysocolla, from Peru, 30.
- Diortho-diphenylene-acetylene or phenanthrene, 653.
- Dioxyanthracene, 258.
— diacetyl-, 258.
— dibenzoyl-, 258.
- Dioxyanthrarufin, diacetyl-, 258.
- Dioxybenzene, ether-sulphuric acids of, 149.
- Dioxybenzoic acids, 157, 644.
- Dioxybenzophenone, from aurin, 59.
- Dioxyindole, acetyl-, 937.
— action of ammonia on, 718.
- Diparamidodimethylphenyl-oxamide, 627.
- Diparamido-diorthocarboxyldiphenyl, or diamidodiphenic acid, 653.
- Diphenethole, orthodiamido- (diethoxybenzidine), 939.
— action of alkalis on the salts of, 939.
- Diphenic acid, 165.
— diamido-, or diparamido-diorthocarboxyldiphenyl, 165, 653.

- Diphenic acid, dimetamido-, 653.
 ——— dinitro-, 165.
 Diphenols, 64, 66, 651.
 α -Diphenol-sulphonic acid, 65.
 Diphenyl, colour reaction with antimony trichloride, 831.
 ——— colour reaction with bismuth trichloride, 831.
 ——— diamido-, 252, 652.
 ——— dibrom-hexamethoxyl, 253.
 ——— dichlorohexamethoxyl-, 253.
 ——— diphthalimido-, 324.
 ——— diphthalimidodibromo-, 324.
 ——— hexhydroxy-, 932.
 ——— hexmethoxy-, 253.
 Diphenylamine, dinitro-, 51.
 Diphenyl-arsenious acid, 162.
 ——— bromide, 162.
 ——— chloride, 162.
 ——— oxide, 162.
 ——— oxychloride, 162.
 ——— trichloride, 162.
 Diphenylarsinic acid, action of, on animals, 476.
 Diphenyl bases, 252.
 Diphenylbenzene, 66.
 ——— perchlorination of, 721.
 ——— trinitropara-, 163.
 Diphenylcarbamide, 651.
 Diphenylcarbonic acid, 163.
 Diphenyl-diethyl-arsenium iodide, 162.
 Diphenylethylethane, 318.
 Diphenylene-ketone, 164, 165, 166, 167, 536.
 Diphenylene-ketone-carbonic acid, 166.
 Diphenylene-methane, 164, 166.
 ——— dibromo-, 164.
 ——— dinitro-, 164.
 ——— picrate, 164.
 Diphenylenephenylmethane, 384.
 Diphenyl-ethylarsine, 162.
 Diphenylmethane, nitration of, 319.
 ——— diacetoxy-, 325.
 ——— diamido-, 319.
 ——— dibenzoxo-, 325.
 ——— diethoxy-, 325.
 ——— dimethoxy-, 325.
 ——— dioxy-, 324.
 ——— oxidation of, 325.
 ——— tetrabromo-, 325.
 Diphenylmethylacetic acid, 322.
 Diphenylmethylmethane, 317.
 Diphenylphthalide (phthalophenone), conversion of, into phenolphthalein, 637.
 ——— constitution of, 636.
 Diphenylthiocarbamide, 54.
 ——— action of potassium monochloracetate on, 651.
 Diphenylthiohydantoin, 651.
 Dipicoline and its salts, 265.
 Dipyrocathecol, 65.
 Dipropylallylcarbinol, preparation of, 136.
 Dipropylloxamide from commercial trimethylamine, 912.
 Dipyridine, 264.
 Diresorcinol, tetrabromo-, 465.
 Dissociation, use of diffusion in the study of the phenomena of, 1006.
 Disthene from Central Africa, 24.
 Distillation of a heterogeneous liquid, 875.
 Distilleries of molasses, artificial yeast for, 1078.
 Dita bark (*Alstonia* or *Echites scholaris*), basic constituent of, 332.
 Ditaïne, 332.
 Ditamine, 71.
 Dithiodidimethylaniline, desulphurisation of, 714.
 Ditolyl, perchlorination of, 721.
 Ditolylsuccinimides, 528.
 Di-triferric phosphates, 202.
 Divaleryl, preparation of, 520.
 Dolerite from Ovisak, minerals occurring with the metallic iron in, 894.
 ——— which encloses native iron of Greenland, 892.
 Dolomite, yellow, from Bleiberg, 19.
 Dracylic acid, amido-, 155.
 Duleitan, 1034.
 Dulcitanpentasulphonic acid, 1034.
 Duleite, action of phosphorus pentachloride on, 917.
 Duportbite, a new asbestiform mineral, 24.
 Durene, 527.
 ——— derivatives (α -tetramethylbenzene) 713.
 Durenyl, 714.
 Durenyl-dibenzoyl, 713.
 Durenyl-dicarbonyl-diphenyl, 713.
 Duryl, 713.
 Dyes of the rosaniline group, 787.
 Dyeing with aniline-black, 684.
 ——— wool, use of chrome-alum in, 185.
 Dystropodextrin, 549.

E.

- Earth, a new, of the cerium group, 12.
 Earth-metals, fluorescence of the salts of, 862.
 Ebullioscope, 1065.
 Echitamine, 71.
 Edible-clay, 89.
 Egg, fowl's, researches on the chemical changes occurring in, during incubation, 474.
 ——— "starch granules" and "amyloids" of, 662.

- Egg, yolk of, ferment produced by the morbid growth of the bioplasm of, 478.
- Eikosylene, a derivative of brown-coal paraffin, 699.
- a derivative of lignite paraffin, 447.
- chlorination of, 699.
- Ekdemite, 22.
- Elaterite, 301.
- Electric conductivity of zinc sulphate solution, 864.
- and thermo-electric position of steel in their relation to its hardness, 999.
- currents, behaviour of, in rarefied gases, 345.
- produced by the flow of liquids through tubes, 346.
- discharge, silent, 435.
- spark, continuous spectrum of, 765.
- thermic and galvanometric laws of, 576.
- Electricity, atmospheric, influence of, on plants, 818.
- excitation of, by the contact of solid and gaseous bodies, 345.
- quantity of, necessary for charging a platinum water-cell, 194.
- static, distillation of liquids under the influence of, 997.
- Electro-chemical actions under pressure, 293.
- Electrolytes are salts, 1.
- Electrolytic conduction, unipolar, 194.
- Electrolysis of hydrogen peroxide, 878.
- used in copper metallurgy, 760.
- Electromotive force produced by the flow of liquids through tubes, 998.
- power of gas elements, 998.
- of a Grove's element in terms of Siemens-Weber units, 998.
- Elements and their compounds, spectra of, 685.
- relation between the melting points of, and their coefficients of expansion by heat, 588.
- solid, thermo-chemical relation between the boiling and melting points of, 690.
- Elemi-resin, reduction-products of, 69.
- Ellagic acid, 930.
- action of potash on, 932.
- constitutional formulæ for, 932.
- Emulsion, formation of, 549.
- Enamel for cast iron, 755.
- for wrought iron, 755.
- Enstatite from South Africa, 513.
- in the olivine nodules of the Gröditzberg, 514.
- Eosin, manufacture of, 292.
- Eosphorite, 20.
- Epichlorhydrin, action of ammonia on, 1031.
- action of chlorocarbonic ether on, in presence of sodium-amalgam, 305.
- action of hydrocyanic acid on, 449.
- action of potassium cyanate on, 217.
- action of sodium on, 1031.
- Epsomite, natural crystals of, of large size, 358.
- Equivalence, chemical, 876.
- Equivalents, new series of, from absorption of gases by charcoal, 500.
- Erbium nitrate, spectrum of, 862.
- Ergot, alkaloids of, 387.
- contribution to a knowledge of the alkaloids of, 269.
- Ergotinine, preparation of, 387.
- Ericacæ, ethereal oils of some, 641.
- Erythrol, action of phosphorus pentachloride on, 917.
- fermentation of, 664.
- tetrasulphuric acid, and its salts, 1033.
- Etch-figures on quartz-crystals, 439.
- produced on the alums, 439.
- Ethane, action of bromine on, 302.
- chlorobrom-, nomenclature and boiling points of, 368.
- dinitro-chlor-, 700.
- halogen derivatives of, 212, 368.
- Ethanes, normal (paraffins), boiling points of, 765.
- Ethenyl-bicarbonic acid, 707.
- ether, 707.
- Ethenyldiphenylamidine, 313, 786.
- Ethenyltolylamidine, 146.
- Ether, exsiccator for, 875.
- Ether-sulphuric acids of dioxybenzene, 149.
- Ethereal oils of some Ericacæ, 641.
- sulphates of polyhydric alcohols and carbohydrates, 1033.
- Etherification, chemical experiments on, 866.
- influence of metallic chlorides on, 418.
- thermal experiments on, 866, 870.
- Ethers of α -dinitrophenol from α -dinitro-chlorobenzene, preparation of, 716.
- of trinitrophenol, 923.
- Ethionic acid, 777.
- Ethyl acetate, action of mineral acids on the formation of, 870.
- bromo-derivatives of, 137.
- heat of formation of, 870.
- alcohol, action of bleaching powder on, 910.
- action of, on ethyl chlorosulphonate, 776, 777.

Ethyl alcohol, action of potassium di-iodide on, 595.
 ——— action of potassium perman-
 ganate on, 205.
 ——— action of zinc chloride on,
 1029.
 ——— presence of, in coal-tar, 136.
 ——— amido-acetate, 621.
 ——— anthrol ether, 654.
 ——— azobenzoates, 152.
 ——— benzoate, vapour-density of, 1025.
 ——— benzonitrobenzoate, 153.
 ——— benzylmalonate, 707.
 ——— brom-acetates, decomposition of,
 220.
 ——— bromide, preparation of, 127.
 ——— bromisovalerate, action of sodium
 ethylate on, 706.
 ——— butyrates, boiling points of, 522.
 ——— chloride, heat of formation of, 870.
 ——— α -chlorisobutyrate, 615.
 ——— chlorocarbonate, action of, on di-
 amylamine, 913.
 ——— action of, on monoamylamine,
 913.
 ——— chlorosulphonate, action of ethyl
 alcohol on, 776, 777.
 ——— cholate, 949.
 ——— dehydromucate, 141.
 ——— deoxalate, two isomeric modifica-
 tions, 620.
 ——— diamylcarbamate, 914.
 ——— dibenzoylphenylglycerate, 645.
 ——— diethomalonate, 707.
 ——— diphenate, 165.
 ——— disulphoxide, decomposition of, by
 potash, 219.
 ——— ethomalonate, 707.
 ——— formyltricarboxylate, 918.
 ——— glycolates, boiling points of, 522.
 ——— hydrogen sulphate, 776.
 ——— isosuccinate, 783.
 ——— lactates, boiling points of, 522.
 ——— malonate, 707.
 ——— mercaptan, action of diazo-com-
 pounds on, 304.
 ——— methoxybutyrate, 523.
 ——— methylaceto-acetate, action of hy-
 drochloric acid on, 706.
 ——— action of hydrocyanic
 acid on, 706.
 ——— monamyl-carbamate, 913.
 ——— monobrom- and dibrom-acetates,
 138.
 ——— monochloraceto - acetate, com-
 pounds of, with metals, 915.
 ——— monochlorangelacetate, 42.
 ——— nitro-acetate, 621.
 ——— α -nitro-mesitylenate, 156.
 ——— β -nitro-mesitylenate, 156.
 ——— oxalate, action of phosphorus pen-
 tachloride on, 138.

Ethyl oxyisobutylformate, 140.
 ——— parahydroxymesitylenate, 643.
 ——— phenylbenzoate, 164.
 ——— pyrotartrate, 134.
 ——— silicate, heat of vaporisation of,
 767.
 ——— specific heat of, 767.
 ——— thermic researches on, 767.
 ——— sulphate, preparation of, 775.
 ——— sulphates, decomposition of, by
 gaseous hydrochloric acid, 137.
 ——— tetracetyl quinate, 159.
 ——— thiacetate, boiling point of, 786.
 ——— trichloracetate, 139.
 ——— trichloroxyvalerate, 42.
 ——— tropate, 720.
 Ethylamine, formation of, 219.
 Ethylamines, separation of, 305.
 Ethylbenzene, 725.
 Ethylbenzoic acid, mononitropara-, and
 its salts, 920.
 Ethylcarbopyrrollic acid, 525.
 Ethyldiacetic acid, detection of, in urine,
 560.
 Ethyldicarbopyrrollic acid, 525.
 Ethyldiethyl glyoxylate, 46, 220.
 Ethylene, action of chlorine monoxide
 on, 303.
 ——— action of hypochlorous acid on,
 446.
 ——— action of, on benzene, in presence
 of Al_2Cl_6 , 785.
 ——— action of oxidising agents on,
 907.
 ——— bromide, action of water on, 700.
 ——— chloride, action of nitric acid on,
 700.
 ——— chlorobrom-, nomenclature and
 boiling points of, 368.
 ——— dibrom-, ketone from, 220.
 ——— dibromide, thermic constants for,
 435.
 ——— fluorob-, 915.
 ——— halogen derivatives of, 212.
 Ethylenediethylsulphone, 39.
 Ethylenedisulphuric acid and its salts,
 712.
 Ethylidene chloride, action of nitric
 acid on, 700.
 ——— chlorobromide, 369.
 ——— disulphuric acid and its salts,
 710.
 Ethylnaphthylamidine, 147.
 Ethyl-nitrogen chloride, boiling point of,
 781.
 Ethyloxalic bromide, 139.
 Ethyloxalic chloride, 139.
 Ethylphenyl ketone, 529.
 Ethylpyrrol, 525.
 Eucrasite, a new mineral from Brevig,
 31.
 Eugenol, mercurdimethyl-, 790.

Eugenol, methyl-, derivatives of, 790.
 — monobromomethyl-, 790.
 Eugenyl dibronide, monobromomethyl-, 790.
 Euetic acid, methyl-, 799.
 — — — action of potassium permanganate on, 790.
 Eupitton, 253.
 Eurotin, 415.
Erodia glauca, 333.
 Expansion of solid and fluid bodies, 1002.
 Explosion, suddenness of detonation as compared with, 847.
 — of nitromannite, 1080.
 — of the flour mills at Minneapolis, Minnesota, 1079.
 Explosive compounds, improvements in the manufacture of certain, 422.
 — mixtures of air with combustible powders, 412.
 — product of a solution of phosphorus in carbon bisulphide, 996.
 Eye, behaviour of the albumin of the refracting media of the, 834.

F.

Fabrics, vegetable, process for bleaching, 761.
 Fairfieldite, 892.
 Fassaite, 364.
 Fat of butter, analysis of, 1070.
 — decomposition of, can be increased by reflex action, 76.
 — formation of, from casein in the ripening of cheese, 996.
 — in oil-seeds, advantages of only partially removing, 99.
 — milk-, quantitative estimation of, 1068.
 Fats, foreign, in butter, new method for detecting, 1069.
 — — — new method of testing butter for, 983.
 Fatty bodies, neutral, acids obtained by distilling the crude acids derived from the saponification of, in a current of superheated steam, 1036.
 — matters, estimation of, in feeding-stuffs, 558.
 Feeding experiments with sheep, 951.
 Feeding-stuffs, estimation of fatty matters in, 558.
 Felspars, production of, by fusion, and by prolonged maintenance at a temperature near that of fusion, 358.
 Ferment, a new organised, 817.
 — digestive, of *Carica papaya*, 1048.

Ferment of sour wine, action of, on good wine, 817.
 — produced by the morbid growth of the bioplasm of the yolk of egg, 478.
 — soluble alcoholic, non-existence of, 1046.
 Fermentation, 663.
 — alcoholic, influence of oxygen on, 735.
 — beer, 1079.
 — lactic, conditions of, 663.
 — of albumin, 664.
 — of calcium glycerate, 664.
 — of calcium lactate, 664.
 — of calcium malate, 664.
 — of calcium tartrate, 664.
 — of erythrol, 664.
 — of gelatin, 664.
 — of glycerol, 664.
 — of hydroxyvaleric acid, 782.
 — of must, 993.
 — schizomycetic, 664.
 Fermentations, fungoid, 172.
Ferri et quina citras, B.P., estimation of quinine in, 405.
 Ferric chloride as a purifier of water, 1072.
 — — vapour-density of, 1014.
 — hydrate, estimation of, without filtering, washing, and drying, 480.
 — salts, dissociation of dissolved, 348.
 — — reaction of salicylic acid with, 748.
 — and aluminium oxides, new method for separating, from manganese, 1055.
 — oxide and alumina, separation of, from manganese, zinc, cobalt, and nickel, 970.
 Ferricyanides, 702.
 Ferrochrome, 286, 287.
 Ferrocyanides, metallic, law peculiar to, 830.
 Ferro-manganese alloys, distribution of manganese in, 286.
 Ferrosferrie sulphate, 104.
 Ferrous dihydric phosphate, 201.
 — oxide, estimation of, in silicates, 484.
 Ferruginous particles deposited by a sirocco at certain places in Italy, 515.
 Fibrin, estimation of, 835.
 — ferment, preparation of, 474.
 — peptone, action of acetic anhydride on, 950.
 Fibrous materials, 859.
 Field crops, quantity of nitrogen which must be supplied to cultivated plants to ensure their normal development as, 668.

- Filters, experiments with animal charcoal, silicated carbon, and spongy iron, 986.
 — silicated carbon and spongy iron, 493.
 Fire, extinguishing, in tar distilleries, 1080.
 Fire-damp, detection of, 991.
 — in collieries, 760.
 Fish guano, estimation of phosphoric acid in, 968.
 Flame, blue, from common salt, 497.
 Flavopurpurin, 381.
 — anthrapurpurin and isopurpurin, actual relations of, 943.
 Flour, alum in, 556.
 — detection and estimation of alum in, 483.
 — detection of alum in, by the log-wood test, 483.
 — detection of blighted wheat in, by the spectroscope, 977.
 — method for rapidly incinerating, 282.
 — mills at Minneapolis, Minnesota, explosion of, 1079.
 Fluobenzenesulphamide, para-, 650.
 Fluobenzenesulphochloride, para-, 649.
 Fluobenzenesulphonic acid, 649.
 Fluoboracetone, 914.
 Fluoborethylene, 915.
 Fluoranthene, a new hydrocarbon from coal-tar, 165.
 — constitution of, 536.
 — dibromo-, 166.
 — picric acid, 166.
 — quinone, 166.
 — trinitro-, 166.
 Fluorene, diamido-, 653.
 Fluorescein, manufacture of, 292.
 — nitroso-compounds of, 383.
 — carbonic acid, 55.
 — — acetyl, 56.
 — — dibromo-, 56.
 — — tetrabromo-, 56.
 Fluorescence of the salts of the earth-metals, 862.
 — Stokes's law of, 862.
 Fluorine, volumetric estimation of, 829.
 Fluorite (fluor-spar), from Evigtok in Greenland, 511.
 Fluor-spar (fluorite), from Evigtok in Greenland, 511.
 Fodder, cattle, analyses of, 956.
 — for cows, beet-leaves as, 813.
 — green, preservation of, in pits, 1049.
 Fodders, analysis of some, 552.
 Food, sour, use of, for cows, 1050.
 Force, electromotive, produced by the flow of liquids through tubes, 998.
 Formic acid, tribasic, ethereal salts of, 453.
 Formyltricarboic acid, 707.
 — ether, 707.
 Fossilised wood in Cleveland ironstone, 91.
 Fossil resin, sulphur in, 896.
 Fowls poisoned with pumpkin-seeds, 1046.
 Fowl's egg, researches on the chemical changes occurring in, during incubation, 474.
 Freezing mixture of calcium chloride and snow, 689.
 Fuel, new application of rapid oxidation by which sulphides are utilised for, 755.
 — used in the iron industry, estimation of sulphur in, 974.
 Fürstenwald-glaze, 88.
 Fulminoplatinum, chloroxy-, 375.
 Fulminoplatinums, 373.
 — di-, tri-, and tetra-chloro-, 374.
 Fumaric acid, 372.
 — action of ethyl iodide on the silver salt of, 223.
 Fungus, distribution of, 479.
 Furfuraldehyde, occurrence of, in glacial acetic acid, 137.
 Furfurangelic acid, conversion of, into azelaic acid, 915.
 Furfurvaleric acid, 916.

G.

- Gadolinite-earths, 113.
 Galvanic current, passage of, through iron, 686.
 — deposits, pressures produced by, 576.
 — polarisation, 577.
 — properties of aqueous solutions of metallic salts, 863.
 Ganomolite, 22.
 Galactose, 137.
 Gallic acid, melting point of, 160.
 Gamboge, analysis of, 1041.
 Gambogic acid, 1042.
 Garnet chromium-, 361.
 — from the erratic gneiss of Wellen, near Bremen, 361.
 — magnesium-, or Russian retinite, 441.
 Gas, composition of, from a shaft of Abercarn Colliery, 357.
 — elements, electromotive power of, 998.
 — evolved by the action of barium hydrate on albuminoids, 735.
 — holder, a simple, 877.
 — illuminating, quantitative determination of sulphur in, 78.

- Gas lighting, 85.
 — liquor, application of, to the production of potassium carbonate and other salts, 677.
 — — testing and valuing, 79.
 — purification of, by ammonia, 986.
 — regulator for air-baths, 294.
 — the ammonia-soda process in conjunction with the manufacture of, 837.
 Gases, absorption of, by charcoal. A new series of equivalents or molecular numbers, 500.
 — combustible, composition of, in the Stassfurt Mines, 603.
 — compressibility of, 429.
 — compressibility of, at high temperatures, 1004.
 — deviation of some, from Boyle's law, 346.
 — hot, erosive action of strongly compressed, with reference to the history of meteorites, 1024.
 — in iron and steel, 437.
 — influence of temperature and pressure on the spectra of, 101, 685.
 — magnetic rotatory power of, at ordinary temperature and pressure, 576.
 — new phenomena shown by, 587.
 — rarefied, behaviour of electric currents in, 345.
 — rarefied, luminous appearances of, in tubes with liquid electrodes, 861.
 — relation between the specific heat temperature and heat conductivity, 2.
 — relation between work effected by the diffusion of, and the second law of thermodynamics, 3.
 — thermal effect of the walls of closed vessels on the contained, 432.
 Gay-Lussac and Thenard, peculiarity of an experiment of, 887.
 Gedanite, a new fossil resin, 300, 896.
 Gelatin, action of potassium or ammonium dichromate on, 911.
 — blasting, 850.
 — fermentation of, 664.
 Gerland's process for tannin estimation, 933.
 Germination, influence of salicylic acid, thymol, and some essential oils on, 172.
 Ghea- or Shea-butter, 568.
 Glass, bottle, Macagno's investigations on, 562.
 — chemical technology of, 1074.
 — coloured by gold, 509.
 — composition of, 754.
 — durability of, 754.
 Glaze-clay, analysis of, 87.
 Glucoproteins, 545.
 Glucose, Bernard's method for the estimation of, in blood, 674.
 — estimation of, in the blood, 557.
 — examination of Pavy's method of determining, 834.
 — in crude cane-sugars, 97.
 Glucoses, consecutive alteration of, formed by the inversion of cane-sugar, 369.
 Glucoside of buckthorn berries, 39.
 — of liquorice, 727.
 Glutamic acid, 545.
 Glutimic acid, 545.
 Glycerin. See Glycerol.
 Glycerol, action of potassium permanganate on, 205.
 — application of, in analysis, 178.
 — derivatives of, 1029.
 — estimation of, in wine, 404.
 — ether of *o*-dinitrophenol, 717.
 — fermentation of, 664.
 — mononitro-, 449.
 — thermic constants of, 874.
 Glyceryl-trisulphuric acid, 1033.
 Glycide, 449, 1032.
 Glycocholic acid, preparation of, from ox-bile, 949.
 Glycocine, formation of, from ethyl nitro-acetate, 621.
 Glycoeyamine, synthesis of, 70.
 Glycogen, action of diastase, saliva, and pancreatic juice on, 370.
 — transformation of, by the salivary and pancreatic ferments, 548.
 Glycol-disulphuric acid and its salts, 1033.
 Glycollic acid, formation of, from tartaric acid, 916.
 Glycolic acid and salts of, 524.
 Glycyrrhizate of ammonium, acid, 1040.
 Glycyrrhizic acid and its salts, 1040.
 Glycyrrhizin, 727, 1040.
 Glyoxylic acid, 619.
 — — action of aniline on, 51.
 Glyoxilin, 850.
 Gneiss of the North Eastern Schwartzwald, and its relationship to the mineral veins, 443.
 — red, of the Saxon Erzgebirge, 361.
 "Goa powder," chrysarobin in, 326.
 Gold and other metals, extraction of, from pyrites, 288.
 — assaying of, 509.
 Goosefoot, white, analysis of, 821.
 Gourd family, analyses of some species of, 961.
 — seeds, albuminoids of, 272.
 Grains from malt, composition of, 761.
 Gramenite, 31.
 Grammatite, 364.

Granatine, 170.
 Granite porphyry of Beucha, near Leipzig, 27.
 — of Lower Silesia, 29.
 Grape-sugar, arsenic in, 1077.
 — compounds of, with cupric hydrate, 778.
 Grapes, composition of, at different stages of ripeness, 820.
 — influence of heat on the ripening of, 1047.
 — of the Stein and Leisten districts, analysis of, 739.
 — ripening of, 174.
 Graphite in dolerite from Orifak, 894.
 Grass seeds, cultivation of, 823.
 — young, nitrogenous constituents of, 819.
 Green, a new fast (malachite green), 571.
 — aniline colours, 83.
 — fodder, preservation of, in pits, 1049.
 — pigment from barium chromate, 987.
 Grossalmerode-clay, 89.
 Grossular, 306.
 Grove's element, electromotive power of, in terms of Siemens-Weber units, 998.
 Guanidine, β -dicyanoditolylphenyl-, 53.
 — β -dicyanotriphenyl-, 53.
 — β -dicyanotritolyl-, 54.
 — diphenyl-, action of phenylthiocarbimide on, 801.
 — nitroso-, 613, 914.
 — salts of, 914.
 — thiocyanate, removal of sulphur from, 614.
 Guanidines, cyano-, 53.
 Guano, fish, estimation of phosphoric acid in, 968.
 Gum, beetroot, composition of, 912.
 Gums, behaviour of, towards chromates under the influence of light, 911.
 Gun-cotton, decomposition of, in a closed vessel, 991.
 Gunpowder, combustion of, 992.
 — observations on Noble and Abel's memoir on the combustion of, 875.
 Gypsum, detection of, in meal, 183.

H.

Hæmocyantin from the blood of the *Octopus vulgaris*, 333.
 Hæmoglobin, estimation of, in blood, 835.
 Hair, conversion of, into manure, 859.

Halogens and oxygen, reciprocal displacements of, 351.
 — — relative affinities of, 351.
 — sulphur, and oxygen, reciprocal displacements between the, when combined with hydrogen, 296.
 Haloid acids, decomposition of, by metals, 589.
 — ethers, formation of, in the gaseous state, 435.
 Hay, brown, preparation of, from maize, 960.
 — clover, action of rain on, 823.
 — nitrogenous constituents of, 819.
 — preparation of quinic acid from, 952.
 Heat absorbed by the solution of potassium chloride in water, 588.
 — action of, on copper-ammonium oxyferrocyanide, 775.
 — action of, on metals in a vacuum, 1018.
 — action of, on sugar, 911.
 — action of, on sugar solutions, 911.
 — atomic theory of, 687.
 — conductivity of liquids for, 1001.
 — developed by contact of water with anhydrous sodium sulphate, 589.
 — effect of, on mercury di-iodide, 498.
 — effect of substitutions, 871.
 — evolved by the action of hydrochloric acid on chloranilines, 872.
 — evolved by the action of hydrochloric acid on paranitraniline, 872.
 — evolved by the action of sodic oxide on the isomeric monochloranilines, 768.
 — evolved by the action of sodic oxide on the three isomeric nitrophenols, 768.
 — influence of, on the ripening of grapes, 1047.
 — influence of substitution on evolution of, during the formation of salts, 767.
 — invisible, refraction of, 864.
 — of formation of acetic derivatives, 872.
 — of formation of alkaline sulphides, 865.
 — of formation of aniline hydrochloride, 767.
 — of formation of benzoic acid derivatives, 873.
 — of formation of cyanogen, 767.
 — of formation of diamylene, 874.
 — of formation of dissolved alkaline sulphides, 866.
 — of formation of ethyl acetate, 870.

- Heat of formation of ethyl chloride, 870.
 — of formation of hydrogen phosphides and arsenides, 5.
 — of formation of paranitraniline hydrochloride, 768.
 — of formation of phenol derivatives, 874.
 — of formation of silicon hydride, 767.
 — of formation of some aniline derivatives, 871.
 — of formation of the amalgams of the alkali metals, 884.
 — of formation of the compound of carbonic oxide with cuprous chloride, 888.
 — of formation of toluidine hydrochloride, 871.
 — of hydration of alkaline sulphides, 865.
 — of hydration of sodium oxide, 689.
 — of oxidation of the amalgams of the alkali metals, 884.
 — of solution of nitrates, sulphates, dithionates, and some other salts, 6.
 — of vaporisation of amylene, 874.
 — of vaporisation of ethyl silicate, 767.
 — of vaporisation of silicium chloride, 767.
 — specific, of uranoso-uranic oxide, 688.
 — capacity of mixtures of methyl alcohol and water, 688.
 — — of soils, 958.
 Heating steam boilers, 1070.
 Heavy spar, detection of, in meal, 183.
 Hectograph, 836.
 Helicin or ortho-formyl glucoside, synthesis of, 1038.
 Heliographic printing, 750.
 — — on sheet-zinc, 751.
 Hemp, strength of, 859.
 Hepta-ammoniacal hydrochloride, 502.
 Heptic acid, 458.
 Heptyl alcohol, 46.
 Herbivora, excretion of phosphoric acid by, 392.
 Hesperidin sugar, 468.
 Hessite, 898.
 Hetaerolyte, a new mineral, 17.
 Hexbromethylmethyl ketone, 220.
 Hexmethylbenzene, 49, 527.
 — preparation of, from acetone, 940.
 Hexhydroxydiphenyl ketone, 932.
 — — carbonic anhydride, 933.
 Hexane, action of bromine on, 303.
 — hexabrom-, 303.
 — octobrom-, 303.
 Hexhydroxydiphenyl, 932.
 Hexic acid, 457.
 Hexmethyltriamidotriphenylmethane, 236.
 Hexyl iodide, action of water on, 700.
 β -Hexyl iodide, isoheptylic acid from, 140.
 Hexylene, octobrom-, 303.
 Hibernation, experiments on a marmot during, 75.
 High temperature produced by means of ammonium nitrate, 102.
 — temperatures, spectrometric determination of, 293.
 Hipparaffin, formula of, 650.
 Hipparin, 650.
 Hippuric acid, estimation of, 748.
 — — separation of, 748.
 — — source of, in the urine of herbivorous animals, 952.
 Hisingerite in dolerite from Orifak, 894.
 Hollway's method of treating pyrites, 563, 755.
 Homilite, 32.
 Homocinchonidine-diethiodide, 169.
 Homocinchonidine, ethyl-, 169.
 Homo-oxybenzyl alcohols, xylenols, hydroxytoluic aldehydes and acids, alcohol- and aldehyde-hydroxybenzoic acids, and hydroxyphthalic acids, relation between, 924.
 Homosalicylic acids, 530, 531.
 — — three isomeric, 791.
 Honey from Ethiopia, analysis of, 450.
 Hops, analysis of, 957.
 — constituents of, 171.
 — spent, analysis of, 1050.
 Hornstone, a decomposition of, 511.
 Horse-radish, mineral constituents of, 819.
 House-fungus, prevention of, 1080.
 — — salicylic acid as a preventive of, 1080.
 Humic acid, 603.
 Hunyadi Janos springs at Buda-Pest, analysis of, 366.
 Hyalotekite, 22.
 Hydratropic acid, 380.
 — — amido-, 379.
 — — dibrom-, 379.
 Hydrazine compounds of the paraffin series, 450.
 Hydrazobenzene, action of acetic anhydride on, 630.
 — — diacetyl-, 630.
 Hydrazophenetols, 317.
 Hydrindic acid, acetyl-, 937.
 — — diamido-, 63.
 Hydrindin-carboxylic acid, diamido-, 63.
 Hydrindo-angelic acid, 618.
 Hydriodo-methyleteronic acid, 618.
 Hydroanthracenehydroquinone, constitution of, 261.

- Hydrobromic acid, absorption of, by acetic acid, 705.
- Hydrocarbon, C_3H_{12} , from cantharic acid, 270.
- $C_{14}H_{22}$, from lactucone, 469.
- $C_{16}H_{12}$, from phenylglycol, derivatives of, 327.
- from rosin oil, 467.
- solid, occurrence of, in the eruptive rocks of New Jersey, U.S.A., 896.
- Hydrocarbons, action of platinum wire on, 302.
- aromatic, characteristic colour reactions produced by the action of antimony or bismuth trichloride on, 831.
- from American petroleum, 447.
- obtained by the action of aluminium chloride on methyl chloride and benzene, 228.
- produced by the action of methyl chloride on benzene, in presence of aluminium chloride, 527.
- unsaturated, action of nitrosyl chloride on, 517.
- — action of nitrous acid on, 35.
- — formation of, from the addition-products of non-saturated acids, 376.
- — resulting from the decomposition of American petroleum, 1025.
- Hydrocarbostyryl, amido-, 640.
- dibromamido-, 640.
- mono- and di- bromamido-, 640.
- Hydrocele, nature of the albumins in, 550.
- Hydrocellulose, 779.
- conversion of, into pyroxylin, 911.
- nitrification of, 911.
- Hydrocerussite, 22.
- Hydrochloric acid, absorption of, by acetic acid, 705.
- — compounds of the terpenes with, 943.
- — containing phosphoric acid, 8.
- — new compounds of, with ammonia, 501.
- — preparation of, by means of calcium and magnesium chlorides, 8.
- — solubility of stannic oxide in, 888.
- — gas, action of, on sulphates, 105.
- — — and mercury, reaction between, 298.
- Hydrocinchonine or Cinchotine.
- Hydrocinnamic acid, formation of, by means of the pancreas ferment, 465.
- — amido- (phenylamidopropionic acid), 378.
- Hydrocinnamic acid, amidonitro-, 640.
- — dinitro- and its derivatives, 639.
- — paramethyl-, 230.
- Hydrocyanic acid, 909.
- — action of hydrochloric acid and alcohol on, 46.
- — delicacy of some reactions for, 403.
- — estimation of, in bitter-almond water, 280.
- — titration of, and its relation to alkalimetry, 486.
- Hydrogen, action of, on sodium oxide, 689.
- — atomic heat of, in its combination with palladium, 590.
- — direct combination of cyanogen with, 909.
- — estimation of, in gaseous mixtures, 670.
- — ignition point of, 587.
- — photographed spectrum of, 497.
- — and marsh-gas, fractional combustion of, 747.
- — carbon and nitrogen, simultaneous determination of, 278.
- — peroxide, 353, 592.
- — decomposition of, by cobalt, lead, and manganese oxides, 501.
- — electrolysis of, 878.
- — estimation of, by colorimetric method, 743.
- — estimation of, by hydriodic acid, 742.
- — estimation of, by indigo, 743.
- — estimation of, by measuring the oxygen evolved, 743.
- — estimation of, by permanganate, 740.
- — formation of, by the explosion of a mixture of oxygen and hydrogen, 103.
- — supposed existence of, in the organism of plants, 665.
- — phosphide, compounds of, with cuprous chloride, 503.
- — estimation of, in gaseous mixtures, 503.
- — phosphides and arsenides, heat developed in the formation of, 5.
- — sulphide, action of, on sulphurous acid in presence of salts, 1012.
- — preparation of, 1013.
- — use of, in the dry way in analysis, 963.
- — and sulphurous acid, production of sulphur from, 1012.
- Hydrohæmatite of Neuenburg, 604.
- Hydroisatin, constitution of, 937.
- Hydroquinone. See Quinol.
- Hydrotiglic acid and its salts, 456.

Hydrotiglic acid, brom-, 455.
 ——— dibrom-, 456.
 Hydroxanic acid, 227, 461.
 Hydroxy-acids, boiling points of ethereal salts of, 522.
 Hydroxyanthraquinone-sulphonic acids, 255.
 Hydroxybenzoic acid, meta-, aldehydhydroxybenzoic acids from, 927.
 ——— meta-homopara-, 791.
 ——— nitro-, 644.
 ——— ortho-homopara-, 791.
 ——— acids, alcohol- and aldehyde-, xyenols, homo-oxybenzyl alcohols, hydroxybenzoic aldehydes and acids, and hydroxyphthalic acids, relation between, 924.
 ——— aldehydo-, from meta-hydroxybenzoic acid, 927.
 Hydroxybutyric acid, 615.
 Hydroxycumic acid, 624.
 Hydroxydiphenyls, three isomeric, 931, 932.
 Hydroxyhydroanthranol, 261.
 α -Hydroxyisophthalic acid, 795.
 β -Hydroxyisophthalic acid, 793.
 Hydroxylation by direct oxidation, 139.
 Hydroxymesitylenic acid, a new, 643.
 ——— and its salts, 530.
 ——— constitution of, 530.
 Hydroxyparaxylic acid, 641.
 Hydroxyphthalic acids, oxidation of hydroxytoluic acids to, 791.
 ——— xyenols, homo-oxybenzyl alcohols, hydroxytoluic aldehydes and acids, and alcohol- and aldehyde-, hydroxybenzoic acids, relations between, 924.
 Hydroxypropenylbenzoic acid, 465.
 ——— isomeric of, 466.
 Hydroxypropylbenzoic acid, 465.
 ——— derivative of, 795.
 ——— oxidation-products of, 795.
 Hydroxysalicylic acid, para-, 928.
 Hydroxyterephthalic acid, 639, 793.
 Hydroxytetric acid, 459.
 Hydrotoluic acid, 530.
 ——— acids and aldehydes, xyenols, homo-oxybenzyl alcohols, alcohol-, and aldehyde- hydroxybenzoic acids, and hydroxyphthalic acids, 924.
 ——— from the three isomeric cresols, 791.
 ——— methylic salts of, 792.
 ——— oxidation of, to hydroxyphthalic acids, 791.
 ——— aldehydes and acids, xyenols, homo-oxybenzyl alcohols, alcohol- and aldehyde-, hydroxybenzoic acids, and hydroxyphthalic acids, relations between, 924.
 Hydroxytrimesitic acid, 531.

Hydroxyuvitic acid, 531.
 Hydroxyvaleric acid, obtained by oxidation of allyldimethyl carbinol, 618.
 ——— fermentation of, 782.
 Hygrophilite-like mineral, 208.
 Hypophosphoric acid and its salts, 105.
 Hypoxanthine, 471.
 ——— occurrence and origin of, in the animal body, 176.

I.

Ibotin, 330.
 Icacin, 73.
 Idoerose in the limestone-strata of Deutsch-Tschammendorf, 902.
 Idrialin, 167.
 ——— bromine-derivatives of, 167.
 ——— oxidation-products of, 167.
 Imido-deoxybenzoincarbonic anhydride, 246.
 Imidothio-ethers, 147.
 Incrustation, boiler, composition of a, 839.
 Indican, detection of, in urine, 343.
 Indifulvin, 533.
 Indigo, action of sodium thiosulphate on, 936.
 ——— amido-, 939.
 ——— brom-, 938.
 ——— constitution of, 806, 935.
 ——— molecular weight of, 532.
 ——— nitro-, 938.
 ——— reduction of, by glycerol, 188.
 ——— vapour-density of, 63.
 ——— yellow colouring matter from, 936.
 Indigo-blue, 532, 535.
 ——— group, 937.
 ——— substitution-products, 938.
Indigofera tinctoria, indigo-blue from, 534.
 Indigo-purpurin, 535.
 ——— brom-, 938.
 ——— nitro-, 939.
 Indigotin, derivatives of, 936.
 Indirubin, 533.
 Indium chloride, vapour-density of, 579.
 Indole, acetyl-, 938.
 ——— dioxy-, action of ammonia on, 718.
 Indophenin, 937.
 ——— bromo-, 938.
 Indoxyl, 806.
 Indoxylsulphuric acid, 806.
 Inorganic bodies, vapour-density determinations of, at high temperatures, 766.
 ——— compounds, vapour-densities of some, 875.
 Insect powder, active principle of, 807.

- Inulin, action of sulphuric monochloride on, 1035.
- Iodated potassium iodide, 595.
- Iodates, action of oxalic acid on, 593.
— reduction of, by phosphorus, 103.
- Iodine, absorption spectra of, 190.
— estimation of, by ammonium thiocyanate, 973.
— estimation of, in varec, 1051.
— industry in France, 283.
— reaction of, with sulphurous acid, 352.
— acetate, Schützenberger's, 452.
— chlorine, and bromine, separation and estimation of, 670.
— sulphide (?), 353.
- Iodine-green, 84.
- Iodobromite, a new silver haloïd, 365.
- Iodosalicyclic acids, 928.
- Iodosulphates of the quinine alkaloïds, 982.
- Ions, transference of, 193.
- Italian beans, observations on the damage caused by the bean insect, 552.
- Iridio-platinum, alloy of, 774.
— — preparation of, 772.
- Iridium, atomic weight of, 125.
— dyad-, double salts of, 125.
— pure, preparation of, 773.
- Iron albuminates, 170.
— amalgam, 693.
— amidonitrosulphide, 597.
— ancient, analysis of, 1074.
— phosphorus in, 1074.
— cast, crystals extracted from, by ether or petroleum, 771.
— — enamel for, 755.
— finely-divided, magnetic behaviour of, 1000.
— gases in, 437.
— heated with phosphoric acid, 93.
— industry, estimation of sulphur in the products of, 974
— malleable, at the Paris Exhibition of 1878, 679.
— manganiferous pig-, preparation of, 755.
— manufacture, Blair's process for, 89.
— meteoric nickeliferous, report on the researches of S. Meunier relative to, 905.
— native carburetted, artificial production of, 693.
— — from Ovivak, 892.
— — of Greenland, 892.
— — of Greenland, origin of, 895.
— ores, direct preparation of wrought iron and steel from, 409.
— — estimation of sulphur in, 974.
- Iron, passage of the galvanic current through, 686.
— — phosphorus in, 90.
— — pyrophoric, 119.
— — pig-, dephosphorisation of, 1075.
— — plates, action of sea water on, 564.
— — red hot, action of the vapour of potassium or sodium hydrate on, 887.
— — reduced by hydrogen, 887.
— — remarkable specimen of silicon, 204.
— — salts in tea, detection of, 854.
— — reaction of salicylic acid with, 748.
— — smelting in the cupola furnace, 564.
— — specular, physical and chemical changes which it undergoes when smelted in the cupola for the Bessemer process, 840.
— — spongy, and animal charcoal as materials for purifying water, 343.
— — sulphate, a new variety of (luckite), 901.
— — sulphides, action of ether on, 771.
— — surface, new method of producing a coating of magnetic oxide on, 840.
— — white pig-, specific gravity of, 840.
— — wrought, direct preparation of from iron ores, 409.
— — — direct process for making, 565.
— — — enamel for, 755.
— — and alumina, acid sesquisulphate of, 594.
— — and chromium, sesquisulphates of, 594.
— — and copper pyrites, new process for the treatment of, in the dry way, 563.
— — and manganese, sesquisulphate of, 594.
— — and silver, sulphide of, from Andreasberg, 440.
- Iron-glance, magnetic pseudomorph after, 363.
- Ironstone, Cleveland, phosphorus in, 90.
- Isatin, 937.
— action of ammonia on, 63.
— chloride, 535.
— brom-, chloride, 935.
— constitution of, 937.
— deoxyimido-, 63.
— derivatives, 937.
— diamido-, derivatives of, 63.
— nitro-, 938.
— oxyamido-hydro-, 63.
— oxydiimido-diamido-, 63.
— synthesis of, 534.
— test for, 937.
— and allied compounds, action of phosphorus pentachloride on, 535.
- Isatinamide, dihydro-, 63.
- Isotropic acid, 379.

Isethionic acid, preparation of, 777.
 Isoamylethylsulphone, 38.
 Iso-angelic acid, 706.
 Isobutaldehyde, action of potassium carbonate on, 520.
 Isobutane, action of bromine on, 302.
 — hexabrom-, 302.
 Isobutyl alcohol, action of zinc chloride on, 1029.
 — thiacetate, boiling point of, 786.
 — di-isobutyl-glyoxylate, 47.
 Isobutylformamide, 139.
 Isobutylformanilide, 139.
 Isobutylformic acid (inactive valeric acid) and its salts, 139.
 — — hydroxy-, 140.
 Isobutylamine, di-, 703.
 — tri-, boiling point of, 704.
 Isobutylene, action of oxidising agents on, 908.
 — nitroso-di-, preparation of, 704.
 Isobutyric acid and phthalic anhydride, action of sodium acetate on, 246.
 Isocholesterin, specific rotatory power of, 634.
 Isocymene (paramethylcumene), 624.
 — sulphonic acids, 624.
 Isodiphenic acid, and its salts, 166.
 — — constitution of, 536.
 Isodipyridine and its salts, 264.
 Isodulcite, 40.
 — sodium, 946.
 Isoheptylic acid from β -hexyl iodide, 140.
 Isohexic acid, 458.
 Isoindole, 252.
 — action of hydriodic acid on, 252.
 Isomalic acid, 618.
 Isomerism in the propyl or tri-carbon series, 127.
 Isomorphism, use of, for the determination of atomic weights, 769.
 Isopentane, action of bromine on, 303.
 Isophthalic acid, 536.
 — — α -hydroxy-, 795.
 — — β -hydroxy-, 793.
 Isopropyl thiacetate, boiling point of, 786.
 Isopropylacetylene, 134.
 Isopropylglycocoll (amido-isobutyl-formic) acid, 140.
 Isopropyls, stanno-, 918.
 Isopurpurin, anthrapurpurin, and flavopurpurin, actual relations of, 943.
 Isosuccinic acid, synthesis of, 783.
 Isoxyhexic acid, 459.

J.

Jacobsite, 23.
 Japanese wax, 1037.

Jerusalem artichoke, carbohydrates of, 778.

K.

Kellin, 1041.
 Ketone from dibromethylene, 220.
 Ketones, new mode of formation of, 529.
 Koji, preparation of, 413.
 Kino, Malabar, 159.
 — red, 159.
 Kinoïn, 159.
 — constitution of, 160.
 Kreunerite, 898.

L.

Lactic acid, action of phosphorus pentasulphide on, 46.
 — — free, in milk, estimation of, 750.
 — — monochloro-, from glyceric acid, 521.
 — — monosulpho-, 45.
 — — occurrence and origin of, in the animal body, 176.
 Lactoglucose, 137.
 Lactose, sodium, 449.
Lactuca Canadensis, milk-juice from, 1041.
 Lactucarium, 1041.
 Lactucerin, 1041.
 Lactucic acid, 1041.
 Lactucin, 1041.
 Lactucone, 468.
 — hydrocarbon, $C_{14}H_{22}$, from, 469.
 Lactucopierin, 1041.
 Lævulinic acid and acetopropionic acid, identity of, 453.
Lagetta furiofera, examination of, 860.
Lallementia iberica, seeds of, 822.
 Lampblack, analyses of, made from the natural hydrocarbon gas of the Ohio petroleum region, 97.
 Land, irrigated, agricultural experiments on, 825.
 Lanthanum chlorostannate, 601.
 — distribution of, 695.
 Laurent's "carminaphtha," 466.
 Laurocerasus, chemical nature of the essence of, 719.
 Lava from Etna, 904.
 Lavez rock in the Upper Engadin, 25.
 Law of molecular volumes, 197, 198.
 Law of multiple proportion, proof of, 691.
 — peculiar to metallic ferrocyanides, 830.

- Lead, estimation of, as lead iodate, 484.
 — estimation of traces of, 402.
 — Keith's process for desilvering and refining, by electrolysis, 288, 410.
 — presence of, in bismuth subnitrate, 80.
 — raw, Keith's process for desilvering and refining, by electrolysis, 288, 410.
 — chloride, action of salts, 1009.
 — action of sulphuric acid on, 1006.
 — electrical properties of, 427.
 — ferrieyanide, 702.
 — with lead nitrate, 702.
 — with lead oxide, 703.
 — potassium ferrieyanide, 702, 703.
 — sulphate, action of ammonia on, 1010.
 — action of certain acids on, 1006.
 — action of salts on, 1009.
 — decomposition of, by sodium chloride, 124.
 — estimation of, without filtering, washing, and drying, 481.
 — sulphide, action of selenium on, 771.
 — and antimony, alloys of, 889.
 — and copper, double selenides of, 440.
 — and tin alloys, behaviour of, with vinegar, 990.
 Leaves, absorption of water by, 819.
 Lecithin, detection of, 835.
 — digestibility of, 814.
 — in beer-yeast, 811.
 Lecture experiment, use of Hempel's lamp for illustrating silver assay as a, 402.
 Leidyite, 606.
 Lemon, examination of distilled essence of, 386.
 — trees, stopping the gum exudation of, 821.
 Leucaniline, para-, 384, 385.
 Leuceines, 544.
 Leucine obtained by the action of baryta on albumin, 544.
 Leucines, 544.
 Leucitophyr of Lake Averno, 609.
 Leucophane, crystal form and twin formation of, 442.
 Leucorosolic acid, 59.
 Levulin, 778.
 Levulinic acid, oxidation of, 523.
 Levulose, sodium-, 449.
 Life, conditions of, of the lower organisms, 664.
 — of the microzoa, relation of oxygen to, 953.
 Light, action of, on silver chloride, 694.
 Light, behaviour of carbohydrates towards chromates under the influence of, 911.
 — behaviour of gums towards chromates under the influence of, 911.
 — coloured, influence of, on the evaporation of water, 863.
 — influence of, on the yield of beet-sugar, 1047.
 — polarised, influence of temperature on the deviation of, by solutions of inverted sugar, 832.
 — reflected by potassium permanganate, 425.
Ligustrum ibotu, constituents of, 330.
 Lime, burned, valuation of, 400.
 — solubility of, in water, in reference to the prescription for *Aqua phagedænica*, 491.
 Limonin, 730.
 — and columbin, supposed identity of, 730.
 Liquid bodies, expansion of, 1002.
 — heterogeneous, distillation of, 875.
 Liquids, conductivity of, for heat, 1001.
 — distillation of, under the influence of static electricity, 997.
 — electromotive force produced by the flow of, through tubes, 998.
 — spectroscopic investigation of the constitution of, 101.
 — study of the molecular constitution of, by means of their coefficient of dilatation, specific heat, and atomic weight, 875.
 Liguorice, glucoside of, 727.
 Lithia-mica from Paris (Maine), Rozena, and Linnwald, 23.
 Lithiophilite, 891.
 — analysis of, 695.
 Lithium, estimation of, 830.
 — in the earths and water of the Solfatara, at Puzzuoli, 33.
 — chromate, 299.
 — dichromate, 299.
 — picrate, 789.
 Litmus, substitute for, 553.
 Lobster's flesh, phosphorescence of, 665.
 Logwood, test for, in tea, 854.
 Lotur-bark, 73.
 Loturidine, 73.
 Loturine, 73.
 Luckite, a new variety of iron sulphate, 901.
 Ludwigite, 364.
 Lupigenin, 468.
 Lupinin, a new glucoside, 467.
 Lutco-chromium compounds, 124.
 Lutidine, oxidation of, 265.
 Ly-chô, a new thickening material, 187.

M.

- Magnesia as an antidote for arsenious acid, 77.
 Magnesium, estimation of, 969.
 — separation of, from the alkalis, 969.
 — volumetric estimation of, 1053.
 — carbonate, free, mixed, and combined, alkaline reaction of, 298.
 — chloride, action of, on calcium sulphide, 1012.
 — metals, volume-constitution of the sulphates, selenates, and chromates of, 768.
 — phosphide, 508.
 — silicate, alkaline reaction of, 298.
 — sulphate (epsomite), natural crystals of, of large size, 358.
 Magnetic behaviour of finely-divided iron, 1000.
 — compounds of the formula $\text{RO.Fe}_2\text{O}_3$, 13.
 — oxide, new method of producing a coating of, on iron surface, 840.
 Magnetite from Monte Mulatto, S. Tyrol, 23.
 — in dolerite, from Ovifak, 894.
 Maize, cultivation and preservation of, 960.
 — preparation of brown-hay from, 960.
 Malabar kino, 159.
 Malachite-green, 84, 144, 312, 571.
 — — remarks on Doebner's communication on, 787.
 — — reply to the remarks of E. and O. Fischer on, 787.
 Maleic acid, 372.
 — — action of ethyl iodide on the silver salt of, 223.
 — — bromo-, 373, 524.
 Malic acid, iso-, 618.
 Mallardite, a new natural manganese sulphate, 901.
 Malonic acid, benzyl-, 707.
 — — preparation of, 707, 782, 916.
 Malonic acids, substituted, 707.
 Malonyl urea (barbituric acid), 460.
 Malt, composition of grains from, 761.
 — nutritive value of, 1050.
 — liquors, estimation of sugar in, by the ammoniacal copper test, 1066.
 Malt test, 569.
 Malyt, relation of oxytetric acid and its homologues to, 459.
 Man during sleep, consumption of oxygen in, 75.
 Manganese determination, modification of Bunsen's method, 278.
 — distribution of, in ferro-manganese alloys, 286.
 — estimation of, 277, 716.
 Manganese, estimation of, especially in iron alloys, 341.
 — new method for separating ferric and aluminium oxides from, 1055.
 — separation of ferric oxide and alumina from, 970.
 — separation of, from zinc, 1055.
 — volumetric estimation of, 277.
 — alloys, 186.
 — amalgam, 693.
 — dioxide, artificial, 600.
 — peroxide battery, 1.
 — steel, 567.
 — sulphate, a new natural (mallardite), 901.
 — and aluminium, sesquisulphate of, 595.
 — and chromium, sesquisulphates of, 594.
 — and iron, sesquisulphate of, 594.
 Manganosite from Langban, Sweden 605.
 Manganous chloride, action of permanganate on, 206.
 — serpentine from Langban, 32.
 Mannitol, nitro-, conditions of its explosion, 777.
 — nitro-, preparation of, 777.
 — action of phosphorous pentachloride on, 917.
 Mannitotetrachlor-hexine, 917.
 Mannityl-hexsulphuric acid and its salts, 1034.
 Mannityl-tetrasulphuric acid, 1034.
 Manure, Chili saltpetre as a, for barley, 1051.
 — conversion of rags and hair into, 859.
 — effect of, on crops, 826.
 — experiments with bone-meal superphosphates, 959.
 — potassium salts as, 826.
 — artificial, 1050.
 — — effect of, on the growth of barley and meadow land, 828.
 — — estimation of phosphoric acid in, 1052.
 — — experiments with, 958.
 Manuring, experiments on, 1050.
 — influence of time of, in beet cultivation, 825.
 Marble, imitations of, from glue, 996.
 Mare's milk, composition of, 550.
 Marsh-gas, detection of, in the air of mines, 673.
 — — and hydrogen, fractional combustion of, 747.
 Meadow land, effect of artificial manures on, 828.
 Meal, detection of gypsum, heavy spar, &c., in, 183.
 Meat, preservation of, 996.

- Melissene, 782.
 Mellissic acid, 782.
 Melting points of organic substances, new method of determining, 673.
 Melting and boiling points of solid elements, thermo-chemical relation between, 690.
 Membrane, an inorganic siliceous, 199.
 Mercaptan, conversion of aldehyde into, 451.
 Mercurialine (methylamine), 40.
 Mercuric chloriodide, 1017.
 — cyanide, decomposition of, by dilute acids alone, and in presence of sodium chloride, 1064.
 — formation of, from mercurous chloride, 889.
 — iodide, 602, 772.
 — — melting point of, 889.
 — sulphate, action of haloid acids on, 299.
 — sulphide, estimation of, without filtering, washing, and drying, 480.
 Mercurous chloride, action of cane-sugar and lime on, 889.
 — — formation of mercuric chloride from, 889.
 Mercury, action of sulphuric acid on the haloid salts of, 299.
 — ammoniacal compounds of, 438.
 — decomposition of haloid salts of, 694.
 — electrolytic estimation of, 976.
 — mechanical purification of, 125.
 — presence of, in the mineral waters of Saint-Nectaire, 697.
 — production of rotatory movements in, 102.
 — purification of, 508, 602.
 — cyanide, action of bromine on, 721.
 — di-iodide, effect of heat on, 498.
 — sulphide, vapour-density of, 767.
 — and hydrochloric acid gas, reaction between, 298.
 Mesitylene, 527, 623.
 Mesitylenic acid, β -nitro-, and its salts, 156.
 — — β -nitro-, melting point of, 248.
 — — α -nitro-, and its salts, 155.
 — — substitution-products of, 155.
 Mesitylenic acids, α - and β -amido-, and their salts, 156.
 — — α - and β -bromo-, and their salts, 156.
 Mesitol, 529.
 — dibromo-, 529.
 — monobromo-, 529.
 Metabenzdioxanthraquinone, 68.
 Metallic bromides, anhydrous, action of chlorine on, 770.
 — chlorides, vapour-densities of some, 1013.
 — ferrocyanides, law peculiar to, 830.
 Metallic fragments, analysis of, from Peruvian tombs at Ancon (Lima), 409.
 — — oxides, crystalline, formation of, by means of potassium cyanide, 1016.
 — — preparation of finely-divided, 184.
 — — phosphides, 508.
 — — salts, compounds of, with compound ammonias, 376.
 — — decomposition of, and certain inverse reactions which take place in presence of water, 1006.
 — — galvanic properties of solutions of, 863.
 — — sulphides, action of ammoniacal salts on, and its application to mineral analysis, 672.
 — — action of organic solvents on, 771.
 — — action of selenium on, 771.
 — — heat of formation of, 433.
 Metals, action of heat on, in a vacuum, 1018.
 — — cerite, estimation of, in scheelite, 696.
 — — examination of calcareous minerals for, 696.
 — — coating with their oxides to guard them against atmospheric action, 563.
 — — compounds of ethyl monochlor-acetoacetate with, 915.
 — — decomposition of haloid acids by, 589.
 — — direct combination of cyanogen with, 909.
 — — precious, state in which they exist in minerals, rocks, and artificial products, 509.
 — — rare, detection of, in pyrites flue-dust, 973.
 Metallurgy, copper, electrolysis used in, 760.
 Metanitranisöl, behaviour of, towards ammonia, 528.
 Metaxylenesulphamide, oxidation of, 53.
 Metaxyloquinone, dibromo-, 530.
 Meteoric iron of Hungen, 366.
 — — nickeliferous iron, report on the researches of S. Meunier, relative to, 905.
 Meteorite from the neighbourhood of Berdjansk, 445.
 — — of the eukerite group, 610.
 — — of Ysadány, Temesvár, 609.
 — — Zsadány, 210.
 — — Zsadány, analyses of, 397.
 Meteorites, erosive action of strongly compressed hot gases, with reference to the history of, 1024.
 — — sporadosidereal, metallic granules of, 609.

- Methacrylic acid**, 616.
Methaldehyde, formation of, 219.
Methane, action of bromine on, 302.
Methoxybutyramide, 523.
Methoxybutyric acid, normal, derivatives of, 523.
Methyl alcohol, action of zinc chloride on, 49, 1029.
 ——— danger of employing, in certain industries, 335.
 ——— estimation of, in wood-spirit, 487.
 ——— pure, preparation of, 520.
 ——— reaction of potassium diiodide with, 595.
 ——— and water, heat-capacity of mixtures of, 688.
 ——— bromobutyrate, preparation of, 523.
 ——— bromoterephthalate, 639.
 ——— butyrate, physical properties of, 521.
 ——— chloride, liquid, density and coefficient of expansion of, 294.
 ——— and benzene, hydrocarbons obtained by the action of aluminium chloride on, 228.
 ——— *a*-chloropropionate, physical properties of, 521.
 ——— crotonate, physical properties of, 521.
 ——— dibenzoylphenylglycerate, action of alcoholic potash on, 645.
 ——— formate, preparation of, 520.
 ——— hydrogen sulphate, 776.
 ——— hydroxyuvitate, 531.
 ——— iodide, action of water on, 700.
 ——— isobutylformate, 139.
 ——— methoxybutyrate, 523.
 ——— monochlorocrotonate, physical properties of, 521.
 ——— nitrogen chloride, 781.
 ——— parahydroxymesitylenate, 643.
 ——— paratoluate, 638.
 ——— propionate, physical properties of, 521.
 ——— sulphate, preparation of, 775.
 ——— thiacetate, boiling point of, 786.
Methylalizarin, 635.
Methylamine, 40.
 ——— action of, on acetone, 1035.
 ——— action of, on aurin, 926.
Methylaniline manufacture, homologous tertiary diamines obtained in, 786.
Methyl-blue, 416.
Methylbromhydroxyanthraquinone, 635.
Methylearbopyrrolic acid, 525.
Methylcrotonic acid, 617.
 ——— hydriodo-, 618.
Methyldiacetonamine, and its salts, 1035, 1036.
Methylethylacetic acid, 618.
Methylethylsulphone, 39.
Methylhydroxyanthraquinone, 635, 636.
Methoxypropylbenzoate, 465.
Methylpropyl carbinol, prepared by synthesis, 1029.
Methylpyrrol, 525.
Methylrosaniline-picrate, 84.
Methylumbelliferone, 721.
Mica, behaviour of, at high temperatures, 772.
Micas, two, intergrowth of, from Middletown, Connecticut, 363.
Microline (amazonstone) from Pike's Peak, Colorado, 515.
Microsomite, chemical composition of, 607.
Microzoa, relation of oxygen to the life of, 953.
Milarite, 358.
Milk adulteration, detection of, 1068.
 ——— amount of solids in, 490.
 ——— cow's, nucleïn from, 735.
 ——— estimation of free lactic acid in, 750.
 ——— from cows of different races, 749.
 ——— Marchand's method of determining butter in, 675.
 ——— mare's, composition of, 550.
 ——— new and rapid method of analysis, 80.
 ——— occurrence of bacteria in, 817.
 ——— of the cow-tree, composition of, 73.
 ——— testing of, for starch-powder, 674.
 ——— fat, quantitative estimation of, 1068.
 ——— sugar, reduction of cupric oxide by, 217.
Mineral analysis, use of ammoniacal salts in, 672.
 ——— locality, new and remarkable, with a description of several new species occurring there, 891.
 ——— new, occurrences in the iron-ore district of Moraviezza, in the Banat, 363.
 ——— spring, "Marienbrunnen," near Iserlohn, Westphalia, 211.
 ——— of "Tenninger Bad," Somvixer Tobel, Grisons, 33.
 ——— springs of Passugg, Solis, and Tiefenkasten, 126.
 ——— tanning, 100.
 ——— water of a colliery, curious concretions derived from, 1024.
 ——— of Rosheim in Alsace, analysis of, 698.
 ——— Ofner Râdôczy, 211.
 ——— waters of Auvergne, 446.
 ——— of Buda-Pesth, 125.
 ——— of Saint-Nectaire, presence of mercury in, 697.

Mineral waters of the Couban, in the Caucasus, 125.
 Minerals, application of Gaudin's atomic theory to certain, 602.
 — calcareous, examination of, for cerite metals, 696.
 — didymiferous, measurement of absorption-spectra of, 697.
 — occurring with metallic iron in the dolerite from Ovifak, 894.
 — phosphatic, composition of, 839.
 Mines, detection of marsh-gas in the air of, 673.
 Mio-Mio (*Baccharis cordifolia*), alkaloid of, 1045.
 Mirabilite from Aussee, 23.
 Mispickel (arsenical pyrites), chemical and crystallographical examination of, 900.
 Molasses, beet-root, presence of nitrils in the distillate obtained by the calcination of residues from, 612.
 — distilleries, artificial yeast for, 1078.
 — recovery of sugar from, 844.
 Molecular pressure, illumination of the lines of, 573.
 — volumes, law of, 197, 198, 430.
 — weights, new, from absorption of gases by charcoal, 500.
 Molecules, trajectory of, 573.
 — of liquid water, distance between the, 194.
 Moninrolite, 22.
 Monochlorhydrin, action of ammonia on, 1031.
 — action of potassium cyanide on, 1032.
 — action of trimethylamine on, 1031.
 Monochlorhydrins, 1029.
 Monocyanhydrin, 1032.
 Monodiferrie phosphate, 202.
 Monomethylglyceramine, 1031.
 Mononaphthylcarbamide, 723.
 Monoparamidodimethylphenyl-oxamide, 627.
 Monophenylarsinic acid, action of, on animals, 476.
 Monophenyltriethyl-arsenium iodide, 162.
 Monosulpholaetic acid, 45.
 Mordant for Turkey-red dyeing, 187.
 Morphine, absorption-spectra of, in solution, 269.
 — action of iodic acid, sulphomolybdic acid, and ferric chloride on, 70.
 — colour reaction with antimony trichloride, 831.
 Mosandrite, crystal system of, 608.
 Mosandrium, the supposed new element, 12, 117.
 Mother of pearl, artificial, manufacture of, 996.

"Moto," preparation of, 414.
 Mucic acid, dehydro-, 783.
 — — dehydro-, action of sodium-amalgam on, 783.
 — — dehydro-, two new acids from 783.
 — — derivatives of, 783.
 Mucilage of beet, 660.
 Mucobromic acid, and its salts, 224.
 — — bromo-, 224.
 — — relation of dibromopyromucic acid to, 918.
 Mucobromic aldehyde, 918.
 Muconic acid, chloro-, 917.
 Mulberry tree, disease of, 821.
 Multiple proportion, proof of the law of, 691.
 Murexide, synthesis of, 375.
 Must, aëration of, 492.
 — fermentation of, 993.

N.

Nagyagite, 808.
 Naphthalene, action of phthalic anhydride on, 940.
 — azodibromosulphoxylbenzene, di-oxy-, 317.
 — bromo-, nitration of, 721.
 — bromo-, oxidation of, 807.
 — colour reaction with antimony trichloride, 831.
 — colour reaction of, with bisnuth trichloride, 831.
 — dinitrobromo-, 722.
 — nitro-, nitrophthalic acid from, 644.
 — nitro-, oxidation of, 722.
 — trichloro-, new, 722.
 — ζ -trichloro-, 723.
 — trinitrobromo-, 722.
 α - and β -naphthalenediamine, 232.
 Naphthalene- β -sulphonic acid, dichloro-, and its salts, 722, 723.
 Naphthalene- β -sulphonic chloride, action of chlorine on, 722.
 — — dichloro-, 723.
 — — tetrachloride of, 723.
 — — tetrachloride of, constitution of, 723.
 Naphthalide, bromaceto-, 165.
 — dibromaceto-, 165.
 β -Naphthimido-acetate, 48.
 β -Naphthimidoamide hydrochloride, 48.
 β -Naphthimido-ethyl-ether hydrochloride, 48.
 β -Naphthimido-isobutyl-ether, 48.
 β -Naphthimido-isobutyl-ether hydrochloride, 48.

- Naphthol, amidodiimido-, 251.
 — amidodiimido- chromate, 251.
 — amidodiimido- hydrochloride, 251.
 — azobenzene- β -sulphoxyl-, 316.
 — triamido- stannosochloride, 251.
 — triamido- sulphate, 251.
 — trinitro-, 250, 722.
 — trinitro-, constitutional formula of, 251.
 α - and β -naphthol, metazosulphoxylbenzene-, 316.
 β -Naphthol, azonaphthalenesulphoxyl-, 316.
 — halogen-derivatives of, 722.
 — monobromo-, 722.
 β -Naphtholsulphonic acid, parazosulphoxylbenzene-, 316.
Naphthonitril, chlorination of, 721.
Naphthopieric acid, and some of its derivatives, 250.
Naphthylamine ethyl-, 147.
Naphthylarsinic acid, 68.
Naphthylcarbamides, 723.
Naphthyl-phosphorous acid, 67.
Narceine, colour reaction with antimony trichloride, 832.
Narcotine, colour reaction with antimony trichloride, 831.
Naringin, 468.
Nascent state, 864.
Nepheline, chemical composition of, 606.
— rock of Meiches in the Odenwald, 607.
Nettle, analysis of, 821.
Nickel, complex oxides of, 507.
— detection of, 179.
— estimation of, by precipitation as oxalate, 1054.
— malleable, preparation of, and its application in the pure state, 563.
— metallurgy of, 285.
— separation of ferric oxide and alumina from, 970.
— separation of zinc from, 276.
— amalgam, 693.
— hydrate, estimation of, without filtering, washing, and drying, 481.
— oxide, Ni_3O_4 , 299.
— and cobalt sulphates, chemical equivalence of, 876.
Nicotine, 731.
— action of hydriodic acid on, 731.
— action of hydrochloric acid on, 731.
— action of sulphur on, 732.
— derivative, a new, 732.
— oxidation of, 732.
— oxidation products of, 808.
— preparation of, 808.
— reaction with antimony trichloride, 831.
— and zinc, double chloride of, distillation of, with soda-lime, 809.
Nicotinic acid, 808.
— — action of phosphorus pentachloride on, 809.
Nile, waters of, amount of nitric acid in, 905.
Niobates, analysis of, 12.
Nitracetoparaxylyde, 52.
Nitrates, estimation of, in very dilute solutions, 1062.
— in sugar-beets, 826.
Nitre, loss of, in the vitriol manufacture, 838.
Nitric acid, amount of, in the waters of the Nile, 905.
— — estimation of, 79.
— — estimation of, as ammonia, 79.
— — estimation of, by potassium dichromate, 399.
— — estimation of, in well water, 274.
— — quantitative spectroscopical estimation of, 829.
Nitric oxide, action of, on blood, 817.
— — action of potassium pyrogallol on, 1012.
— — density and decomposition of, 195.
Nitrification, 1046.
Nitrils, conversion of, into imides, 46.
— presence of, in the distillate obtained by the calcination of residues from beet-root molasses, 612.
Nitrites, formation of, in the soil, 737.
Nitro-alizarin (alizarin-orange), 81.
Nitrogen, atmospheric, absorption of, by plants, 818.
— estimation of, 961.
— estimation of, in organic bodies, 80.
— estimation of, in the analysis of agricultural products, 962.
— estimation of, in urine, 829.
— modification of Simpson's method for estimating, 554.
— presence of, in steel, 1017.
— quantity of, which must be supplied to plants to ensure their normal development as field crops, 668.
— supply of, to plants, 739.
— acids, behaviour of, with sulphuric acid, 770.
— chlorides, substituted, 780.
— iodide, 882.
— tetroxide, absorption spectra of 191.
— — action of sulphuric acid on, 770.
— carbon, and hydrogen, simultaneous determination of, 278.
Nitroglycerol, 1032.
Nitromannite, conditions of its explosion, 777.

Nitromannite, explosion of, 1080.
 ——— preparation of, 777.
 Nitrometer, 79.
 Nitrophthalic aldehyde, 722.
 Nitrosotiohydantoin, and its salts, 712.
 Nitrosyl-silver, action of, on organic bodies, 309.
 Nitrosylsulphuric acid, behaviour of, with sulphuric acid, 771.
 ——— preparation of, 383.
 Nitrotoluene, commercial, presence of metanitrotoluene in, 625.
 Nitrous acid, detection and estimation of, in potable waters, acids, &c., 964.
 ——— estimation of, 79.
 ——— oxidation of, by ozone and by moist oxygen, 9.
 ——— preparation of, 200.
 Nitrous anhydride, existence of, in the gaseous state, 502.
 Nontronite, 31.
 North Sea, results of the Norwegian expedition to, 1060.
 Norway, a new metal, 890.
 Norwegian expedition to the North Sea, results of, 1060.
 Nuclein, digestibility of, 814.
 ——— from cow's milk, 735.
 ——— in beer-yeast, 811.
 Numeite, a new jewel, 184.

O.

Oenanthylic acid and its salts, 1037.
 Oil of wine, 615.
 ——— Turkey-red, analysis of, 984.
 Oils, determination of free acids in, 406.
 ——— testing lubricating-, 292.
 Oil-seeds, advantages of only partially removing the fat in, 99.
 Olefines, action of oxidising agents on, 907.
 ——— reactions of the halogen-compounds of, 34.
 Olives, proper time for pressing, 1080.
 Orange, analysis of, 1049.
 α -Orcendialdehyde, 720.
 β -Orcendialdehyde, 720.
 α -Orcendialdehydianilide, 720.
 Orcin. See Orcinol.
 Orcinol, aldehydes from, 719.
 ——— parazosulphoxylbenzene, 316.
 ——— trinitro-, preparation of, 717.
 Oreylaldehyde, 720.
 Oreylaldehyde anilide, 720.
 Ores, fahl-, extraction of silver from, 755.

Ores, method of removing phosphoric acid from, 91.
 ——— treatment of, containing silver and copper, 496.
 Organic acid, a new, from bromocitric acid, 1037.
 Organic acids, action of phosphorus pentasulphide on, 45.
 ——— monobasic, amidines and thiamides of, 922.
 Organic base, a new, in the animal organism, 72.
 ——— bases, compounds of, with mercuric chloride, 231.
 ——— compounds, action of nitrosyl-silver on, 309.
 ——— containing halogens or nitrogen, analysis of, 555.
 ——— high-boiling, vapour-densities of certain, 1025.
 ——— solid, specific gravity determinations of, 610.
 Organic matter, estimation of, in natural waters, 976.
 Organism, animal, behaviour of phenol in, 816.
 ——— oxidations in, 814.
 ——— syntheses in, 814.
 ——— behaviour of ammonium chloride in, 830.
 ——— of warm-blooded animals, influence of the temperature of the surrounding air on the processes of decomposition in, 75.
 Organs of animals, healthy, existence of bacteria or their germs in, 1045.
 Orthocresol, 323.
 Orthocresolphthalein, 634.
 ——— bromine derivatives of, 635.
 ——— diacetyl and dibenzoyl derivatives of, 635.
 Orthocresolphthalidein, 636.
 Orthocresolphthalidin, 635.
 Orthocresolphthalin, 635.
 Orthoformylglucoside, or helicin, synthesis of, 1038.
 Orthonaphthoylbenzoic acid, 940.
 Orthophthalic acid, hydroxy-, 795.
 ——— methoxy-, 793.
 Orthose, artificial crystallisation of, 359.
 Orthosulphobenzoic acid, 629.
 Orthotoluenesulphonamide, oxidation of, 628.
 Orthotolylenediamine derivatives, 715.
 Orthoxylene, 655.
 ——— separation of, from its isomerides, 919.
 Oxalic acid, action of potassium permanganate on, 205, 353.
 ——— not poisonous (?), 335.

Oxamide, diethyl-, action of phosphorus pentachloride on, 784.
 — di-isobutyl-, from commercial trimethylamine, 912.
 — dipropyl-, from commercial trimethylamine, 912.
 — thiodiethyl-, 784.
 Oxidation, rapid, new application of, by which sulphides are utilised for fuel, 755.
 Oxides, crystalline metallic, formation of, by means of potassium cyanide, 1016.
 Ox-imido-ether, 47.
 Ox-imido-ether, hydrochloride of, 47.
 Oxindole, aceto-, 937.
 — aceto-, action of soda on, 937.
 — nitro-, 938.
 Oxyadipic acid, preparation of, 706.
 α -Oxyanthraflavone, 383.
 β -Oxyanthraflavone, 384.
 Oxyanthraxanthin, 384.
 Oxyanthraquinone, monacetyl-, 654.
 Oxyanthraquinones, tri-, 942.
 Oxyanthrarufin, 259.
 — constitution of, 942.
 Oxybenzyl alcohols, homo-, xlenols, hydroxytoluic aldehydes and acids, alcohol- and aldehyde-hydroxybenzoic acids, and hydroxyphthalic acids, relation between, 924.
 Oxychinolinecarboxylic acid, 472.
 Oxychrysin, 942.
 Oxycinchonic acid, 472.
 Oxygen, estimation of, in blood, 835.
 — evolution of, by plants in sunlight, 819.
 — photographed spectrum of, 497.
 — polarisation, changes in the surface of platinum and palladium produced by, 1005.
 — presence of dark lines in the solar spectrum, which correspond closely with the lines of the spectrum of, 997.
 — relation of, to the life of the microzoa, 953.
 — relative affinity of, for carbonic oxide and hydrogen, 436.
 — Schützenberger's process for the volumetric estimation of, in water, 77.
 — spectrum, 497, 861.
 — tension of, in arterial blood, 811.
 — and the halogens, reciprocal displacements of, 351.
 — and the halogens, relative affinities of, 351.
 — sulphur, and the halogens reciprocal displacements between, when combined with hydrogen, 296.
 Oxyheptic acid, homologues of, 453.

Oxyhexic acid, 459.
 Oxyketones, synthesis of, 319, 638.
 — synthesis of, by introducing acid radicles into phenols, 319.
 Oxymalonyl-urea (dialuric acid), 460.
 Oxyesitylenic acid, constitution of, 247.
 α -Oxynaphthoic acid, action of diazosulphobenzoic acid on, 317.
 Oxyptic acid, 458.
 Oxyphenylacetic acid, 322.
 — — dinitro-, 322.
 — — nitro-, 322.
 Oxyphenylthiocarbimide, 314.
 Oxypyromecazonic acid and its salts, 710.
 Oxypyrometazonic acid, 708.
 Oxytetric acid, 458.
 — — and its homologues, relation of, to malyd and other radicles of the bibasic acids, 459.
 Ozokerite, 896.
 — composition of a nodule of, found at Kinghornness, 1020.
 Ozone, 8, 435.
 — from permanganate and oxalic acid, 353.
 — formation of, by hydrocarbons, 592.

P.

Pæonia Moutan, 306.
Pæonia peregrina, chemistry of, 1043.
 Palladium, atomic heat of hydrogen in its combination with, 590.
 — changes in the surface of, produced by oxygen-polarisation, 1005.
 — specific heat and latent heat of fusion of, 294.
Palmella cruenta, colouring matter of, 1042.
 Palmellin, 1042.
 — decomposition of, 1042.
 Pancreatic digestion, 814.
 Papaverine, new test for, 1067.
 — reaction with antimony trichloride, 832.
 Paper for pigment or carbon photography, 560.
 — quantitative estimation of starch in, 180.
 — resin-sizing of, 994.
 Pavy's process for estimation of sugar, 557, 834.
 Parabanic acid, constitution of, 620.
 — — ditolyl-, 54.
 — — — oxidation of, 62.
 Parachlorobenzyl chloride and bromide, 62.
 Paracresol, 789.

- Paraeresol, action of bromine on, 789.
 — tetabromo-, 789.
 Paradiphenylbenzene, 466.
 Paraffins, boiling points of, 765.
 — nitration of derivatives of, 700.
 Paraglobulin, 472.
 Parahydroxysullicylic acid, 928.
 Paramethyleumene (isocymene), 624.
 Para nuts, substance from, 950.
 Paraphenylenediamine. See Phenylene-diamine.
 Paraprolybenzenesulphonic acid, 631, 632.
 Paraprolyphenol, 632.
 Pararosanine, 385.
 — trimethyl-, 926.
 Parathionic acid, 777.
 Paratoluamide, 638.
 Paratoluanilide, 638.
 Paratoluene sulphhydrate, action of sulphuric monochloride on, 230.
 Paratoluic acid, 638.
 Paratoluidine cobalt chloride, 461.
 Paratolyldiphenylmethane, 385.
 Paratolylenediamine and its salts, 715.
 Paricine, 1043.
 Pear wine, 1078.
 Péchiney's black ash process, 752.
 Pelagosit, 604.
 Pelletierine from pomegranate bark, 170.
 Pennsylvanian petroleum, crystalline products from, 309.
 Pentamethylbenzene, 527.
 Pentamethylethol, 46.
 Pentathionic acid, 1012, 1013.
 Pentic acid, 457.
 Pentlandite or pyrrhotine in dolerite from Ovifak, 894.
 Peonin, 926.
 Peptone, chemical nature of, 660.
 — fibrin-, action of acetic anhydride on, 950.
 — regeneration of albumin from, 950.
 Peptones, chemical composition of, 811.
 Perbromination, 702.
 Perchlorination, 721.
 Petrocene, 1026.
 Petroleum, American, hydrocarbons from, 447.
 — unsaturated hydrocarbons resulting from the decomposition of, 1025
 — and Russian, investigation of, 1076.
 — Pennsylvanian, crystalline products from, 309.
 — spirit and benzene, characteristic differences between, 1063.
 Phenanthraquinone, action of ammonia on, 718.
 Phenanthrene, colour reaction with antimony trichloride, 831.
 — colour reaction with bismuth trichloride, 831.
 — constitution of, 538, 653.
 — nitro-, and its derivatives, 941.
 — perchlorination of, 721.
 Phenanthrenequinone, 538.
 — preparation of, 165.
 — and its imide, constitution of, 539.
 Phenanthrenequinonimide, 539.
 Phenetol, α -dinitro-, 717.
 — metanitro-, 238.
 Phenol, action of fused soda on, 633.
 — action of nitric acid on, 148.
 — behaviour of, in the animal organism, 816.
 — derivatives, heat of formation of, 874.
 — distinctive tests for, 182.
 — formation of aurin from, 789.
 — formation of, from putrefying albuminoid matter, 1037.
 — azobenzenesulphoxyl-, 315.
 — dibenzoyl-dinitro-, 148.
 — dibromonitro-, 148.
 — α -dinitro-, preparation of ethers of, from α -dinitro-chlorobenzene, 716.
 — dinitro-amido-, action of soda-solution on, 717.
 — β -dinitroparabromo-, and its compounds, 50.
 — metadinitro-, sulphide of, 714.
 — metanitro-, and its derivatives, 237.
 — metazosulphoxylbenzene-, 315.
 — orthamido-, new colouring matter from, 924.
 — orthonitro-, derivatives of, 314.
 — parazosulphoxylbenzene-, 315.
 — — orthonitro-, 316.
 — perchloro-, chloride of, 463.
 — tribromo-, 55, 789.
 — — bromide of, 717.
 — trinitro-, ethers of, 923.
 Phenoldidiazobenzene, 148.
 α -Phenoldisulphonic acid, derivatives of, 933.
 Phenolglucoside, synthesis of, 1038.
 Phenolglycollic acids, 929.
 Phenolphthalein, constitution of, 637.
 — conversion of diphenylphthalide into, 637.
 — use of, in titration, 273.
 Phenols, action of some diazosulphonic acids on, 315.
 — etherification of, 215.
 — dinitro-, 238, 928.
 — nitro-, action of nitric acid on, 148.
 — — three isomeric, heat evolved by the action of sodic oxide on, 763.

- Phenoxypropionic acid, 642.
 ——— monobromo-, 642.
 Phenyl-hydrogen sulphate and similar derivatives of the phenols, 148.
 ——— potassium sulphate, 148.
 Phenylacetic and phenylpropionic acids, physiological relations of, 662.
 Phenylacetimidioethyl ether, 922.
 Phenylacetone, 795.
 Phenylallyl ether, α -dinitro-, 717.
 Phenylamidacetic acid, 322.
 ——— action of phosphorus pentachloride on, 322.
 Phenylamidopropionic acid (amidohydrocinnamic acid), 378.
 Phenyl-anisaldehydine, 234.
 Phenylarsenic acid, 161.
 Phenylarsenious chloride, 161.
 Phenyl-benzaldehydine and its salts, 234.
 Phenylbenzoic acid and its salts, 161.
 ——— nitro-, 161.
 Phenylchloride, isocyanato-, 805.
 Phenyleimamic acid, 610.
 Phenylcyanamide, preparation of, from monophenylthiocarbamide, 804.
 Phenylidiphosphorusulphocarbonic acid, 528.
 Phenyl-duryl-carbonyl, 713.
 Phenylene-carbamide, 314.
 Phenylenediamine, para-, 462.
 ——— chloro-, formation of, 144.
 ——— para-, hydrochloride, action of bleaching-powder on, 462.
 ——— methyl-derivatives of, 626.
 ——— nitrochloro-, 310.
 Phenylethylamine hydrochloride, decomposition of, 922.
 Phenylethyl-sulphide, 37.
 Phenylethylsulphone, 39.
 Phenylfurfuraldehydine and its salts, 235.
 Phenylglyceric or styceric acid, 644, 645.
 Phenylglycol, hydrocarbon, $C_{10}H_{12}$, from, 327.
 Phenylglyoxylic acid, 648.
 ——— amides of, 649.
 ——— new method of preparing, 322.
 Phenylmercaptan, bromo-, 803.
 Phenylmercapturic acid, bromo-, 803.
 ——— bromo-, action of alkalis on, 803.
 ——— bromo-, action of hydrochloric or dilute sulphuric acid on, 803.
 Phenyl-naphthalene, colour reaction with antimony trichloride, 831.
 Phenyl α -dinitro-phenate, 717.
 Phenylphosphine, reactions of, 528.
 Phenylpropionic and phenylacetic acids, physiological relations of, 662.
 Phenyl sulphide, chloronitro-, 231.
 ——— metadinitro-, 230.
 Phenylthiocarbamic acid, 54.
 Phenylthiocarbimide, action of sulphuric anhydride on, 312.
 Philippium, 116, 204.
 Phillipsite from Sirgwitz, twin-formation of, 515.
 Phlobaphenes, 979.
 Phloroglucinol, 934.
 ——— oxidation of resorcinol to, 633.
 ——— synthesis of, 633.
 ——— Weselsky's reaction for, 979.
 ——— trinitro-, and its salts, 57.
 ——— trinitroso-, 57.
 ——— tannins, detection of, 979.
 Phorone, isomeride of, 726.
 Phosgenite from Monte Ponì, Sardinia, 604.
 Phosphates, process for enriching, 490.
 ——— studies of the, 201.
 Phosphatic minerals, composition of, 839.
 Phosphanyl chloride, homologue of, 724.
 Phosphides, metallic, 508.
 Phosphoric acid, estimation of, 966.
 ——— estimation of, as ammonium phosphomolybdate, 275.
 ——— estimation of, as phosphomolybdate, 482.
 ——— estimation of, in artificial manures, 1052.
 ——— estimation of, in fish guano, 968.
 ——— insoluble, in superphosphate, 1052.
 ——— method of removing, from ores, 91.
 ——— quantitative spectroscopical estimation of, 829.
 ——— ratio of, to sugar, in the root and leaves of the beet, 818.
 ——— separation of, from its salts, 972.
 ——— soluble, estimation of, in superphosphates, 672, 745.
 Phosphorus in ancient iron, 1074.
 ——— in carbon bisulphide, explosive product of a solution of, 996.
 ——— in Cleveland ironstone and in iron, 90.
 ——— separation of, in open hearth, puddling furnace, and Bessemer converter, 185.
 ——— solubility of, 104.
 ——— bisulphide, 691.
 ——— pentasulphide, 691.
 ——— vapour-density of, 579.
 ——— sulphides, 883.
 Phthalanils, substituted, 323.
 Phthalein, action of nitric acid on, 635.
 Phthalic acid, nitro-, 722.

- Phthalic acid, nitro-, action of hydriodic acid on, 614, 722.
 ——— nitro-, action of hydrobromic acid on, 644, 722.
 ——— nitro-, obtained by oxidation of nitronaphthalene, 644.
 ——— nitrodichloro-, 723.
 ——— acids, methoxy-iso-, 793.
 ——— aldehyde, nitro-, 722.
 ——— anhydride, action of, on naphthalene, 940.
 ——— vapour-density of, 1025.
 ——— and isobutyric acid, action of sodium acetate on, 246.
 Phthalimide, metanitrophenyl-, 324.
 ——— parabromophenyl-, 324.
 ——— parachlorophenyl-, 323.
 ——— paraiodophenyl-, 324.
 Phthalimidobenzoic acids, ortho- and meta-, 324.
 Phthalophenone (diphenylphthalide), conversion of, into phenolphthaleïn, 637.
 ——— constitution of, 636.
 Phthalyl alcohol, 634.
 Phthalylpropionic acid, derivatives of, 245.
 Photographed spectra of oxygen and hydrogen, 497.
 Photographic negatives, intensifying, by means of potassium sulphide, 184.
 Photographing bacteria, 1046.
 Photography, pigment or carbon, preparation of paper for, 560.
 Photo-lithography, 836.
 Phyllite, or sericite-gneiss, 207.
 Phylloxa, saccharine matter contained in vines suffering from, 1049.
 Physiological relations of phenylacetic and phenylpropionic acid, 662.
Phytolacca decandra, colouring matter of, 730.
 Picoline, action of chlorine on, 264.
 ——— oxidation of, 265.
 ——— and its derivatives, 262.
 ——— platino-chloride, decomposition-products of, 264.
 Picramic acid, action of soda-solution on, 717.
 Picramide and aniline, 51.
 Picrosclerotine, 270.
 Picrotephroite from Laangban, 32.
 Picrotoxide, benzoyl-, 729.
 ——— hydrate of, preparation of, 729.
 Picrotoxin, 729.
 ——— action of acetic anhydride and sodium acetate on, 729.
 ——— action of bromine on, 729.
 ——— and some of its derivatives, characteristic reactions of, 748.
 Pig-iron, dephosphorisation of, 1075.
 ——— estimation of silicon in, 974.
 Pig-iron, highly siliceous, preparation and use of, 678.
 ——— manganiferous, preparation of, 755.
 ——— white, specific gravity of, 840.
 Pigment, green, from barium chromate, 987.
 Pig-metal, effect of phosphorus on, 92.
 ——— methods of removing phosphorus from, 92.
 Pinacolin, 317.
 Pinacone, chemical structure of, 536.
 Pinacones, 317.
 Pinguite, 31.
 Pink, garden, ash of the, 338.
 Piperidine, 733.
 ——— hydrochloride, action of bromine on, 733.
Pipturus argenteus, examination of, 860.
 Pittacal, 253.
 Plagioclase basalts, 903.
 ——— granular, in the limestone strata of Geppersdorf, 903.
 Plant respiration, 736.
 Plantain, analysis of, 821.
 Plants, absorption of atmospheric nitrogen by, 818.
 ——— absorption of selenium by, 955.
 ——— assimilation of soda by, 666.
 ——— cultivated, diseases of, 820.
 ——— in sunlight, evolution of oxygen by, 819.
 ——— influence of atmospheric electricity on, 818.
 ——— quantity of nitrogen which must be supplied in order to ensure their normal development as field crops, 668.
 ——— sarcophytic and parasitic, replacing the carbonic acid of the air necessary for the production of chlorophyll in, by organic substances, 737.
 ——— supply of nitrogen to, 739.
 ——— supposed existence of hydrogen peroxide in the organism of, 665.
 Platinum, changes in the surface of, produced by oxygen polarisation, 1005.
 ——— incandescent, radiation from, 573.
 ——— polarisation of, 578.
 ——— pure, preparation of, 772.
 ——— alloy assay, 555.
 ——— water-cell, quantity of electricity necessary for charging a, 194.
 Plinian, so-called, 901.
 Poisoning fowls with pumpkin seeds, 1046.
 Poisons, metallic, Verrykin's method of detecting, 973.

- Polarisation, galvanic, 577.
- voltaic, capacity of, 864.
- Polydymite, 18.
- Polygonum tinctorium*, preparation of indigo-blue from, 532.
- Polyporic acid, 382.
- chlorinated compounds of, 383.
- hydro-, and its salts, 383.
- nitro-, 383.
- Pomegranate, alkaloïds of, 657.
- bark of the root of the, 169.
- Pompeii, a thread-like substance found in the excavations of, 680.
- Poppy petals, composition of the ash of, 395.
- Porcelain earth of Limoges, 87.
- Porter, Dublin, and Burton ales, analysis of, 344.
- Portland cement, hardening theory of, 408.
- Portulacca, analysis of, 821.
- colouring-matter of, 730.
- Position, experimental determinations of, 232.
- Potable water, preservation of, 85.
- Potash, improvements in the manufacture of, 422.
- mica, crystal-system of, 24.
- Potassium amalgam, action of dilute hydrochloric acid on, 864.
- action of water on, 864.
- bromide, action of oxygen on, 770.
- chloride, heat absorption on solution in water, 588.
- cobaltocyanide, 303.
- ferrocyanide, action of ammoniacal copper sulphate on, 775.
- action of bromine on, 702.
- a process for utilising the residue from the manufacture of, 680.
- fluoride, compound of chromic acid with, 1016.
- hydrate, action of the vapour of, on red hot iron, 887.
- hydrocoeruleignone, 253.
- hydrosulphide, heat of formation of, 865.
- heat of hydration of, 866.
- iodide, iodated, 595.
- lead in commercial, 504.
- manufacture of, 504.
- reaction of with sulphurous acid, 352.
- malonate, electrolysis of, 917.
- mesityl-nesulphonate, products of the action of fused potash on, 529.
- nitrite, preparation of, 595.
- nitrate, estimation of minute quantities of soda in, 399.
- permanganate absorption spectra of, 189.
- Potassium permanganate, action of manganoous chloride on, 206.
- alkaline, some reactions of, in the moist combustion process, 555.
- and oxidation products obtained by its use, 204.
- the light reflected by, 425.
- salts as a manure, 826.
- behaviour of, in the blood, 816.
- sulphides, heat of formation of, 865.
- sulphocyanide, action of potassium permanganate on, 205.
- thiocyanate, behaviour of, with some of the cinchona alkaloids, 281.
- ultramarine, 692.
- xanthorhammin, 272.
- Potato, composition of the growing, 174.
- cultivation, 823.
- fusel-oil, alcohols in, 36.
- spirit, preparation of pressed yeast as a bye-product from, 843.
- Potstone of Chiavenna, 26.
- Powdered substances, determination of the specific gravity of, 669.
- Precipitates, estimation of, without filtering, washing, and drying them, 480.
- Pressure, influence of, on the spectra of vapours and gases, 685.
- Pressures produced by galvanic deposits, 576.
- Printing, heliographic, 750.
- on sheet-zinc, 751.
- Propane, action of bromine on, 302.
- Propanes, chlorobromo-, 131.
- dibromo-, 129.
- two isomeric, 908.
- dichloro-, 128.
- Propenyl-benzoic acid, 157.
- hydroxy-, 465.
- Propionamide, 47.
- Propionamidine, or propionimidamide, hydrochloride of, 47.
- Propionic acid, dichloro-, from glyceric acid, 521.
- Propionimidamide or propionamidine, hydrochloride of, 47.
- Propionitril, action of hydrochloric acid and alcohol on, 47.
- Propyl or tri-carbon series, isomerism in, 127.
- alcohol, normal, action of zinc chloride on, 1029.
- glycol, symmetrical, 132.
- symmetrical, chlorhydrins of, 133.
- thiacetate, boiling point of, 786.
- iso-, boiling point of, 786.
- Propylbenzene, 631.
- Propylbenzoic acid, 142, 321.

- Propylbenzoic acid, hydroxy-, 139, 157, 465.
 ——— hydroxy-, derivatives of, 795.
 ——— hydroxy-, oxidation-products of, 795.
 Propylene, action of oxidising agents on, 907.
 ——— bromide, action of water on, 700.
 ——— conditions under which it is formed, 908.
 ——— glycol, dehydration of, 136.
 ——— oxide, symmetrical, 133.
 Propylenes, bromo-, 130.
 ——— chloro-, 128.
 ——— polyoxy-, 133.
 Propylhydroxybenzoic acid (eumenol-carboxylic acid), 642.
 α -Propylphenol, and its derivatives, 631.
 β -Propylphenol, 632.
 Propylphenolcarbonic acid, ortho- and para-, 632, 633.
 Propyls, stanno-, 918.
 Protagon, 950.
 Protocatechuic acid, 933.
 ——— action of nitrous anhydride on, 643.
 Pseudobrookite, a new mineral, 441.
 Pseudocumene, 527, 623.
 Pseudopurpurin, absorption-spectrum of, 807.
 Pseudorosolic acid, 58.
 Pseudouric acid, 784.
 Ptomaines, 734.
 Ptyalose, so-called, 370.
 Pumpkins, analyses of, 961.
 Pumpkin-seeds, fowls poisoned with, 1046.
 Purpurin, 256.
 ——— absorption-spectrum of, 807.
 Purpurins, isomeric, chronology of, 943.
 Putrefaction, formation of cresols during, 789.
 ——— of albumin, aromatic products of, 806.
 Pyrene, colour reaction with antimony trichloride, 831.
 Pyrethrum, flowers of, active principle of, 808.
 Pyridine, 733.
 ——— dibromo-, 733.
 ——— monobromo-, 734.
 Pyridenedicarboxic acid, and its salts, 731.
 ——— identity of, with cinchome-ronic acid, 947.
 Pyridene-tricarboxic acid, 657.
 Pyrites, auriferous, examination of, 509.
 ——— extraction of gold, silver, and other metals from, 288.
 ——— flue-dust, detection of some rare metals in, 973.
 Pyrocholesteric acid, 388.
 Pyrocinchonic acid, 947.
 Pyromecazonic acid, and its salts, 708, 710.
 ——— oxy-, and its salts, 710.
 Pyromecconic acid, 307.
 ——— and its salts, 708.
 ——— amido-, 709.
 ——— hydronitroso-, 307.
 ——— nitro-, 307.
 ——— nitro-, and its salts, 709.
 ——— nitroso-di-, 708, 709.
 Pyrometazonic acid, oxy-, 708.
 Pyromucic acid, dibromo-, relation of, to mucobromic acid, 918.
 Pyromucic acids, monobromo-, 308.
 Pyr-phoric iron, 119.
 Pyropissite, composition of, 1021.
 Pyroracemic acid, 524.
 ——— action of phosphorus pentasulphide on, 46.
 ——— synthesis of, 45.
 Pyrotartaric acid, action of phosphorus pentasulphide on, 45.
 ——— symmetrical, 133.
 ——— chloride, 134.
 Pyroxene (augite), varieties of, 364.
 Pyroxylin, conversion of hydrocellulose into, 911.
 Pyroxylics, 372.
 Pyrrhotine or pentlandite, in dolerite, from Ovifak, 894.
 Pyrrol, 524.
 ——— derivatives, 525.
 ——— synthetic preparation of, 526.
 Pyruvic acid, formation of, from tartaric acid, 916.

Q.

- Quantitative analytical method, a new, 969.
 Quartz, behaviour of, with microcosmic salt, 79.
 ——— crystals, etch-figures on, 439.
 ——— from Krummendorf, growth-phenomena of, 901.
 Quartz-diorite from Yosemite, 512.
 Quebracho wood, 996.
 Quercetin, acetyl-, 945.
 ——— dibromo-, 945.
 ——— dibromacetyl-, 945.
 ——— formulæ of, 944.
 ——— sodium-, 945.
 ——— tetrabromo-, 946.
 ——— tetrabromodiacetyl-, 946.
 Quercetin, formulæ of, 944.
 ——— potassium-, 946.
 ——— tetrabromo-, 945.
 Quercitan, 241.
 ——— monaceto-, 241.

Quercitan, monochlorhydro-, 241.
 Quercite, action of hydrobromic and hydroiodic acids on, 241.
 — action of phosphorus pentachloride on, 917.
 — monobromhydro-, 241.
 — preparation and properties of, 239.
 Quercites, aceto-, 240.
 — butyro-, 241.
 — chlorhydro-, 241.
 Quiramine and its salts, 1044.
 Quini acid, 159.
 — preparation of, from hay, 952.
 Quinidine, test for, 281.
 — sulphate, 656.
 Quinine alkaloids, iodosulphates of, 982.
 — citrates, 1043.
 — determination of, in certain of its salts, 488.
 — *a*-dihydroxyl-, 809.
 — estimation of in *Ferri et Quina citras*, B.P., 405.
 — formation of cinchomeric acid from, 947.
 — hydrochloride, test for, 281.
 — isobutylformate, 139.
 — oxidation of, 946.
 — oxidation of, by potassium permanganate, 541.
 — oxidation-products of, 809.
 — reaction with antimony trichloride, 832.
 — salt, a new, 169.
 — substitutes for, 71.
 — test for, 280.
 — test for the purity of, 982.
 Quininic acid, 810.
Quininum dimuriaticum carbamidatum, 169.
 Quinol (hydroquinone), 462.
 — derivatives of, 464.
 — diacetyl-, 718.
 — dinitro-diethoxy-, 464.
 — mononitro-diethoxy-, 464.
 Quinolue from cinchonine, oxidation of, by potassium permanganate, 731.
 — oxidation of, 731.
 Quinone, action of acetic anhydride and sodium acetate on, 718.
 — dichlorodibromo-, 462.
 — tetrabromo-, 718.
 Quinones, action of ammonia on, 718.
 Quinonimide, chloro-, 924.

R.

Racemic acid, 223.
 Rags, conversion of, into manure, 859.
 Rain, action of, on clover hay, 823.

Red pigment, manufacture of a, from iron scrap, 97.
 — ultramarine, 885.
 — wine, making, 681.
 — pressing of, 681.
 Reddingite, 892.
 Residues obtained in the manufacture of aniline-red, utilisation of, 995.
 Resin-sizing of paper, 994.
 Resoquinhydrone, tetrabromo-, 465.
 Resorcin. See Resorcinol.
 Resorcin-blue, 292.
 Resorcinol, 238, 927.
 — azosulphoxylene-, 316.
 — benzo-, 319, 320.
 — bromide, tribromo-, 717.
 — dibenzo-, 319, 320.
 — ethers, action of nitrous acid on, 465.
 — ethoxydinitro-, 465.
 — ethoxymononitroso-, 465.
 — manufacture of, 291.
 — metazosulphoxybenzene-, 316.
 — oxidation of, to phloroglucinol, 633.
 — parazosulphoxybenzene-, 316.
 — pentabromo-, 464.
 — action of aniline on, 55.
 — action of tin and hydrochloric acid on, 55.
 — tetrabromodi-, 55.
 — tribromo-, 55, 464.
 — trinitro-, 238.
 — trinitro-, preparation of, 717.
 — vapour-density of, 1025.
 Resorcinol-disulphonic acid and its salts, 934.
 — fusion of, with potash, 934.
 Respiration, plant, 736.
 Respiratory movements, influence of, on the formation of carbonic acid, 75.
 Retinalites, 301.
 Retinindole, 535, 938.
 Retinite, Russian, 441.
 Rhamnetin, formula of, 271.
 — acetyl-, 271.
 — benzoyl-, 272.
 — dibromacetyl-, 272.
 — dibromo-, 272.
 — dimethyl-, 272.
 — propionyl-, 272.
 Rhammodulcite, 39.
 Ridge cultivation, 822.
 Robiquet's method for detecting salicylic acid in urine, 748.
 Rock of the St. Gothard Tunnel, 366.
 Roman chamomile oil, acids obtained by the saponification of, 454.
 — constituents of, 454.
 Rosaniline, 384, 385.
 — group, colouring matters of the, 236, 787.

- Rosaniline, influence of metatoluidine in the preparation of, 625.
 — diazohydrocyanopara-, hydrochloride of, 385.
 — hydrocyanopara-, 385.
 Rosanilines, constitution of, 463.
 Rose, garden, ash of the, 338.
 Rosemary, essence of, 725.
 — essence of, action of sulphuric acid on, 726.
 — essence of, oxidation of, 726.
 — oil, preparation of, 97.
 Roseo-chromium compounds, 124.
 Rosecobalt hydrate, 598.
 — nitrate, 598.
 Rosin, testing of beeswax for, 283.
 — oil, hydrocarbon from, 467.
 Rosolic acid, 386.
 — acids, 59.
 Rye, ripening of, 337.
- S.**
- Saccharic acid, action of phosphorus pentachloride on, 917.
 — — dry distillation of ammonium salts of, 524.
 Saccharine matter contained in vines suffering from the phylloxera, 1049.
 — substances and compounds, improvement in the preparation and treatment of, 423.
 — — or compounds, improvement in the treatment of, 421, 496.
 Saccharite, 360.
 Safrosin, manufacture of, 292.
 Saki, the alcoholic drink of the Japanese, 413.
 Saleritin, glucoside of, 1038.
 Salicylamide, α -nitro-, and its salts, 381.
 — β -nitro-, 382.
 Salicylates and their application, 641.
 Salicylic acid as a preventative of house-fungus, 1080.
 — α -acetamido-, and its salts, 381.
 — — α -amido-, 381.
 — — detection and estimation of, in animal secretions, 488.
 — — detection of, in beer, 343.
 — — diazo-, 928.
 — — dimetanitro-, and its salts, 382.
 — — in urine, Robiquet's method for detecting, 748.
 — — iodo-, 928.
 — — meta-iodonitro-, 928.
 — — α -nitro-, and its salts, 380.
 Salicylic acid, β -nitro-, and its salts, 381.
 — — parahydroxy-, 928.
 — — parazosulphoxybenzene-, 316.
 — — reaction of, with ferric salts, 748.
 — — acids, iodo-, 928.
 — — nitro-, 928.
 Salicylo-sulphuric acid, α -amido-, 381.
 Saline solutions, vapour-tension and solidifying points of, 4.
 Saliva, test for nitrates in, 630.
 Salt solutions and attached water, 428.
 Salts, action of acids on, 689.
 — compounds of, with compound ammonias, 376.
 — influence of substitution on evolution of heat during the formation of, 767.
 — metallic, decomposition of, and certain inverse reactions which take place in presence of water, 1006.
 — — galvanic properties of solutions of, 863.
 — of the earth-metals, fluorescence of, 862.
 — preparation of, in a finely-divided state, 107.
 Saltpetre, Chili, as a manure for barley, 1051.
 — South American, 1073.
 Samarium, a new metal from samarskite, 889.
 Samarskite, a new metal from, 889.
 — of N. Carolina, probable existence of a new metal in, 116.
 Sandal wood, colouring matter of, 470.
 Santonine, absorption-spectra of, in solution, 269.
 — colour reaction with antimony trichloride, 832.
 Santonin derivatives, 331.
 — monobromometa-, 330.
 — two isomerides of, 330.
 Sap of *Carica Papaya*, action of, 1048.
Sarracenia Purpurea, 541.
 Sausages, estimation of starch in, 979.
 Scandium, 601.
 Seapolites, presence of chlorine in, 697.
 Scheelite, didymiterous, artificial production of, 696.
 — estimate of cerite metals in, 696.
Scopolia Japonica, 333.
 Sea water, action of, on iron and steel plates, 561.
 — — air contained in, 1060.
 — — carbonic anhydride in, 1061.
 — — presence of ammoniacal salts in, 9.
 Sebacic acid, aniline derivatives of, 376.
 Sebanilic acid, 377.
 Sebanilide, 377.

- Seed, choice of beetroot for, 822.
 — of *Sorghum vulgare*, analysis of, 956.
 Seeds, influence of temperature on the germination of, 393.
 — of *Lallemantia iberica*, 822.
 Selenates of magnesium metals, volume constitution of, 768.
 Selenious acid, specific gravity of, 691.
 — oxide, specific gravity of, 691.
 Selenium, absorption of, by plants, 955.
 — action of, on metallic sulphides, 771.
 Seleniocyanates, 35.
 Sericite rocks of the Taunus, 23.
 Sericite-gneiss in the Bündener Alps, 25.
 — — or phyllite, 207.
 Serpentine from Verrages (Aosta), 362.
 Shave-grass, analysis of, 956.
 Shea- or Ghea-butter, 568.
 Sheep, digestion in the different divisions of the digestive canal of, 391.
 — fattening of, 811.
 — feeding experiments with, 951.
 Silent electric discharge, 435.
 Silica, absorptive power of, 339.
 — gelatinous, an inorganic membrane, 199.
 Silicated carbon filters, experiments with, 986.
 Silicates containing fluorine, behaviour of at high temperatures, 772.
 Siliceous pig-iron, preparation and use of a highly, 678.
 Silicon chloride, heat of vaporisation of, 767.
 — — specific heat of, 767.
 — hydride, liquefaction of, 436.
 Silicon, estimation of, in pig-iron and steel, 974.
 — chloride, action of sulphuric monochloride on, 201.
 — hydride, decomposition of, by electric spark, 767.
 — — heat of formation of, 767.
 Silicon-iron, remarkable specimen of, 204.
 Silk, raw, influence of the chemical composition of the water used in the preparation of, 493.
 — cocoons, analysis of, 952.
 Silver, estimation of, by ammonium thiocyanate, 973.
 — extraction of, from fahl-ores, 755.
 — spitting of, 438.
 — and other metals, extraction of, from pyrites, 288.
 — assay, use of Hempel's lamp for illustrating, as a lecture experiment, 402.
 — bromide, action of light of different colours on, impregnated with various organic colouring matters, 504.
 Silver bromide, amount of bromine substituted by chlorine in, 770.
 — chloride, action of light on, 694.
 — phosphide, 508.
 — sulphide, action of selenium on, 771.
 — — from Andreasberg, 898.
 — ultramarine, 437.
 — and iron, sulphide of, from Andreasberg, 440.
 Sinistrin, 779.
 Slate, composition of, 1024.
 Soaps and alkaline resins, abnormal solubility of certain bodies in, 99.
 Soda, assimilation of, by plants, 666.
 — improvements in the manufacture of, 422.
 — industry, 677, 751.
 — Solvay's, used in the preparation of ultramarine, 987.
 Soda-fusion process, formation of cyanogen compounds in, 751.
 Soda-lyes, estimation of cyanogen in, 402.
 Sodium, action of, on sodium hydroxide, 689.
 Sodium amalgam, action of dilute hydrochloric acid on, 864.
 — — action of water on, 864.
 — anthracenesulphonate, 653.
 — bromide, action of chlorine on, 770.
 — — action of oxygen on, 770.
 — carbonate, dihydrated, 194.
 — carboxytartrate, 643, 644.
 — chloride, blue flame from, 497.
 — dinitro-dioxyquinone, 644.
 — hydrate, action of the vapour of, on red hot iron, 887.
 — hydrosulphide, heat of formation of, 865.
 — — heat of hydration of, 865.
 — hydroxide, action of sodium on, 689.
 — nitrite, action of, on blood, 817.
 Sodium-nitrobutylene, 701.
 — oxide, action of hydrogen on, 689.
 — — heat of hydration of, 689.
 — sulphate, anhydrous, heat developed by contact of water with, 589.
 — — anhydrous, preparation of, from Glauber salt, 596.
 — — monohydrated, 194.
 — sulphides, heat of formation of, 865.
 — — heat of hydration of, 865.
 — sulpho-pyrotartrate, preparation of, 187.
 — sulpho-ricinoleate, preparation of, 187.

- Sodium-thioacetanilide, action of ethyl bromide on, 312.
 ——— action of monochloroacetic ether on, 313.
 Soil, constancy and variation in the composition of, 666.
 ——— exhaustion of, by beet-root cultivation, 1050.
 ——— formation of nitrites in, 737.
 ——— greenstone, of Berneek, 824.
 Soils, absorptive power of, 339, 552, 667.
 ——— cohesive power of, 957.
 ——— heat-capacity of, 958.
 ——— influence of, on the decomposition of organic substances, 339.
 ——— mechanical analysis of, 673.
 ——— of vine growing districts of the Rhine and Maine, analysis of, 737.
 ——— temperature of, 824.
 Solanidine, composition of, 541.
 ——— acetyl-, 541.
 Solanine and the products of its decomposition, 541.
 ——— acetyl-, 541.
 Solar chemistry, recent researches on, 425.
 ——— spectrum, cause for the appearance of bright lines in, 574.
 ——— presence of dark lines in, which closely correspond with the lines of the spectrum of oxygen, 997.
 ——— region of the, indispensable to vegetable life, 336.
 ——— ultra-violet, limit of, 861.
 Solid bodies, expansion of, 1002.
 Solidifying point of saline solutions, 4.
 Soluble blue, 418.
 Solutions of metallic salts, galvanic properties of, 863.
 ——— supersaturated, 501.
 Solvay's soda used in the preparation of ultramarine, 987.
 Sorbite, action of phosphorus pentachloride on, 917.
 Sorgho or Dhurra grass, cultivation of, 823.
Sorghum saccharatum, cultivation of, 823.
 ——— *vulgare*, cultivation of, 823.
 Specific gravities, determination of, 498.
 ——— gravity, determination of, 197.
 ——— determinations, 295, 1004.
 ——— determinations of solid organic compounds, 610.
 ——— of powdered substances, determination of, 669.
 ——— heat of ethyl silicate, 767.
 ——— of silicium chloride, 767.
 ——— of water, 1002.
 Spectra, absorption-, of didymiferous minerals, measurement of, 697.
 ——— difference in absorption, 1, 189.
 ——— of gases, influence of temperature and pressure on, 101.
 ——— of solutions of brucine, morphine, strychnine, veratrine, and santonine in concentrated acids, 269.
 ——— of the elements and their compounds, 685.
 ——— of vapours and gases, influence of temperature and pressure on, 685.
 ——— photographed, of oxygen and hydrogen, 497.
 ——— researches on, 575.
 Spectroscope, new universal stand for use with the pocket-, 574.
 Spectroscopic investigation of the constitution of liquids, 101.
 Spectrum, absorption-, of alizarin and of some colouring matters derived from it, 807.
 ——— of nitro-alizarin, 807.
 ——— of pseudopurpurin, 807.
 ——— of purpurin, 807.
 ——— analysis, quantitative, 828.
 ——— continuous, of the electric spark, 765.
 ——— displacement of the lines of, by the motion due to the sun's rotation, 574.
 ——— of didymium nitrate, 861.
 ——— of erbium nitrate, 862.
 ——— of oxygen, 861.
 ——— presence of dark lines in the solar spectrum which correspond closely with the lines of, 997.
 ——— of ytterbium, 861.
 ——— solar, ultra-violet limit of, 861.
 Spergulin, a new fluorescent body, 469.
 Spiegeleisen, changes which it undergoes when smelted, 841.
 ——— specific heat of, 840.
 Spinelle in dolerite, from Ovisak, 894.
 ——— of Tiriolo in Calabria, 694.
 Spirit, potato, preparation of pressed yeast as a bye-product from, 843.
 Spongy iron filters, experiments with, 986.
 Sporadosideral meteorites, metallic granules of, 609.
 Squill, a new carbohydrate from the, 779.
 Stand, new universal, for use with the pocket spectroscope, 574.
 Standard weights and measures, material for, 102.
 Stannamyl iodides, 919.
 Stannic oxide, solubility of, in hydrochloric acid, 888.
 ——— phenyl chloride, action of nitrous acid on, 651.

- Stannisopropyls, 918.
 Stannobutyl iodides, 919.
 Stannodiethyl compounds, crystalline form of, 518.
 Stannodiphenide diethoxide, 250.
 Stannodipropyl compounds, crystalline form of, 519.
 Stannodipropyl oxide, 519.
 Stannophenyl chloride, 651.
 ——— chloride, synthesis of, 249.
 ——— chloriodide, synthesis of, 250.
 ——— chlorobromide, synthesis of, 250.
 ——— dibromide, synthesis of, 250.
 ——— diiodide, synthesis of, 250.
 ——— oxide, synthesis of, 249.
 Stannophenylhydroxyl chloride, synthesis of, 249.
 Stannopropyl, iodides of, 622.
 Stannopropyls, 918.
 Stannotriethyl compounds, crystalline form of, 519.
 Stannotrimethyl sulphate, crystalline form of, 519.
 Stannotriphenyl chloride, 250.
 Stannous chloride, vapour-density of, 1014.
 ——— oxide, crystalline, preparation of, 1016.
 Starch, action of diastase, saliva, and pancreatic juice on, 370.
 ——— estimation of, in sausages, 979.
 ——— formation of, in chlorophyll grains in absence of light, 551.
 ——— granules of the egg, 662.
 ——— in paper, quantitative estimation of, 180.
 ——— modifications of the physical properties of, 518.
 ——— tenacity of, 570.
 Steam, decomposition of bones by, 987.
 ——— superheated, 838.
 ——— boilers, heating, 1070.
 ——— wearing of, 410.
 Steel, a third form of carbon in, 842.
 ——— chrome-, 286, 287.
 ——— chrome-crucible, preparation of, 567.
 ——— crucible, manufacture of, 1076.
 ——— direct preparation of from iron ores, 409.
 ——— direct process for making, 565.
 ——— estimation of silicon in, 974.
 ——— gases in, 437.
 ——— mild, working of, 410.
 ——— presence of nitrogen in, 1017.
 ——— specific resistance of, 1000.
 ——— thermo-electric position and electric conductivity of, in their relation to its hardness, 999.
 ——— plates, action of sea water on, 564.
 ——— welding, 567.
 Steeling copper plates, 186.
 Stilbene, colour reaction with antimony trichloride, 831.
 Stillbite, 606.
 Stokes's law of fluorescence, 862.
 ——— law of fluorescence, S. Lamansky on, 862.
 Stone of the "Julius Column," 25.
 Stoneware-clay, analysis of, 87.
 Strontia, action of chlorine on, 596.
 Strontium, existence of, in all rocks of the primary formation, 414.
 ——— bromide, action of oxygen on, 770.
 ——— chloride, action of oxygen on, 770.
 Strychnine, absorption-spectra of, in solution, 269.
 ——— reaction with antimony trichloride 832.
 ——— researches on, 387.
 ——— dihydro-, 387.
 ——— trihydro-, 387.
 Stützite, 898.
 Styeric or phenylglyceric acid, 644.
 Substitutions, heat effect of, 871.
 Succinic acid, dibromo-, reaction of, with water, 523.
 ——— ——— iso-, synthesis of, 783.
 ——— ——— tribromo-, 373.
 ——— fermentation, 394.
 Succinyl compounds of toluidines, 461, 527.
 ——— relations of tetric acid and its homologues to, 459.
 Sugar, action of heat on, 911.
 ——— ——— potassium or ammonium dichromate on, 911.
 ——— as a test of the purity of water, 1062.
 ——— beet-, influence of light on the yield of, 1017.
 ——— cane-, fermentation of, 336.
 ——— ——— inversion of, 336.
 ——— ——— inversion of, and consecutive alteration of the glucoses so formed, 369.
 ——— crystallisation of, 844.
 ——— estimation of, in blood, 674.
 ——— estimation of, in malt liquors by the ammoniacal copper test, 1066.
 ——— hesperidin, 468.
 ——— improvements in the treatment of, 421.
 ——— inverted, estimation of, in presence of saccharose, 180.
 ——— ——— influence of temperature on the deviation of polarised light by solutions of, 832.
 ——— ——— preparation of, 187.
 ——— ratio of, in the beet to the phosphoric acid in the root and leaves, 818.
 ——— raw, analysis of, 404.
 ——— recovery of, from calcium saccharates, 492.

- Sugar, recovery of, from molasses, 844.
 — transformation of, into alcohol, 778.
 — volumetric estimation of Pavy's process, 557.
 — candy, preparation of, 844.
 — solutions, action of heat on, 911.
- Sugars, 449.
- Suint from wool, utilisation of, 86.
- Sulphaminemesitylenic acids, 643.
- Sulphates, action of hydrochloric acid gas on, 105.
 — double, action of hydrochloric acid gas on, 105.
 — of magnesium metals, volume-constitution of, 768.
 — researches on, 104, 593.
- Sulphides, alkaline, dissolved, heat of formation of, 866.
 — thermo-chemical studies of, 865.
 — metallic, action of organic solvents on, 771.
 — action of selenium on, 771.
 — dissociation of, 13.
 — heat of formation of, 433.
 — new application of rapid oxidation by which, are utilised for fuel, 755.
- Sulphobenzide, action of sulphuric hydroxychloride on, 243.
 — tetranitro-oxy-, and its salts, 244.
- Sulphobenzide-disulphonic acid, 649.
- Sulphobenzide-monosulphonic acid, 649.
- Sulphobenzide-sulphonic acid, 243.
- Sulphochlorides, action of, on amines, 920.
- Sulphones, aromatic, synthesis of, 242.
 — of the olefine series, 37.
- Sulphonic compounds, preparation of, from diazo-compounds by means of sulphurous acid, 933.
- Sulphoparatoluamide, 639.
- Sulphoparatoluic acid, 638.
- Sulphoselenium oxytetrachloride, 201, 691.
- Sulpho-titanium oxytetrachloride, 691.
- Sulphotoluide, constitution of, 926.
- Sulphur, action of organic solvents on, 771.
 — estimation of, in the ore, fuel, and products of the iron industry, 974.
 — extracted from cast-iron by ether or petroleum, 771.
 — extraction of, by means of superheated steam, 284.
 — in fossil resin, 896.
 — production of, from sulphurous acid and hydrogen sulphide, 1012.
 — quantitative determination of, in illuminating gas, 78.
 — separation of, in open hearth, puddling furnace, and Bessemer converter, 185.
- Sulphur, solubility of, 104.
 — use of carbon bisulphide for the extraction of, 837.
 — vapour-density of, 767.
 — oxygen and the halogens, reciprocal displacements between, when combined with hydrogen, 296.
 — oxytetrabromide, experiments on the preparation of, 354.
- Sulphuretted hydrogen, preparation of, 1013.
 — preparation of, for chemico-legal investigations, 671.
 — use of, in the dry way in analysis, 963.
- Sulphuric acid, behaviour of nitrogen acids with, 770.
 — detection of, in wine, 981.
 — manufacture, loss of nitre in, 838.
 — waste, improvements in treating, that has been used for pickling iron plates and other articles of iron or steel, 423.
 — anhydride, action of aluminium chloride on, 620.
 — bromide, experiments on the preparation of, 354.
 — dichloride, 200.
 — monochloride, 200.
 — action of, on the chlorides of titanium, antimony, tin, and silicon, 201.
 — boiling point of, 691.
 — mode of action of, 229.
- Sulphurous acid, action of hydrogen sulphide on, in presence of salts, 1012.
 — and hydrogen sulphide, production of sulphur from, 1012.
 — anhydride, action of, on aluminium chloride, 915.
- Superphosphate, insoluble phosphoric acid in, 1052.
 — bone-meal, manure experiments with, 959.
 — estimation of soluble phosphoric acid in, 672, 745.
 — estimation of the value of, 967.
 — retrogradation of, 987.
- Supersaturated solutions, 501.
- Syenite-porphyrics of South-west Norway, 362.
- Sylvanite, 897.
- Synanthrose, 337.
- Syntouin, 489.
- Syrup, beet-root, purification of, 844.
- Szaboite, a new mineral, 441.

T.

- Table of reduction of weighings in air to a vacuum, 396.
- Tacca pinnatifida*, examination of, 860.
- Tan-liquors, estimation of free acid in, 980.
- Tane-koji, preparation of, 413.
- Tannic acid, improvements in the manufacture of materials containing, 496.
- Tannin estimation, Gerland's process for, 933.
- extraction of, from wine, 1078.
- synthetical, 645, 646.
- and allied substances, certain reactions with, 160.
- Tanning, 100.
- mineral, 100.
- Tannins, phloroglucin-, detection of, 979.
- Tar distilleries, extinguishing fire in, 1080.
- Tartaric acid, formation of glycollic and pyruvic acids from, 916.
- free, detection of, in wine, 981.
- pure, preparation of, 917.
- test to distinguish it from citric acid, 674.
- Taurine, methyl-, 225.
- Taurocyamine, 226.
- methyl-, 226.
- Tea, average composition per cent. of, 856.
- Chinese, examination of, 851.
- detection of iron salts in, 854.
- examination of, 558.
- test for catechu in, 854.
- test for logwood in, 854.
- Teak wood, 996.
- Teeth, analysis of alloys used as stopping for, 1076.
- Tellurium ores of Siebenbürgen (Transylvania), 897.
- Tellursilberblende, a new species, 898.
- Temperature, influence of, on the deviation of polarised light by solutions of inverted sugar, 832.
- influence of, on the evolution of carbonic anhydride by barley seeds, 1048.
- influence of, on the spectra of vapours and gases, 685.
- of soils, 824.
- surrounding, influence of, on the tissue change of warm-blooded animals, 951.
- Terbium and its compounds, 114.
- formate, 114.
- oxide, 113, 602.
- sulphate, 114.
- Terebenthene, derivatives of, 328.
- dihydrochloride, action of sodium on, 944.
- Terebenthene hydrochloride, liquid and solid, 328.
- Terephthalic acid, 638.
- hydroxy-, 793.
- methoxy-, 793.
- monobromo-, 639.
- Terpene, Russian dextrogyrate, from the turpentine of *Pinus silvestris*, 168.
- hydrochlorides, 943.
- di-isoprene and caoutchene, identity of the hydrates of, 1039.
- Terpenes, compounds of, with hydrochloric acid, 943.
- hydration of, 726.
- structure of, 167.
- Terpinol, 944.
- Terpinylene, 944.
- Tetra-ammoniacal hydrochloride, 501.
- Tetrachlorazoxybenzide, 231.
- Tetrallylammonium bromide, 779.
- Tetramethylammonium ferri cyanide, 611.
- α -Tetramethylbenzene derivatives (durene), 713.
- Tetramethyldiamidobenzophenone, 921.
- Tetramethyldiamidodiphenylmethane, 921.
- Tetramethyldiamidotriphenylmethane, 236.
- Tetramethylethylene and its derivatives, 536.
- Tetramethylparaphenylenediamine, 627.
- Tetraethyltriamidotriphenylmethane, reduction of, 788.
- Tetraphenylethane, 68, 318.
- tetrahydroxyl-, 69.
- Tetraphenylethane sulphonic acid, 69.
- Tetraphenylethylene, 318.
- Tetrapyridine, 732.
- Tetrathionic acid, 1013.
- Tetrazone, 451.
- Tetretethylammonium ferri cyanide, 612.
- Tetretethyltetrazone, 451.
- Tetric acid and its homologues, 457.
- and its homologues, relation of, to succinyl, &c., 459.
- Tetrolic acid, synthesis of, 782.
- Tetroxydiphenol, 634.
- Teucin, 728.
- Teucrium fruticans*, 728.
- Thallium tellurate, specific gravity of, 1004.
- Thaumasite, a new mineral species, 21.
- Thebaine, colour reaction with antimony trichloride, 831.
- Theobromine, quantitative determination of, in cacao and chocolate, 406.
- Thermal effect of the walls of closed vessels on the contained gases, 432.
- Thermic constants of diamylene, 874.
- of glycerol, 874.

- Thermic researches on ethyl silicate, 767.
 Thermo-chemical relation between the boiling and melting points of solid elements, 690.
 ——— results, accuracy of, 433.
 ——— studies of the alkaline sulphides, 865.
 Thermochemistry, combination of carbonic oxide with the elements, 591.
 Thermodynamics, relation between work effected by the diffusion of gases and the second law of, 3.
 Thermoelectric position and electric conductivity of steel in their relation to its hardness, 999.
 Thermometry, researches in, 588.
 Thialdine, action of potassium permanganate on, 710.
 ——— formula of, 711.
 Thiamides of monobasic organic acids, 922.
 ——— of the oxalic acid series, 784.
 Thioacetic acid, ethereal salts of, 786.
 Thioaldehyde, 452.
 ——— action of potassium permanganate on, 710, 711.
 Thioacetanilide, action of methyl iodide on, 313.
 ——— allyliso-, boiling point of, 786.
 ——— ethyliso-, action of, on aniline, 786.
 ——— ——— action of oxalic acid on, 786.
 ——— ——— boiling point of, 786.
 ——— isobutyliso-, boiling point of, 786.
 ——— isopropyliso-, boiling point of, 786.
 ——— methyliso-, boiling point of, 786.
 ——— propyliso-, boiling point of, 786.
 Thiobenzaldehyde, 791.
 ——— action of potash on, 791.
 Thiobenzyl ether, benzimido-, 923.
 Thiocarbamide, angelyl-, 712.
 ——— dibutyl-, 713.
 ——— monophenyl-, preparation of phenylcyanamide from, 804.
 ——— sulphine compounds of, 650.
 ——— tertiary butyl-, 713.
 Thiocarbamides, action of iodine on, 48.
 ——— aromatic, 804.
 Thiocarbimide, amido-, 806.
 ——— angelyl-, 712.
 ——— anilido-, 806.
 ——— chlorophenyl-, 805.
 ——— hydrochloride, 805.
 ——— hydroxyphenyl-, 805.
 ——— orthotolyl-, action of chlorine on, 935.
 ——— phenyl-, action of, on diphenyl guanidine, 804.
 ——— ——— action of phosphorus pentachloride on, 805.
 ——— tertiary amyl-, 713.
 Thiocarbimide, tertiary butyl-, 713.
 ——— tolyl-, 935.
 Thiocarbimides, action of phosphorus pentachloride on, 805.
 Thio-derivatives, 786.
 Thiodiethyloxamide, 784.
 Thiodiglycollic ether, 138.
 Thioethyl ether, benzimido-, 922.
 ——— ——— phenylacetimido-, 922.
 Thioglycollic ether, 138.
 Thiohydantoin, nitroso-, and its salts, 712.
 Thiophenol, action of sulphuric monochloride on, 229.
 ——— chloronitro-, 231.
 Thiotetrapyridine and its salts, 732.
 Thirlmere, analysis of the waters of, 906.
 ——— water of, 211.
 Thomsonite, occurrence of, at Låven, 605.
 Thonstein, 208.
 Thymolic acid, 158.
 Thymoloxycuminic acid and salts o', 158.
 Tiglic acid, 222.
 ——— ——— action of bromine on, 456.
 ——— ——— action of hydrobromic acid on, 455.
 ——— ——— constitution of, 456.
 ——— ——— conversion of angelic acid into, 454.
 ——— ——— from Roman chamomile oil, 454.
 ——— and angelic acids, separation of, 455.
 Time, influence of, on manuring in beet cultivation, 825.
 Tin, grey modification of, 888.
 ——— occurrence of, in silicates, 608.
 ——— chloride, action of sulphuric monochloride on, 201.
 ——— phosphides, 509.
 ——— - and lead alloys, behaviour of, with vinegar, 990.
 Tissue change, influence of the surrounding temperature on, of warm-blooded animals, 951.
 Titanium chloride, action of sulphuric monochloride on, 201.
 Titration, use of phenol-phthalein in, 273.
 ——— use of tropæolin in, 176.
 Tolidine sulphate, 236.
 Tolidines (diamido-ditolyls), isomeric, 235.
 Tolu-anisaldehydine, 234.
 Toluene, action of sulphuric monochloride on, 229.
 ——— anhydro-valeryldiamido-, 312.
 ——— azo-derivatives of, 237.
 ——— bromo-, oxidation of, 320.

- Toluene, compounds of aluminium chloride with, 308, 461.
 — meta-azo-, 236.
 — meta-hydrazo-, 236.
 — metanitro-, 236.
 — — presence of, in commercial nitrotoluene, 625.
 — pentabromo-, 142.
 Toluenedisulphamide, 804.
 Toluenedisulphonic acid, 804.
 Toluenedisulphoxide, 243.
 Toluene-metasulphamide, Beckurts', oxidation of, 804.
 Toluene-metasulphonic acid, Beckurts' so-called, 804.
 Tolueneorthosulphamide, 804.
 Toluene-sulphinic acid, action of fuming nitric acid and of nitrous acid on, 314.
 Toluene-sulphonic acid from diazo-compounds, 933.
 Toluene-sulphonic chloride, liquid, 804.
 — — liquid, action of ammonia on, 804.
 Tolufurfuraldehydine, and salts of, 234.
 Toluic acid, α -oxy-para-, and its salts, 323.
 — — — uronitro-, 815.
 Toluide, metanitro-paratrichloraceto-, action of hydrogen on, 311.
 — — metanitro-paravaleryl-, action of hydrogen on, 311.
 Toluidine hydrochloride, heat of formation of, 871.
 — — metanitro-para-, 311.
 — — methylated derivatives of, and the colours obtained therefrom, 310.
 — — succinyl-compounds of, 461.
 Toluidines, succinyl-compounds of, 527.
 Toluylenediamine hydrochloride, 311.
 — — ortho-meta-, 232.
 Toluylsuccinimide, 461.
 Toluylarsenic acids, ortho- and para-, 163.
 Toluylarsenious chloride, ortho- and para-, 163.
 — — tetrachlorides, ortho- and para-, 163.
 Toluylarsenoxides, 163.
 Tolyldiphenylcarbinol, 386.
 Tolyldiphenylmethane, 386.
 Tolylenediamine, benzenylortho-, 715.
 — — ethenyl-, 716.
 — — ortho-, derivatives, 715.
 — — para-, and its salts, 715.
 Tolylphosphorus chloride, 721.
 Tolylsuccinamic acids, 527.
 Tolylsuccinamides, 527.
 Tolylsuccinimides, 527, 528.
 Topaz, behaviour of, at high temperatures, 772.
 Triallylamine, 780.
 Triamidotriphenylmethane, hexmethylated, 236.
 Tribromoresorquinone, reduction of, 55.
 Tricarboxypyridenic acid, 541.
 Trichlorobutylidenimide, 42, 452.
 Trichlorovalerolactamide, or trichloroxyvaleramide, 41.
 Trichlorovalerolactic or trichloroxyvaleric acid, 42.
 Tricrotonylenamine and its salts, 780.
 Tricyanic chloride, 517.
 Tridymite, crystal system of, 358.
 — — optical properties and crystalline form of, 605.
 Triethylazonium iodide, 450.
 Triethylbenzene, 785.
 Triethyldiacarbopyrrolamide, 525.
 Triethylnaphthylphosphonium iodide, 68.
 Triglycollic acid, 930.
 Tri-isobutylamine, boiling point of, 704.
 Trimethylamine, action of, on monochlorhydrin, 1031.
 — — commercial, 912, 913.
 — — — sulphocarbamate, 305.
 Trimethylcarbamine, 40, 141.
 — — and its salts, 713.
 Trimethyldiamidotriphenylmethane, 237.
 Trimethylene bromide, conditions under which it is formed, 908.
 Trimethyl-glycerammonium, chloride of, 1031.
 Trinitroresorcinol, 603.
 Trioxyanthraquinones, 942.
 Trioxybenzene, ether-sulphuric acid of, 149.
 Triphenylacetic acid, 326, 385.
 Triphenylacetone, 385.
 Triphenylarsine and its derivatives, 162.
 Triphenylbenzene, perchlorination of, 721.
 Triphenylcarbinol, trinitro-, 384.
 Triphenylmethane, 326, 384.
 — — colour reaction with antimony trichloride, 831.
 — — chloride, 384.
 — — cyanide, 326.
 — — trinitro-, 384.
 Triphylite, chemical composition of, 695.
 Triploidite, 20.
 Tritolylarsine, 163.
 Tritungstates, 600.
 Tropæolin, use of, in titration, 176.
 Tropic acid, chlorhydrin-, 720.
 — — — derivatives of, 720.
 Tropide, 720.
 Tropidine, preparation of, 733.
 Tropine tropate, action of hydrochloric acid on, 733.
 Tungstates of the earthy and metallic sesquioxides, 355.
 Tungsten chlorides, 888.

- Tungsten oxychlorides, 888.
 Turkey-red dyeing, mordant for, 187.
 ——— oil, 187.
 ——— oil, analysis of, 984.
 Turpentine, action of iodine on, 623.
 ——— formula of, 168.
 ——— French oil of, hydration of terpene from, 726.
 ——— Russian, hydration of terpene from, 726.
 Turpentine-oil, action of hydrochloric acid on, 943.
 Turquoise, detection of natural and artificial, 209.
 Tyroleucine, 544.
 Tyrosine, decomposition of, by putrefaction, 541.
 ——— obtained by the action of baryta on albumin, 544.

U.

- Ulm, 603.
 Ultramarine, 506, 597, 885.
 ——— blue, 108, 110, 506.
 ——— constitution of, 203, 204, 1014.
 ——— green, 108.
 ——— potassium, 692.
 ——— red, 111, 506, 885.
 ——— silver, 437.
 ——— Solvay's soda used in the preparation of, 897.
 ——— violet, 111, 506.
 ——— white, 109.
 ——— yellow, 112, 885.
 Ultramarines, organic, 329.
 ——— formation of, 622.
 Ultra-violet limit of the solar spectrum, 861.
 Umbelliferone, 720.
 ——— acet-, 721.
 ——— derivatives, 720.
 ——— methyl-, 721.
 Undecylenic acid, conversion of, into undecylic acid, 306.
 Undecylic acid, conversion of undecylenic acid into, 306.
 Unghwarite, 31.
 Uramil, synthesis of, 375.
 Uranium, atomic weight of, 688.
 ——— nitrate, absorption spectra of, 189.
 ——— ore of Joachimsthal, vanadium from, 989.
 ——— pitchblende from Joachimsthal, 18.
 Urano-so-uranic oxide, specific heat of, 688.
 Uranyl ammonium selenite, 507.
 ——— bromide and its salts, 508.
 ——— potassium selenate, 507.
 ——— potassium selenite, 507.

- Uranyl, some new salts of, 507.
 Urea, estimation of, 985.
 ——— estimation of, by means of sodium hypobromite, 405.
 ——— estimation of, in urine, 1067.
 ——— formation of, in the animal organism, 952.
 ——— preparation of, from blood by alcoholic dialysis, 950.
 ——— researches on, contained in the organs, 175.
 Urethane, orthamidophenyl-, 921.
 ——— orthonitrophenyl-, 921.
 ——— hydrochloride, orthamidophenyl-, 921.
 ——— ——— orthamidophenyl-, action of potassium nitrite on, 922.
 Uric acid, dimethyl-, 48.
 ——— ——— derivatives, synthesis of, 375, 460.
 ——— ——— formula, 142.
 ——— ——— group, compounds of, 461.
 Urine, detection of ethyldiacetic acid in, 560.
 ——— detection of indican in, 343.
 ——— estimation of chlorine in, 830.
 ——— estimation of nitrogen in, 829.
 ——— estimation of urea in, 1067.
 ——— of herbivorous animals, source of hippuric acid in, 952.
 ——— Robiquet's method for detecting salicylic acid in, 748.
 Urobilin, 170.
 Uronitrotoluic acid, 176.

V.

- Valeramide, trichloroxy-, or trichlorovalerolactamide, 41.
 Valeric acid, bromo-, 618.
 ——— ——— dibromo-, action of alkalis on, 521.
 ——— ——— hydroxy-, 45.
 ——— ——— inactive (isobutylformic acid) and its salts, 139.
 ——— ——— monochloro-dibromoxy-, 42.
 ——— ——— trichloroxy-, or trichlorovalerolactamide, 42.
 Valerolactide, 140.
 Valonia and certain other sources of tannin, 248.
 Vanadium from the uranium ore of Joachimsthal, 989.
 Vanillin in Siam benzoïn, 245.
 Vanillo-diacetonamine and its salts, 144, 145.
 Vapour-densities of certain high-boiling organic compounds, 1025.
 ——— ——— of some metallic chlorides, 1013.

Vapour-densities, limits to the application of the method of determining, in the barometric vacuum, 499.

— of some inorganic compounds, 875.

— process for determining, 294.

Vapour-density at a high temperature in a vacuum, 197.

— determination of, 177.

— determination, modified, 196.

— determinations at high temperatures of substances which attack mercury, 499.

— determinations of inorganic bodies at high temperatures, 766.

— of alizarin, 1039.

— of ammonium dihydrosulphide, 880.

Vapours, influence of temperature and pressure on the spectra of, 685.

— magnetic rotatory power of, 577.

Vapour-tension saline solutions, 4.

Varec, estimation of iodine in, 1051.

Vartry water, some peculiarities of, and its action on boiler-plates, 85.

Vedovine, a tannin extract, 496.

Vegetable life, region of the solar spectrum indispensable to, 336.

Veratrine, absorption-spectra of, in solution, 269.

— colour reaction with antimony trichloride, 832.

Verryken's method of detecting metallic poisons, 973.

Vinasses, distillation of, 913.

Vine disease, 821.

Vinegar, behaviour of tin and lead alloys with, 990.

Vines, saccharine matter contained in, suffering from the phylloxera, 1049.

Viscosity a cause of catalysis, 876.

Vitellin, vegetable, 272.

Vitriol manufacture, loss of nitre in, 838.

Voltaic action, theory of, 426.

— element with constant current, 426.

— polarisation, capacity of, 864.

Volume-constitution of the sulphates, selenates, and chromates of the magnesium metals, 768.

Volumetric estimation of oxygen in water, Schutzenberger's process, 77.

Vyrnyw, analysis of the water of the, 906.

W.

Wagnerite from Bamle, in Norway, 441.

Water, absorption of, by leaves, 819.

— analysis, 963.

Water attached, and salt solutions, 428.

— Bohr's colorimetric process for the examination of, 553.

— distance between the molecules of, 194.

— distilled, preparation of, free from ammonia, 878.

— electrolysis of, 577.

— estimation of nitric acid in, 274.

— evaporation of, from the ground, 667.

— ferric chloride as a purifier of, 1072.

— for brewing, analyses of, 1078.

— from the River Dart, 906.

— influence of coloured light on the evaporation of, 863.

— mineral, curious concretion balls derived from a colliery, 1024.

— of St. Dunstan's well, Melrose, analysis of, 905.

— of the mineral spring at Suhl, 516.

— of the River Vyrnyw, analysis of, 906.

— of Thirlmere, analysis of, 211.

— potable, detection and estimation of ferrous acid in, 964.

— occurrence of bacteria in, 817.

— — preservation of, 85, 1072.

— — sanitary notes on, 985.

— softening magnesia-hard, 985.

— specific heat of, 1002.

— spongy iron and animal charcoal as materials for purifying, 343.

— sugar as a test of the purity of, 1062.

— thermal, of Termini Imerese, analysis of, 698.

— used in Peruvian saltpetre works, analysis of, 1073.

— Vartry, some peculiarities of, and its action on boiler-plates, 85.

— well, at Grouville, composition of, 1072.

— and methyl alcohol, heat-capacity of mixtures of, 688.

Waters, boiler feed-, analysis of, 273.

— mineral, of Auvergne, 446.

— natural, estimation of organic matter in, 976.

— of Lake Thirlmere, analysis of, 906.

— of the Cheliff, analysis of, 659.

— of the Nile, amount of nitric acid in, 905.

— well, inconstant composition of, 485.

Wax, Japanese, 1037.

— of *Ficus gummiiflua*, 261.

Weeds used as salad, analysis of, 821.

Weighings in air, reduction of, to a vacuum, 396.

Well-water at Grouville, composition of, 1072.
 Well-waters, inconstant composition of, 485.
 Weslsky's reaction for phloroglucin, 979.
 Wheat, blighted, detection of, in flour by the spectroscope, 977.
 — disease, 820.
 Whey, skimmed, composition of, 856.
 Willow, chemical constituents of, and its pathological formations, 160.
 Wine, adulteration of, 82.
 — apple, 1078.
 — changes which it undergoes when kept, 763.
 — clarifying and preserving, 290.
 — detection of free tartaric acid, and of sulphuric acid in, 981.
 — Dochnahl's new method of preparing, 569.
 — estimation of acetic acid in, 980.
 — estimation of alcohol and extractive matter in, 179.
 — estimation of glycerol in, 404.
 — extraction of tannin from, 1078.
 — fining of, 1078.
 — good, action of the ferment of sour wine on, 817.
 — pear, 1078.
 — plastering of, 681, 762.
 — red, colouring matter of, 171.
 — — making, 681.
 — — pressing of, 681.
 — sour, action of the ferment of, on good wine, 817.
 Wines, amount of sulphuric acid in, 762.
 — detection of grape sugar in adulterated, 82.
 — new, time of first racking off, 569.
 Wood, composition of, 613.
 — Quebracho, 996.
 — teak, 996.
 Wood charcoal, absorbing power of, 761.
 Wood gum, 613.
 Wood spirit, estimation of methyl alcohol in, 487.
 Wood vinegar, acids of, 43.
 Wool dyeing, use of chrome alum instead of potassium dichromate in, 185.
 Wort, effect of artificially manured barley on the composition of, 959.
 Worts, beer, rotatory power of, 993.

X.

Xanthine derivatives, formation of, from albumin, 471.

Xanthinine, 784.
 Xanthorhammin, 39.
 — formula of, 271, 272.
 Xylene, action of sulphuric monochloride, on, 229.
 — meta-, 623.
 — ortho-, separation of, from its isomerides, 919.
 — para-, 623.
 — sulphamido-, oxidation of, 52.
 Xylenesulphamide, β -meta-, 62.
 — monobromo-, 62.
 Xylenesulphonic acid, dibromo-meta-, 61.
 Xylenes, formed by the action of aluminium chloride on methyl chloride and benzene, 228.
 Xylenol, a solid, 641.
 — meta-, solid, 643.
 Xylenols, homo-oxybenzyl alcohols, hydroxytoluic aldehydes, alcohol- and aldehyde- hydroxybenzoic acids, and hydroxyphthalic acids, relation between, 924.
 Xylidide, aceto-para-, 52.
 Xylidine, a new, 919.
 — acetyl α - and acetyl β -meta-, 157.
 — cobalt chloride, 461.
 — α - and β -meta-, 157.
 — α - and β -meta-, hydrochloride, 157.
 — α -meta-, nitrate, 157.
 — para-, and its salts, 51.
 Xyloquinone dibromometa-, 530.

Y.

Yeast, artificial, for molasses distilleries, 1078.
 — beer-, lecithin and nucleïn in, 811.
 — composition of, 477.
 — preservation of, 817.
 — pressed, preparation of, as a by-product from potato spirit, 843.
 — researches on, 476.
 Yellow dolomite from Bleiberg, 19.
 — ultramarine, 885.
 Ytterbia, 601, 602.
 Ytterbium, a new metal from gadolinite, 118.
 — spectrum of, 861.
 Yttrium chlorostannate, 602.
 Ytrogummite, 365.

Z.

Zinc, action of water and saline solutions on, 11.
 — acetate, 452.

- Zinc arsenates, 884.
— chloride, vapour-density of, 1014.
— estimation of, 672.
— estimation of, available in zinc-dust, 400.
— estimation of, by precipitation as oxalate, 1054.
— improvements in the manufacture of sulphide and other compounds of, and in the production of bye-products resulting therefrom, 423.
— new volumetric method for estimating, 1054.
— phosphates, 1016.
— phosphide, 508.
— separation of ferric oxide and alumina from, 970.
- Zinc, separation of, from nickel, 276.
— separation of manganese from, 1055.
— sulphide solution, electric conductivity of, 864.
— sulphhydrate, 206.
— and nicotine, double chloride of, distillation of, with soda-lime, 809.
Zinc-dust, estimation of the available zinc in, 400.
Zinc-methyl, action of, on the bromides of monobrominated acid radicles of the α -series, 46.
Zircon crystals, twin, 363.
Zoisite, 606.
Zsadányer meteorite, analysis of, 397,